

Appendix 1 DATA SET**Patient data**

- Unique patient identification code
 - Hash code
 - National social security number (INSZ/NISS)
- Phonetic routine in the first name
- Gender
- Zip code of home address

Tumour data

- Incidence date
- Basis for the diagnosis
- Topography
- Laterality
- Histology
- Differentiation grade
- Clinical stage
 - TNM
 - Extent of the disease for small cell lung cancer
 - Ann Arbour
 - Multiple myeloma
 - FIGO
- Pathological stage
 - Treatment
 - WHO score at the time of diagnosis (performance grade)

Follow-up data

- Date of death
- Date of last contact

Appendix 2 Mortality incidence ratios 2008							
ICD-10 Description of localisation		Males			Females		
		M*	I	M/I	M*	I	M/I
Region		N	N	ratio	N	N	ratio
C00-C14 Lip, oral cavity and pharynx	Brussels-Capital Region	41	110	0.37	14	47	0.30
	Flemish Region	220	633	0.35	72	227	0.32
	Walloon Region	139	511	0.27	39	182	0.21
C15 Oesophagus	Brussels-Capital Region	33	44	0.75	23	32	0.72
	Flemish Region	322	389	0.83	86	115	0.75
	Walloon Region	154	231	0.67	56	81	0.69
C16 Stomach	Brussels-Capital Region	36	63	0.57	23	59	0.39
	Flemish Region	311	530	0.59	188	288	0.65
	Walloon Region	137	211	0.65	94	152	0.62
C18-C20 Colon-Rectosigmoid junction-rectum	Brussels-Capital Region	106	331	0.32	127	303	0.42
	Flemish Region	913	2922	0.31	804	2285	0.35
	Walloon Region	536	1233	0.43	444	1101	0.40
C21 Anus and anal canal	Brussels-Capital Region	2	8	0.25	2	16	0.13
	Flemish Region	4	36	0.11	9	39	0.23
	Walloon Region	7	12	0.58	6	27	0.22
C22 Liver and intrahepatic bile ducts	Brussels-Capital Region	48	35	1.37	44	21	2.10
	Flemish Region	229	226	1.01	161	105	1.53
	Walloon Region	167	152	1.10	104	66	1.58
C25 Pancreas	Brussels-Capital Region	78	63	1.24	59	62	0.95
	Flemish Region	446	354	1.26	432	315	1.37
	Walloon Region	229	165	1.39	239	196	1.22
C30-C31 Nasal cavity, middle ear and accessory sinuses	Brussels-Capital Region	-	2	-	1	2	0.50
	Flemish Region	14	64	0.22	-	25	-
	Walloon Region	6	25	0.24	4	11	0.36
C32 Larynx	Brussels-Capital Region	15	51	0.29	-	8	-
	Flemish Region	83	316	0.26	15	38	0.39
	Walloon Region	63	223	0.28	17	40	0.43
C33-C34 Trachea-bronchus-lung	Brussels-Capital Region	344	371	0.93	157	167	0.94
	Flemish Region	2,995	3240	0.92	821	958	0.86
	Walloon Region	1,606	1798	0.89	568	653	0.87
C43 Malignant melanoma of skin	Brussels-Capital Region	10	76	0.13	11	99	0.11
	Flemish Region	112	425	0.26	95	679	0.14
	Walloon Region	42	255	0.16	41	369	0.11
C44 Malignant neoplasms of skin	Brussels-Capital Region	2	7	0.29	209	895	0.23
	Flemish Region	19	49	0.39	1,361	5528	0.25
	Walloon Region	5	29	0.17	759	3274	0.23
C50 Breast	Brussels-Capital Region	-	-	-	5	25	0.20
	Flemish Region	-	-	-	24	112	0.21
	Walloon Region	-	-	-	17	50	0.34
C51 Vulva	Brussels-Capital Region	-	-	-	4	5	0.80
	Flemish Region	-	-	-	9	19	0.47
	Walloon Region	-	-	-	5	11	0.45
C52 Vagina	Brussels-Capital Region	-	-	-	0	4	0.00
	Flemish Region	-	-	-	10	27	0.37
	Walloon Region	-	-	-	5	21	0.24

C53	Cervix uteri	Brussels-Capital Region	-	-	-	16	72	0.22
		Flemish Region	-	-	-	129	360	0.36
		Walloon Region	-	-	-	41	211	0.19
C54	Corpus uteri	Brussels-Capital Region	-	-	-	21	114	0.18
		Flemish Region	-	-	-	154	908	0.17
		Walloon Region	-	-	-	39	428	0.09
C56	Ovary	Brussels-Capital Region	-	-	-	58	74	0.78
		Flemish Region	-	-	-	397	533	0.74
		Walloon Region	-	-	-	198	263	0.75
C60	Penis	Brussels-Capital Region	-	11	-	-	-	-
		Flemish Region	14	39	0.36	-	-	-
		Walloon Region	6	18	0.33	-	-	-
C61	Prostate	Brussels-Capital Region	121	629	0.19	-	-	-
		Flemish Region	831	5796	0.14	-	-	-
		Walloon Region	458	2385	0.19	-	-	-
C62	Testis	Brussels-Capital Region	2	30	0.07	-	-	-
		Flemish Region	9	174	0.05	-	-	-
		Walloon Region	5	114	0.04	-	-	-
C64	Kidney	Brussels-Capital Region	32	73	0.44	16	32	0.50
		Flemish Region	217	584	0.37	135	350	0.39
		Walloon Region	95	289	0.33	68	159	0.43
C67	Bladder	Brussels-Capital Region	38	127	0.30	25	32	0.78
		Flemish Region	330	1044	0.32	132	288	0.46
		Walloon Region	207	514	0.40	68	154	0.44
C69	Eye and adnexa	Brussels-Capital Region	-	5	-	1	3	0.33
		Flemish Region	2	41	0.05	2	26	0.08
		Walloon Region	3	12	0.25	7	10	0.70
C70-C72	Brain and other parts of central nervous system	Brussels-Capital Region	21	38	0.55	18	35	0.51
		Flemish Region	245	280	0.88	163	208	0.78
		Walloon Region	103	137	0.75	87	103	0.84
C73	Thyroid gland	Brussels-Capital Region	1	33	0.03	3	67	0.04
		Flemish Region	20	90	0.22	34	223	0.15
		Walloon Region	11	86	0.13	8	256	0.03
C81	Hodgkin's disease	Brussels-Capital Region	1	17	0.06	-	16	-
		Flemish Region	17	104	0.16	12	72	0.17
		Walloon Region	8	66	0.12	7	42	0.17
C82-85	Non-Hodgkin-lymphoma	Brussels-Capital Region	24	86	0.28	34	94	0.36
		Flemish Region	211	620	0.34	191	525	0.36
		Walloon Region	108	351	0.31	99	313	0.32
C91-C96	Leukaemia	Brussels-Capital Region	46	57	0.81	46	63	0.73
		Flemish Region	320	538	0.59	258	328	0.79
		Walloon Region	143	225	0.64	155	161	0.96
C76-C80	Unknown and other ill-defined sites	Brussels-Capital Region	73	71	1.03	51	78	0.65
		Flemish Region	270	336	0.80	290	293	0.99
		Walloon Region	314	227	1.38	244	241	1.01
Total		Brussels-Capital Region	1,170	2464	0.47	1,083	2535	0.43
		Flemish Region	8,998	19833	0.45	6,656	15614	0.43
		Walloon Region	4,927	9697	0.51	3,813	8900	0.43

* Sources:

Brussels-Capital Region: Bulletins statistiques de décès, Observatoire de la Santé et du Social de Bruxelles.

Flemish Region: Vlaams Agentschap Zorg en Gezondheid, Vlaamse gezondheidsindicatoren, Statistiek van de doodsoorzaken.

Walloon Region: Bulletins statistiques de décès, Cellule des statistiques des naissances et des décès, Direction générale de la santé, Ministère de la Communauté française.

Appendix 3 Percentage of microscopically verified (MV) tumours, 2008

		Belgium				Brussels-Capital Region				Flemish Region				Walloon Region			
		Total	Basis for diagnosis			Total	Basis for diagnosis			Total	Basis for diagnosis			Total	Basis for diagnosis		
			MV	Not MV	Missing		MV	Not MV	Missing		MV	Not MV	Missing		MV	Not MV	Missing
Localisation		N	%	%	%	N	%	%	%	N	%	%	%	N	%	%	%
C00	Lip	55	98.2	-	1.8	7	100.0	-	-	34	97.1	-	2.9	14	100.0	-	-
C01	Base of tongue	126	99.2	-	0.8	5	100.0	-	-	70	100.0	-	-	51	98.0	-	2.0
C02	Tongue	238	99.6	-	0.4	21	100.0	-	-	125	100.0	-	-	92	98.9	-	1.1
C03	Gum	70	100.0	-	-	5	100.0	-	-	32	100.0	-	-	33	100.0	-	-
C04	Floor of mouth	183	97.8	1.1	1.1	11	100.0	-	-	99	99.0	1.0	-	73	95.9	1.4	2.7
C05	Palate	95	98.9	-	1.1	6	100.0	-	-	49	100.0	-	-	40	97.5	-	2.5
C06	Mouth. NOS	87	98.9	-	1.1	10	100.0	-	-	46	97.8	-	2.2	31	100.0	-	-
C07	Parotid gland	88	97.7	-	2.3	4	100.0	-	-	53	96.2	-	3.8	31	100.0	-	-
C08	Salivary glands. NOS	19	100.0	-	-	0	-	-	-	12	100.0	-	-	7	100.0	-	-
C09	Tonsil	265	99.2	-	0.8	24	100.0	-	-	127	99.2	-	0.8	114	99.1	-	0.9
C10	Oropharynx	168	98.8	-	1.2	21	95.2	-	4.8	76	100.0	-	-	71	98.6	-	1.4
C11	Nasopharynx	55	100.0	-	-	8	100.0	-	-	30	100.0	-	-	17	100.0	-	-
C12	Pyriiform sinus	141	100.0	-	-	17	100.0	-	-	51	100.0	-	-	73	100.0	-	-
C13	Hypopharynx	81	100.0	-	-	12	100.0	-	-	36	100.0	-	-	33	100.0	-	-
C14	Lip. oral cavity and pharynx. NOS	39	100.0	-	-	6	100.0	-	-	20	100.0	-	-	13	100.0	-	-
C15	Oesophagus	892	99.3	0.3	0.3	76	100.0	-	-	504	99.2	0.6	0.2	312	99.4	-	0.6
C16	Stomach	1,303	98.8	0.4	0.8	122	100.0	-	-	818	99.3	0.6	0.1	363	97.2	-	2.8
C17	Small intestine	199	99.5	-	0.5	21	100.0	-	-	114	99.1	-	0.9	64	100.0	-	-
C18	Colon	5,513	98.8	0.5	0.7	456	99.8	0.2	-	3,482	99.2	0.6	0.1	1,575	97.5	0.4	2.0
C19	Rectosigmoid junction	278	96.4	3.2	0.4	36	97.2	2.8	-	176	96.0	4.0	-	66	97.0	1.5	1.5
C20	Rectum	2,384	99.0	0.2	0.8	142	99.3	0.7	-	1,549	99.5	0.2	0.3	693	98.0	0.1	1.9
C21	Anus and anal canal	138	100.0	-	-	24	100.0	-	-	75	100.0	-	-	39	100.0	-	-
C22	Liver and intrahepatic bileducts	605	80.0	19.0	1.0	56	82.1	16.1	1.8	331	79.2	20.5	0.3	218	80.7	17.4	1.8
C23	Gallbladder	103	94.2	5.8	-	7	100.0	-	-	65	95.4	4.6	-	31	90.3	9.7	-
C24	Biliary tract. NOS	239	91.2	8.4	0.4	13	100.0	-	-	153	88.9	10.5	0.7	73	94.5	5.5	-
C25	Pancreas	1,155	86.6	12.6	0.9	125	94.4	5.6	-	669	83.0	15.8	1.2	361	90.6	8.9	0.6
C26	Other ill-defined digestive organs	31	96.8	3.2	-	3	100.0	-	-	15	93.3	6.7	-	13	100.0	-	-
C30	Nasal cavity and middle ear	44	97.7	-	2.3	4	100.0	-	-	24	95.8	-	4.2	16	100.0	-	-
C31	Accessory sinuses	85	100.0	-	-	0	-	-	-	65	100.0	-	-	20	100.0	-	-
C32	Larynx	676	98.1	1.0	0.9	59	98.3	1.7	-	354	98.0	1.2	0.8	263	98.1	0.8	1.1
C33	Trachea	5	80.0	-	20.0	0	-	-	-	2	100.0	-	-	3	66.7	-	33.3
C34	Bronchus and lung	7,182	94.3	5.0	0.7	538	98.3	1.7	-	4,196	92.5	7.1	0.4	2,448	96.4	2.1	1.5
C37	Thymus	24	100.0	-	-	2	100.0	-	-	14	100.0	-	-	8	100.0	-	-
C38	Heart. mediastinum and pleura	25	92.0	8.0	-	1	100.0	-	-	16	93.8	6.2	-	8	87.5	12.5	-
C39	Respiratory system and intrathoracic organs. NOS	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
C40	Bone and articular cartilage of limbs	66	100.0	-	-	10	100.0	-	-	33	100.0	-	-	23	100.0	-	-
C41	Bone and articular cartilage. NOS	62	98.4	1.6	-	8	87.5	12.5	-	38	100.0	-	-	16	100.0	-	-
C43	Malignant melanoma of skin	1,903	99.8	0.1	0.1	175	100.0	-	-	1,104	99.7	0.1	0.2	624	100.0	-	-
C44	Malignant neoplasms of skin	3,742	98.7	-	1.3	331	100.0	-	-	2,295	99.5	-	0.5	1,116	96.8	-	3.2

C45	Mesothelioma	258	99.6	-	0.4	6	100.0	-	-	184	99.5	-	0.5	68	100.0	-	-
C46	Kaposi's sarcoma	44	100.0	-	-	16	100.0	-	-	19	100.0	-	-	9	100.0	-	-
C47-C49	Soft tissues	366	98.1	1.1	0.8	31	100.0	-	-	222	98.2	0.9	0.9	113	97.3	1.8	0.9
C48	Retroperitoneum and peritoneum	80	98.8	1.2	-	6	100.0	-	-	46	100.0	-	-	28	96.4	3.6	-
C50	Breast	9,782	99.3	0.2	0.5	902	99.9	0.1	-	5,577	99.7	0.2	0.1	3,303	98.5	0.2	1.3
C51	Vulva	187	98.4	0.5	1.1	25	100.0	-	-	112	99.1	0.9	-	50	96.0	-	4.0
C52	Vagina	35	88.6	5.7	5.7	5	80.0	20.0	-	19	89.5	5.3	5.3	11	90.9	-	9.1
C53	Cervix uteri	643	98.9	0.2	0.9	72	100.0	-	-	360	98.9	0.3	0.8	211	98.6	-	1.4
C54	Corpus uteri	1,450	98.7	0.3	1.0	114	100.0	-	-	908	99.3	0.3	0.3	428	97.0	0.5	2.6
C55	Uterus	11	90.9	9.1	-	1	100.0	-	-	8	87.5	12.5	-	2	100.0	-	-
C56	Ovary	870	97.7	1.8	0.5	74	100.0	-	-	533	97.4	2.3	0.4	263	97.7	1.5	0.8
C57	Female genital organs. NOS	50	96.0	4.0	-	9	100.0	-	-	22	95.5	4.5	-	19	94.7	5.3	-
C58	Placenta	2	100.0	-	-	1	100.0	-	-	1	100.0	-	-	0	-	-	-
C60	Penis	68	100.0	-	-	11	100.0	-	-	39	100.0	-	-	18	100.0	-	-
C61	Prostate	8,810	98.5	0.4	1.1	629	99.5	0.3	0.2	5,796	99.4	0.4	0.2	2,385	96.2	0.3	3.6
C62	Testis	318	99.7	-	0.3	30	100.0	-	-	174	100.0	-	-	114	99.1	-	0.9
C63	Male genital organs. NOS	14	100.0	-	-	1	100.0	-	-	11	100.0	-	-	2	100.0	-	-
C64	Kidney	1,487	94.8	4.0	1.2	105	97.1	2.9	-	934	95.0	4.6	0.4	448	93.8	3.1	3.1
C65	Renal pelvis	191	96.3	2.6	1.0	23	100.0	-	-	112	95.5	4.5	-	56	96.4	-	3.6
C66	Ureter	135	94.8	3.7	1.5	7	100.0	-	-	93	93.5	5.4	1.1	35	97.1	-	2.9
C67	Bladder	2,159	98.7	0.3	1.0	159	99.4	0.6	-	1,332	99.5	0.2	0.3	668	97.0	0.3	2.7
C68	Urinary organs. NOS	35	100.0	-	-	4	100.0	-	-	22	100.0	-	-	9	100.0	-	-
C69	Eye and adnexa	97	62.9	35.1	2.1	8	37.5	62.5	-	67	71.6	26.9	1.5	22	45.5	50.0	4.5
C70	Meninges	14	78.6	21.4	-	2	100.0	-	-	8	62.5	37.5	-	4	100.0	-	-
C71	Brain	767	94.8	5.0	0.2	70	94.3	4.3	1.4	465	94.2	5.8	-	232	96.1	3.4	0.4
C72	Spinal cord. cranial nerves and CNS. NOS	20	95.0	5.0	-	1	100.0	-	-	15	93.3	6.7	-	4	100.0	-	-
C73	Thyroid gland	755	98.4	-	1.6	100	100.0	-	-	313	99.7	-	0.3	342	96.8	-	3.2
C74	Adrenal gland	37	94.6	5.4	-	4	100.0	-	-	24	91.7	8.3	-	9	100.0	-	-
C75	Endocrine glands. NOS	17	94.1	5.9	-	4	100.0	-	-	10	90.0	10.0	-	3	100.0	-	-
C81	Hodgkin's disease	317	100.0	-	-	33	100.0	-	-	176	100.0	-	-	108	100.0	-	-
C82-85	Non-Hodgkin-lymphoma	1,989	99.5	0.2	0.3	180	100.0	-	-	1,145	99.7	0.1	0.2	664	99.1	0.3	0.6
C88	Malignant immunoproliferative diseases	65	98.5	1.5	-	6	100.0	-	-	45	97.8	2.2	-	14	100.0	-	-
C90	Multiple myeloma	700	98.9	0.4	0.7	50	98.0	2.0	-	487	99.2	0.4	0.4	163	98.2	-	1.8
C91	Lymphoid leukaemia	717	98.9	-	1.1	57	98.2	-	1.8	466	99.1	-	0.9	194	98.5	-	1.5
C92	Myeloid leukaemia	584	98.6	-	1.4	55	100.0	-	-	352	98.9	-	1.1	177	97.7	-	2.3
C93	Monocytic leukaemia	39	100.0	-	-	6	100.0	-	-	26	100.0	-	-	7	100.0	-	-
C94-C95	Leukaemia other	32	100.0	-	-	2	100.0	-	-	22	100.0	-	-	8	100.0	-	-
C96	Lymphoid. haematopoietic and related tissue. NOS	30	100.0	-	-	6	100.0	-	-	16	100.0	-	-	8	100.0	-	-
C76	Other and ill-defined sites	5	80.0	20.0	-	1	100.0	-	-	4	75.0	25.0	-	0	-	-	-
C80	Unknown primary site	1,241	95.2	4.3	0.5	148	97.3	2.7	-	625	93.9	5.9	0.2	468	96.4	2.6	1.1
Total		63,738	97.6	1.6	0.8	5,398	98.9	0.9	0.1	38,386	97.7	2.0	0.3	19,954	97.1	1.1	1.8
Total excl. non-melanoma		59,996	97.6	1.7	0.7	5,067	98.9	1.0	0.1	36,091	97.6	2.1	0.3	18,838	97.1	1.1	1.8

1 Cancer incidence in Belgium 2008	xx
Males, number of invasive tumours by primary site and age group	xx
Males, age-specific and age-standardised incidence rates of cancer, by primary site	xx
Females, number of invasive tumours by primary site and age group	xx
Females, age-specific and age-standardised incidence rates of cancer, by primary site	xx
2 Cancer incidence in the Flemish Region 2008	xx
Males, number of invasive tumours by primary site and age group	xx
Males, age-specific and age-standardised incidence rates of cancer, by primary site	xx
Females, number of invasive tumours by primary site and age group	xx
Females, age-specific and age-standardised incidence rates of cancer, by primary site	xx
3 Cancer incidence in the Brussels Capital Region 2008	xx
Males, number of invasive tumours by primary site and age group	xx
Males, age-specific and age-standardised incidence rates of cancer, by primary site	xx
Females, number of invasive tumours by primary site and age group	xx
Females, age-specific and age-standardised incidence rates of cancer, by primary site	xx
4 Cancer incidence in the Walloon Region 2008	xx
Males, number of invasive tumours by primary site and age group	xx
Males, age-specific and age-standardised incidence rates of cancer, by primary site	xx
Females, number of invasive tumours by primary site and age group	xx
Females, age-specific and age-standardised incidence rates of cancer, by primary site	xx

Belgium: Males, number of invasive tumours by primary site and age group in 2008

Belgium: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	40	-	-	-	-	-	-	1	-	1	4	1	2	4	6	4	6	6	5
C01	Base of tongue	100	-	-	-	-	-	-	-	-	2	11	19	14	24	10	6	9	2	3
C02	Tongue	165	-	-	-	1	-	-	2	4	10	17	21	32	24	16	17	15	4	2
C03	Gum	36	-	-	-	-	-	-	-	-	1	5	7	1	5	2	4	5	3	3
C04	Floor of mouth	153	-	-	-	-	-	-	-	-	7	20	34	26	27	10	15	5	7	2
C05	Palate	61	-	-	-	-	-	-	-	-	1	6	11	17	11	5	5	2	1	2
C06	Mouth, NOS	57	-	-	-	-	-	1	-	-	-	4	10	15	7	3	5	4	3	5
C07	Parotid gland	50	-	-	-	-	-	1	2	1	2	2	2	7	7	5	5	5	5	6
C08	Salivary glands, NOS	10	-	-	-	-	-	-	-	-	-	-	1	5	-	1	1	2	-	-
C09	Tonsil	192	-	-	-	-	-	-	-	3	7	28	42	36	30	19	9	12	4	2
C10	Oropharynx	136	-	-	-	-	-	-	-	1	2	12	28	20	31	15	11	11	5	-
C11	Nasopharynx	41	-	-	1	-	2	-	1	6	2	5	4	4	6	3	4	1	2	-
C12	Pyrimiform sinus	120	-	-	-	-	-	-	-	-	1	7	23	21	40	12	8	6	1	1
C13	Hypopharynx	65	-	-	-	-	-	-	-	-	1	4	10	16	10	9	9	4	1	1
C14	Lip, oral cavity and pharynx, NOS	28	-	-	-	-	-	-	-	-	-	1	6	3	5	7	2	1	2	1
C15	Oesophagus	664	-	-	-	-	-	-	1	4	9	37	67	90	113	88	103	79	47	26
C16	Stomach	804	1	-	-	-	-	1	3	8	16	32	44	48	75	100	131	146	107	92
C17	Small intestine	114	-	-	-	-	-	1	-	1	4	4	12	11	13	21	15	17	10	5
C18	Colon	2,904	-	1	-	3	5	5	7	12	31	77	127	220	312	386	505	568	400	245
C19	Rectosigmoid junction	158	-	-	-	-	-	-	1	1	3	6	4	19	21	22	28	27	13	13
C20	Rectum	1,424	-	-	-	2	2	3	2	6	21	56	109	131	181	209	211	250	150	91
C21	Anus and anal canal	56	-	-	-	-	-	-	1	-	1	1	7	6	9	7	6	8	5	5
C22	Liver and intrahepatic bile ducts	413	3	-	1	-	-	5	4	6	3	8	27	47	65	72	72	57	35	8
C23	Gallbladder	31	-	-	-	-	-	-	-	-	-	-	-	2	2	5	3	9	6	4
C24	Biliary tract, NOS	126	-	-	-	-	-	-	-	-	2	1	5	10	20	26	20	20	13	9
C25	Pancreas	582	-	-	-	-	-	1	1	7	8	28	32	52	93	76	105	96	58	25
C26	Other ill-defined digestive organs	16	-	-	-	-	-	-	-	-	-	2	1	-	3	1	2	3	3	1
C30	Nasal cavity and middle ear	30	-	-	-	-	-	-	-	-	1	2	4	2	2	4	5	4	2	4
C31	Accessory sinuses	61	-	-	-	-	2	-	-	-	1	2	3	10	15	4	12	11	1	-
C32	Larynx	590	-	-	-	-	-	-	-	2	5	29	71	90	121	76	84	62	37	13
C33	Trachea	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
C34	Bronchus and lung	5,406	1	-	1	1	1	2	9	12	47	157	363	574	776	832	932	963	534	201
C37	Thymus	9	-	-	-	-	-	-	-	-	2	-	1	-	2	-	1	2	1	-
C38	Heart, mediastinum and pleura	11	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	3	1	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	32	-	-	4	7	1	3	3	2	-	-	2	2	1	2	1	3	1	-
C41	Bone and articular cartilage, NOS	32	-	2	1	4	1	3	-	1	2	-	4	3	2	-	5	4	-	-
C43	Malignant melanoma of skin	756	-	-	2	3	7	12	21	42	63	62	70	72	85	84	79	67	52	35
C44	Malignant neoplasms of skin	2,182	-	1	1	1	1	5	2	11	21	34	40	78	149	193	354	448	463	380

Belgium: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C45	Mesothelioma	206	-	-	-	-	-	1	-	1	2	3	9	17	30	37	44	34	20	8
C46	Kaposi's sarcoma	33	-	-	-	-	-	-	1	1	5	8	2	1	2	5	1	4	1	2
C47,C49	Soft tissues	198	6	-	3	3	3	4	6	6	12	13	15	21	23	19	20	20	12	12
C48	Retroperitoneum and peritoneum	27	1	-	-	-	-	-	-	2	3	3	2	2	2	1	4	3	3	1
C50	Breast	85	-	-	-	-	-	-	2	-	-	4	7	8	11	10	18	11	12	2
C60	Penis	68	-	-	-	-	-	-	-	-	1	4	7	4	10	5	9	10	14	4
C61	Prostate	8,810	-	-	-	-	-	-	-	2	10	117	483	934	1,265	1,577	1,761	1,462	783	416
C62	Testis	318	-	-	1	11	41	76	60	46	26	29	12	7	4	1	1	3	-	-
C63	Male genital organs, NOS	14	-	1	-	1	-	-	1	1	1	-	-	2	-	1	2	-	3	1
C64	Kidney	946	2	-	-	1	1	3	7	15	26	55	84	111	136	147	138	140	59	21
C65	Renal pelvis	114	-	-	-	-	-	-	-	-	3	3	7	10	10	17	19	26	13	6
C66	Ureter	94	-	-	-	-	-	-	-	-	1	2	4	7	8	15	13	28	12	4
C67	Bladder	1,685	1	-	-	-	-	1	-	3	8	20	60	96	185	215	259	373	288	176
C68	Urinary organs, NOS	27	-	-	-	-	-	-	-	-	-	1	2	4	2	4	5	5	2	2
C69	Eye and adnexa	58	2	1	-	-	-	1	-	2	1	4	2	5	9	4	8	12	6	1
C70	Meninges	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-
C71	Brain	440	6	5	9	9	6	17	14	18	21	32	40	38	58	36	44	55	23	9
C72	Spinal cord, cranial nerves and CNS, NOS	11	2	-	2	-	-	-	-	1	1	1	-	1	-	-	2	1	-	-
C73	Thyroid gland	209	-	1	1	3	2	8	5	19	17	21	24	23	24	22	10	13	12	4
C74	Adrenal gland	22	8	1	-	-	-	-	-	-	-	-	2	3	2	-	1	4	1	-
C75	Endocrine glands, NOS	10	-	1	1	1	-	2	-	-	-	-	-	2	-	1	1	1	-	-
C81	Hodgkin's disease	187	2	-	6	15	10	24	16	12	10	12	22	8	15	11	11	8	4	1
C82-C85	Non-Hodgkin-lymphoma	1,057	2	14	3	9	10	17	15	24	45	52	76	113	115	116	155	128	100	63
C88	Malignant immunoproliferative diseases	42	-	-	-	-	-	-	-	-	1	3	3	6	4	6	3	5	7	4
C90	Multiple myeloma	381	-	-	-	-	-	-	-	3	7	12	27	28	47	72	49	73	45	18
C91	Lymphoid leukaemia	455	18	11	9	7	4	4	8	4	10	15	27	56	53	44	66	54	43	22
C92	Myeloid leukaemia	327	2	1	2	5	3	3	8	13	8	13	13	22	30	45	42	48	44	25
C93	Monocytic leukaemia	17	-	-	-	-	-	-	-	2	2	-	1	1	2	1	4	2	2	-
C94-C95	Leukaemia other	21	1	-	1	-	-	-	1	-	2	-	-	1	1	3	4	3	3	1
C96	Lymphoid, haematopoietic and related tissue, NOS	18	5	1	-	-	1	1	1	-	-	1	1	2	1	2	-	2	-	-
C76	Other and ill-defined sites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C80	Unknown primary site	633	1	-	-	-	1	1	1	6	9	34	56	65	73	64	103	109	66	44
MPD	Myeloproliferative Disorders	213	-	-	-	1	1	2	-	2	11	12	13	15	28	33	23	38	26	8
MDS	Myelodysplastic syndromes	301	-	1	1	1	-	-	-	4	3	6	5	10	26	25	53	62	63	41
Total		34,690	64	42	50	89	105	209	207	317	523	1,145	2,221	3,309	4,469	4,871	5,655	5,674	3,653	2,087
Total excl. non-melanoma		32,508	64	41	49	88	104	204	205	306	502	1,111	2,181	3,231	4,320	4,678	5,301	5,226	3,190	1,707
Total excl. non-melanoma and MDS, MPD		31,994	64	40	48	86	103	202	205	300	488	1,093	2,163	3,206	4,266	4,620	5,225	5,126	3,101	1,658

Belgium: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2008 (n/100,000 person years)

Belgium: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	40	-	-	-	-	-	-	0.3	-	0.2	1.0	0.3	0.6	1.4	2.7	2.0	3.5	5.6	8.3	0.8	0.6	0.4	0.04
C01	Base of tongue	100	-	-	-	-	-	-	-	-	0.5	2.7	5.1	4.1	8.3	4.6	2.9	5.3	1.9	5.0	1.9	1.7	1.2	0.14
C02	Tongue	165	-	-	-	0.3	-	-	0.6	1.0	2.4	4.2	5.7	9.5	8.3	7.3	8.3	8.8	3.7	3.3	3.2	2.8	2.0	0.24
C03	Gum	36	-	-	-	-	-	-	-	-	0.2	1.2	1.9	0.3	1.7	0.9	2.0	2.9	2.8	5.0	0.7	0.6	0.4	0.04
C04	Floor of mouth	153	-	-	-	-	-	-	-	-	1.7	4.9	9.2	7.7	9.3	4.6	7.3	2.9	6.5	3.3	2.9	2.6	1.9	0.22
C05	Palate	61	-	-	-	-	-	-	-	-	0.2	1.5	3.0	5.0	3.8	2.3	2.4	1.2	0.9	3.3	1.2	1.1	0.8	0.09
C06	Mouth, NOS	57	-	-	-	-	-	0.3	-	-	-	1.0	2.7	4.4	2.4	1.4	2.4	2.4	2.8	8.3	1.1	1.0	0.7	0.07
C07	Parotid gland	50	-	-	-	-	-	0.3	0.6	0.3	0.5	0.5	0.5	2.1	2.4	2.3	2.4	2.9	4.6	10.0	1.0	0.8	0.6	0.06
C08	Salivary glands, NOS	10	-	-	-	-	-	-	-	-	-	-	0.3	1.5	-	0.5	0.5	1.2	-	-	0.2	0.2	0.1	0.01
C09	Tonsil	192	-	-	-	-	-	-	-	0.8	1.7	6.9	11.3	10.7	10.4	8.7	4.4	7.1	3.7	3.3	3.7	3.3	2.4	0.27
C10	Oropharynx	136	-	-	-	-	-	-	-	0.3	0.5	3.0	7.6	5.9	10.7	6.8	5.4	6.5	4.6	-	2.6	2.3	1.7	0.20
C11	Nasopharynx	41	-	-	0.3	-	0.6	-	0.3	1.6	0.5	1.2	1.1	1.2	2.1	1.4	2.0	0.6	1.9	-	0.8	0.7	0.6	0.06
C12	Pyrimiform sinus	120	-	-	-	-	-	-	-	-	0.2	1.7	6.2	6.2	13.8	5.5	3.9	3.5	0.9	1.7	2.3	2.1	1.5	0.19
C13	Hypopharynx	65	-	-	-	-	-	-	-	-	0.2	1.0	2.7	4.7	3.5	4.1	4.4	2.4	0.9	1.7	1.2	1.1	0.8	0.10
C14	Lip, oral cavity and pharynx, NOS	28	-	-	-	-	-	-	-	-	-	0.2	1.6	0.9	1.7	3.2	1.0	0.6	1.9	1.7	0.5	0.5	0.3	0.04
C15	Oesophagus	664	-	-	-	-	-	-	0.3	1.0	2.2	9.2	18.1	26.6	39.0	40.2	50.3	46.6	43.6	43.4	12.7	10.6	7.4	0.93
C16	Stomach	804	0.3	-	-	-	-	0.3	0.9	2.1	3.9	7.9	11.9	14.2	25.9	45.7	64.0	86.1	99.3	153.5	15.4	12.1	7.9	0.88
C17	Small intestine	114	-	-	-	-	-	0.3	-	0.3	1.0	1.0	3.2	3.3	4.5	9.6	7.3	10.0	9.3	8.3	2.2	1.8	1.3	0.15
C18	Colon	2,904	-	0.3	-	0.9	1.6	1.5	2.0	3.1	7.5	19.1	34.3	65.1	107.8	176.2	246.8	335.1	371.1	408.7	55.6	43.2	28.4	3.28
C19	Rectosigmoid junction	158	-	-	-	-	-	-	0.3	0.3	0.7	1.5	1.1	5.6	7.3	10.0	13.7	15.9	12.1	21.7	3.0	2.4	1.6	0.20
C20	Rectum	1,424	-	-	-	0.6	0.6	0.9	0.6	1.6	5.1	13.9	29.4	38.8	62.5	95.4	103.1	147.5	139.2	151.8	27.3	21.9	14.8	1.75
C21	Anus and anal canal	56	-	-	-	-	-	-	0.3	-	0.2	0.2	1.9	1.8	3.1	3.2	2.9	4.7	4.6	8.3	1.1	0.9	0.6	0.07
C22	Liver and intrahepatic bile ducts	413	1.0	-	0.3	-	-	1.5	1.2	1.6	0.7	2.0	7.3	13.9	22.5	32.9	35.2	33.6	32.5	13.3	7.9	6.6	4.7	0.60
C23	Gallbladder	31	-	-	-	-	-	-	-	-	-	-	-	0.6	0.7	2.3	1.5	5.3	5.6	6.7	0.6	0.4	0.3	0.03
C24	Biliary tract, NOS	126	-	-	-	-	-	-	-	-	0.5	0.2	1.4	3.0	6.9	11.9	9.8	11.8	12.1	15.0	2.4	1.9	1.3	0.17
C25	Pancreas	582	-	-	-	-	-	0.3	0.3	1.8	1.9	6.9	8.6	15.4	32.1	34.7	51.3	56.6	53.8	41.7	11.1	8.9	6.1	0.76
C26	Other ill-defined digestive organs	16	-	-	-	-	-	-	-	-	-	0.5	0.3	-	1.0	0.5	1.0	1.8	2.8	1.7	0.3	0.2	0.2	0.02
C30	Nasal cavity and middle ear	30	-	-	-	-	-	-	-	-	0.2	0.5	1.1	0.6	0.7	1.8	2.4	2.4	1.9	6.7	0.6	0.5	0.3	0.04
C31	Accessory sinuses	61	-	-	-	-	0.6	-	-	-	0.2	0.5	0.8	3.0	5.2	1.8	5.9	6.5	0.9	-	1.2	1.0	0.7	0.09
C32	Larynx	590	-	-	-	-	-	-	-	0.5	1.2	7.2	19.2	26.6	41.8	34.7	41.0	36.6	34.3	21.7	11.3	9.6	6.7	0.86
C33	Trachea	3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	0.6	-	-	0.1	0.0	0.0	0.00
C34	Bronchus and lung	5,406	0.3	-	0.3	0.3	0.3	0.6	2.6	3.1	11.4	38.9	98.0	169.9	268.2	379.8	455.4	568.1	495.4	335.3	103.5	83.0	56.3	6.90
C37	Thymus	9	-	-	-	-	-	-	-	-	0.5	-	0.3	-	0.7	-	0.5	1.2	0.9	-	0.2	0.1	0.1	0.01
C38	Heart, mediastinum and pleura	11	-	-	-	-	-	-	-	-	-	-	0.5	-	0.3	0.5	1.5	1.8	0.9	-	0.2	0.2	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	32	-	-	1.3	2.1	0.3	0.9	0.9	0.5	-	-	0.5	0.6	0.3	0.9	0.5	1.8	0.9	-	0.6	0.6	0.6	0.04
C41	Bone and articular cartilage, NOS	32	-	0.7	0.3	1.2	0.3	0.9	-	0.3	0.5	-	1.1	0.9	0.7	-	2.4	2.4	-	-	0.6	0.6	0.5	0.05
C43	Malignant melanoma of skin	756	-	-	0.6	0.9	2.2	3.5	6.1	10.9	15.3	15.3	18.9	21.3	29.4	38.3	38.6	39.5	48.2	58.4	14.5	12.5	9.3	1.00
C44	Malignant neoplasms of skin	2,182	-	0.3	0.3	0.3	0.3	1.5	0.6	2.9	5.1	8.4	10.8	23.1	51.5	88.1	173.0	264.3	429.6	633.9	41.8	30.7	18.8	1.81

Belgium: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C45	Mesothelioma	206	-	-	-	-	-	0.3	-	0.3	0.5	0.7	2.4	5.0	10.4	16.9	21.5	20.1	18.6	13.3	3.9	3.2	2.1	0.29
C46	Kaposi's sarcoma	33	-	-	-	-	-	-	0.3	0.3	1.2	2.0	0.5	0.3	0.7	2.3	0.5	2.4	0.9	3.3	0.6	0.5	0.4	0.04
C47,C49	Soft tissues	198	2.0	-	1.0	0.9	0.9	1.2	1.7	1.6	2.9	3.2	4.1	6.2	7.9	8.7	9.8	11.8	11.1	20.0	3.8	3.3	2.6	0.26
C48	Retroperitoneum and peritoneum	27	0.3	-	-	-	-	-	-	0.5	0.7	0.7	0.5	0.6	0.7	0.5	2.0	1.8	2.8	1.7	0.5	0.4	0.3	0.03
C50	Breast	85	-	-	-	-	-	-	0.6	-	-	1.0	1.9	2.4	3.8	4.6	8.8	6.5	11.1	3.3	1.6	1.3	0.9	0.11
C60	Penis	68	-	-	-	-	-	-	-	-	0.2	1.0	1.9	1.2	3.5	2.3	4.4	5.9	13.0	6.7	1.3	1.0	0.7	0.07
C61	Prostate	8,810	-	-	-	-	-	-	-	0.5	2.4	29.0	130.4	276.4	437.1	720.0	860.5	862.5	726.5	693.9	168.6	135.9	91.5	11.56
C62	Testis	318	-	-	0.3	3.3	12.8	22.1	17.3	11.9	6.3	7.2	3.2	2.1	1.4	0.5	0.5	1.8	-	-	6.1	6.2	6.0	0.44
C63	Male genital organs, NOS	14	-	0.3	-	0.3	-	-	0.3	0.3	0.2	-	-	0.6	-	0.5	1.0	-	2.8	1.7	0.3	0.2	0.2	0.02
C64	Kidney	946	0.7	-	-	0.3	0.3	0.9	2.0	3.9	6.3	13.6	22.7	32.8	47.0	67.1	67.4	82.6	54.7	35.0	18.1	15.1	10.7	1.32
C65	Renal pelvis	114	-	-	-	-	-	-	-	-	0.7	0.7	1.9	3.0	3.5	7.8	9.3	15.3	12.1	10.0	2.2	1.7	1.1	0.13
C66	Ureter	94	-	-	-	-	-	-	-	-	0.2	0.5	1.1	2.1	2.8	6.8	6.4	16.5	11.1	6.7	1.8	1.4	0.9	0.10
C67	Bladder	1,685	0.3	-	-	-	-	0.3	-	0.8	1.9	4.9	16.2	28.4	63.9	98.2	126.6	220.0	267.2	293.6	32.3	24.4	15.5	1.69
C68	Urinary organs, NOS	27	-	-	-	-	-	-	-	-	-	0.2	0.5	1.2	0.7	1.8	2.4	2.9	1.9	3.3	0.5	0.4	0.3	0.03
C69	Eye and adnexa	58	0.7	0.3	-	-	-	0.3	-	0.5	0.2	1.0	0.5	1.5	3.1	1.8	3.9	7.1	5.6	1.7	1.1	0.9	0.7	0.07
C70	Meninges	4	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	-	0.6	0.9	-	0.1	0.1	0.0	0.00
C71	Brain	440	2.0	1.7	2.9	2.7	1.9	4.9	4.0	4.7	5.1	7.9	10.8	11.2	20.0	16.4	21.5	32.4	21.3	15.0	8.4	7.4	6.0	0.59
C72	Spinal cord, cranial nerves and CNS, NOS	11	0.7	-	0.6	-	-	-	-	0.3	0.2	0.2	-	0.3	-	-	1.0	0.6	-	-	0.2	0.2	0.2	0.02
C73	Thyroid gland	209	-	0.3	0.3	0.9	0.6	2.3	1.4	4.9	4.1	5.2	6.5	6.8	8.3	10.0	4.9	7.7	11.1	6.7	4.0	3.6	2.8	0.28
C74	Adrenal gland	22	2.6	0.3	-	-	-	-	-	-	-	-	0.5	0.9	0.7	-	0.5	2.4	0.9	-	0.4	0.4	0.5	0.03
C75	Endocrine glands, NOS	10	-	0.3	0.3	0.3	-	0.6	-	-	-	-	-	0.6	-	0.5	0.5	0.6	-	-	0.2	0.2	0.2	0.02
C81	Hodgkin's disease	187	0.7	-	1.9	4.5	3.1	7.0	4.6	3.1	2.4	3.0	5.9	2.4	5.2	5.0	5.4	4.7	3.7	1.7	3.6	3.5	3.2	0.27
C82-C85	Non-Hodgkin-lymphoma	1,057	0.7	4.6	1.0	2.7	3.1	4.9	4.3	6.2	10.9	12.9	20.5	33.4	39.7	53.0	75.7	75.5	92.8	105.1	20.2	16.9	12.4	1.36
C88	Malignant immunoproliferative diseases	42	-	-	-	-	-	-	-	-	0.2	0.7	0.8	1.8	1.4	2.7	1.5	2.9	6.5	6.7	0.8	0.6	0.4	0.05
C90	Multiple myeloma	381	-	-	-	-	-	-	-	0.8	1.7	3.0	7.3	8.3	16.2	32.9	23.9	43.1	41.8	30.0	7.3	5.8	3.9	0.47
C91	Lymphoid leukaemia	455	5.9	3.6	2.9	2.1	1.2	1.2	2.3	1.0	2.4	3.7	7.3	16.6	18.3	20.1	32.3	31.9	39.9	36.7	8.7	7.5	6.0	0.60
C92	Myeloid leukaemia	327	0.7	0.3	0.6	1.5	0.9	0.9	2.3	3.4	1.9	3.2	3.5	6.5	10.4	20.5	20.5	28.3	40.8	41.7	6.3	5.1	3.7	0.39
C93	Monocytic leukaemia	17	-	-	-	-	-	-	-	0.5	0.5	-	0.3	0.3	0.7	0.5	2.0	1.2	1.9	-	0.3	0.3	0.2	0.02
C94-C95	Leukaemia other	21	0.3	-	0.3	-	-	-	0.3	-	0.5	-	-	0.3	0.3	1.4	2.0	1.8	2.8	1.7	0.4	0.3	0.3	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	18	1.6	0.3	-	-	0.3	0.3	0.3	-	-	0.2	0.3	0.6	0.3	0.9	-	1.2	-	-	0.3	0.4	0.4	0.03
C76	Other and ill-defined sites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	0.0	0.0	0.0
C80	Unknown primary site	633	0.3	-	-	-	0.3	0.3	0.3	1.6	2.2	8.4	15.1	19.2	25.2	29.2	50.3	64.3	61.2	73.4	12.1	9.7	6.6	0.76
MPD	Myeloproliferative Disorders	213	-	-	-	0.3	0.3	0.6	-	0.5	2.7	3.0	3.5	4.4	9.7	15.1	11.2	22.4	24.1	13.3	4.1	3.3	2.3	0.26
MDS	Myelodysplastic syndromes	301	-	0.3	0.3	0.3	-	-	-	1.0	0.7	1.5	1.4	3.0	9.0	11.4	25.9	36.6	58.5	68.4	5.8	4.2	2.7	0.27
Total		34,690	20.8	13.9	16.1	26.7	32.7	60.8	59.8	82.3	127.0	283.4	599.8	979.2	1,544.4	2,223.8	2,763.3	3,347.2	3,389.2	3,481.2	664.0	536.3	369.1	35.71
Total excl. non-melanoma		32,508	20.8	13.6	15.7	26.4	32.4	59.3	59.2	79.4	121.9	275.0	589.0	956.1	1,492.9	2,135.7	2,590.3	3,082.9	2,959.7	2,847.4	622.2	505.6	350.3	34.52
Total excl. non-melanoma and MDS, MPD		31,994	20.8	13.3	15.4	25.8	32.0	58.7	59.2	77.9	118.5	270.5	584.1	948.7	1,474.2	2,109.2	2,553.2	3,024.0	2,877.1	2,765.6	612.4	498.1	345.3	34.17

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Belgium: Females, number of invasive tumours by primary site and age group in 2008

Belgium: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	15	-	-	-	-	-	-	-	-	-	-	1	1	1	5	-	4	2	1
C01	Base of tongue	26	-	-	-	-	-	-	-	2	-	1	2	4	5	4	1	4	2	1
C02	Tongue	73	-	-	-	-	-	1	1	1	3	3	9	14	9	6	3	8	9	6
C03	Gum	34	-	-	-	-	-	-	-	-	-	2	3	2	5	5	5	5	3	4
C04	Floor of mouth	30	-	-	-	-	-	-	-	-	1	3	8	5	4	1	4	3	-	1
C05	Palate	34	-	-	-	-	-	-	1	-	-	5	7	7	7	2	2	1	1	1
C06	Mouth, NOS	30	-	-	-	-	-	-	1	-	-	3	2	2	1	2	6	5	4	4
C07	Parotid gland	38	-	-	-	-	2	1	1	3	3	1	1	2	7	1	4	6	5	1
C08	Salivary glands, NOS	9	-	-	-	-	-	1	-	-	-	-	1	-	-	-	4	1	-	2
C09	Tonsil	73	-	-	-	-	-	-	1	-	1	8	10	12	14	6	7	7	7	-
C10	Oropharynx	32	-	-	-	-	-	-	-	-	-	2	7	9	6	3	1	1	2	1
C11	Nasopharynx	14	-	1	-	-	-	1	-	1	-	1	2	-	2	2	1	3	-	-
C12	Pyriform sinus	21	-	-	-	-	-	-	-	-	1	-	3	4	4	4	3	2	-	-
C13	Hypopharynx	16	-	-	-	-	-	-	-	-	-	4	4	2	3	1	1	1	-	-
C14	Lip, oral cavity and pharynx, NOS	11	-	-	-	-	-	-	-	-	-	1	2	1	3	2	1	-	-	1
C15	Oesophagus	228	-	-	-	-	-	-	-	1	-	5	13	30	36	19	36	32	31	25
C16	Stomach	499	-	-	-	1	-	2	2	9	12	16	25	36	35	49	51	78	77	106
C17	Small intestine	85	-	-	-	-	-	-	1	2	2	3	10	3	10	8	13	14	15	4
C18	Colon	2,609	-	-	4	3	6	5	14	26	33	58	114	156	236	266	354	467	466	401
C19	Rectosigmoid junction	120	-	-	-	-	1	-	-	-	-	1	8	10	8	16	18	29	16	13
C20	Rectum	960	-	-	-	-	-	-	-	15	17	36	65	75	112	106	129	173	127	105
C21	Anus and anal canal	82	-	-	-	-	-	1	1	-	3	13	8	11	5	7	6	14	5	8
C22	Liver and intrahepatic bile ducts	192	1	-	-	-	-	1	1	2	8	8	7	13	20	26	32	44	16	13
C23	Gallbladder	72	-	-	-	-	-	-	-	1	1	-	-	2	5	12	14	19	13	5
C24	Biliary tract, NOS	113	-	-	-	-	-	-	-	-	1	3	4	5	8	7	17	32	16	20
C25	Pancreas	573	-	-	-	-	2	3	2	7	7	19	33	33	54	75	86	119	73	60
C26	Other ill-defined digestive organs	15	-	-	-	-	-	-	-	1	-	-	2	-	2	1	2	4	2	1
C30	Nasal cavity and middle ear	14	-	-	-	-	-	1	-	-	-	1	2	3	1	2	-	2	1	1
C31	Accessory sinuses	24	-	-	-	-	-	-	-	-	4	1	-	2	3	4	2	3	1	4
C32	Larynx	86	-	-	-	-	-	-	1	-	4	5	18	18	11	11	7	4	5	2
C33	Trachea	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
C34	Bronchus and lung	1,776	-	-	-	3	1	1	6	15	43	101	183	223	263	257	262	196	147	75
C37	Thymus	15	-	-	-	-	-	-	1	-	1	2	1	-	1	1	5	2	-	1
C38	Heart, mediastinum and pleura	14	1	-	-	-	-	1	-	-	1	-	1	2	3	1	1	3	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	34	-	2	8	2	1	-	3	1	2	4	2	2	3	2	-	-	-	2
C41	Bone and articular cartilage, NOS	30	-	1	1	1	-	2	-	1	3	3	2	5	1	3	2	2	1	2
C43	Malignant melanoma of skin	1,147	-	-	-	6	26	46	65	118	100	123	91	98	105	69	87	86	63	64
C44	Malignant neoplasms of skin	1,560	-	1	1	4	3	2	8	17	19	35	41	63	97	115	179	242	312	421

Belgium: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C45	Mesothelioma	52	-	-	-	-	-	-	-	-	1	2	2	5	2	6	11	11	8	4
C46	Kaposi's sarcoma	11	-	-	-	-	1	1	1	-	1	-	-	3	-	-	-	-	3	1
C47,C49	Soft tissues	168	3	-	-	6	2	5	5	7	4	10	12	14	14	5	20	22	17	22
C48	Retroperitoneum and peritoneum	53	1	1	-	-	-	1	1	1	2	2	6	4	2	7	7	6	6	6
C50	Breast	9,697	-	-	-	-	10	30	119	288	668	1,067	1,119	1,196	1,195	998	894	878	698	537
C51	Vulva	187	-	-	-	-	-	1	2	6	5	10	7	16	16	16	21	26	30	31
C52	Vagina	35	-	-	-	-	-	-	-	-	1	-	-	1	3	6	5	5	3	11
C53	Cervix uteri	643	-	-	-	1	3	16	48	61	90	89	57	48	49	38	47	44	30	22
C54	Corpus uteri	1,450	-	-	-	-	-	5	2	15	21	40	80	166	186	212	244	226	151	102
C55	Uterus	11	-	-	-	-	-	-	-	-	-	1	-	-	3	1	3	-	1	2
C56	Ovary	870	-	1	-	2	6	10	9	14	23	58	66	104	113	85	122	120	85	52
C57	Female genital organs, NOS	50	-	-	-	-	-	-	2	-	-	4	2	8	4	5	9	11	2	3
C58	Placenta	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
C64	Kidney	541	7	-	3	1	2	4	4	7	18	19	42	43	51	65	97	91	61	26
C65	Renal pelvis	77	-	-	-	-	-	-	1	2	1	-	1	4	7	4	11	21	17	8
C66	Ureter	41	-	-	-	-	-	-	-	-	-	1	-	-	3	7	5	14	5	6
C67	Bladder	474	1	-	-	-	-	1	1	3	3	5	20	28	30	46	65	98	98	75
C68	Urinary organs, NOS	8	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	1	2
C69	Eye and adnexa	39	5	1	-	-	1	-	-	1	2	2	3	6	3	1	4	4	4	2
C70	Meninges	10	-	-	-	-	-	-	-	-	-	1	1	-	3	2	1	1	-	1
C71	Brain	327	6	3	8	5	8	11	18	18	20	16	29	30	32	22	43	35	21	2
C72	Spinal cord, cranial nerves and CNS, NOS	9	3	-	-	-	-	1	-	2	-	-	1	-	1	1	-	-	-	-
C73	Thyroid gland	546	1	-	-	5	16	18	37	61	56	65	57	55	59	34	39	28	12	3
C74	Adrenal gland	15	1	-	-	-	-	1	-	-	4	1	2	-	1	1	2	2	-	-
C75	Endocrine glands, NOS	7	1	1	-	-	-	1	-	-	1	-	-	1	-	-	-	1	1	-
C81	Hodgkin's disease	130	-	1	6	10	16	14	11	8	3	13	10	10	2	3	4	10	6	3
C82-C85	Non-Hodgkin-lymphoma	932	2	5	1	6	14	5	11	13	31	38	47	85	86	111	129	139	112	97
C88	Malignant immunoproliferative diseases	23	-	-	-	-	-	-	-	-	-	-	1	4	2	8	1	2	5	-
C90	Multiple myeloma	319	-	-	-	-	-	-	2	3	10	11	15	34	32	33	49	62	35	33
C91	Lymphoid leukaemia	262	8	9	7	1	2	1	3	2	7	8	16	17	26	26	42	34	36	17
C92	Myeloid leukaemia	257	1	2	2	6	3	5	4	4	11	13	22	19	17	20	23	43	40	22
C93	Monocytic leukaemia	22	2	-	-	-	-	1	-	2	1	3	2	2	1	4	1	2	1	-
C94-C95	Leukaemia other	11	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	2	1	1
C96	Lymphoid, haematopoietic and related tissue, NOS	12	3	1	-	-	1	-	-	1	2	1	1	-	-	1	1	-	-	-
C76	Other and ill-defined sites	4	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
C80	Unknown primary site	608	-	-	-	-	1	3	2	3	11	26	32	50	58	67	73	101	98	83
MPD	Myeloproliferative Disorders	205	-	-	-	-	-	1	3	6	11	3	15	13	18	19	34	33	30	19
MDS	Myelodysplastic syndromes	234	-	-	1	-	1	1	2	1	1	5	5	9	21	20	30	50	51	36
Total		29,048	48	31	42	63	130	206	398	754	1,279	1,986	2,367	2,831	3,135	2,978	3,384	3,740	3,091	2,585
Total excl. non-melanoma		27,488	48	30	41	59	127	204	390	737	1,260	1,951	2,326	2,768	3,038	2,863	3,205	3,498	2,779	2,164
Total excl. non-melanoma and MDS, MPD		27,049	48	30	40	59	126	202	385	730	1,248	1,943	2,306	2,746	2,999	2,824	3,141	3,415	2,698	2,109

Belgium: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2008 (n/100,000 person years)

Belgium: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	15	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	2.1	-	1.7	1.1	0.7	0.3	0.2	0.1	0.01
C01	Base of tongue	26	-	-	-	-	-	-	-	0.5	-	0.3	0.5	1.2	1.7	1.6	0.4	1.7	1.1	0.7	0.5	0.4	0.3	0.03
C02	Tongue	73	-	-	-	-	-	0.3	0.3	0.3	0.8	0.8	2.4	4.1	3.0	2.5	1.2	3.4	4.9	4.0	1.3	1.0	0.7	0.08
C03	Gum	34	-	-	-	-	-	-	-	-	-	0.5	0.8	0.6	1.7	2.1	2.0	2.1	1.6	2.7	0.6	0.4	0.3	0.04
C04	Floor of mouth	30	-	-	-	-	-	-	-	-	0.3	0.8	2.2	1.5	1.3	0.4	1.6	1.3	-	0.7	0.6	0.5	0.3	0.04
C05	Palate	34	-	-	-	-	-	-	0.3	-	-	1.3	1.9	2.1	2.3	0.8	0.8	0.4	0.5	0.7	0.6	0.6	0.4	0.05
C06	Mouth, NOS	30	-	-	-	-	-	-	0.3	-	-	0.8	0.5	0.6	0.3	0.8	2.4	2.1	2.2	2.7	0.6	0.4	0.2	0.03
C07	Parotid gland	38	-	-	-	-	0.6	0.3	0.3	0.8	0.8	0.3	0.3	0.6	2.3	0.4	1.6	2.5	2.7	0.7	0.7	0.5	0.4	0.04
C08	Salivary glands, NOS	9	-	-	-	-	-	0.3	-	-	-	-	0.3	-	-	-	1.6	0.4	-	1.3	0.2	0.1	0.1	0.01
C09	Tonsil	73	-	-	-	-	-	-	0.3	-	0.3	2.0	2.7	3.5	4.7	2.5	2.8	3.0	3.8	-	1.3	1.1	0.8	0.09
C10	Oropharynx	32	-	-	-	-	-	-	-	-	-	0.5	1.9	2.7	2.0	1.2	0.4	0.4	1.1	0.7	0.6	0.5	0.4	0.04
C11	Nasopharynx	14	-	0.3	-	-	-	0.3	-	0.3	-	0.3	0.5	-	0.7	0.8	0.4	1.3	-	-	0.3	0.2	0.2	0.02
C12	Pyrimiform sinus	21	-	-	-	-	-	-	-	-	0.3	-	0.8	1.2	1.3	1.6	1.2	0.8	-	-	0.4	0.3	0.2	0.03
C13	Hypopharynx	16	-	-	-	-	-	-	-	-	-	1.0	1.1	0.6	1.0	0.4	0.4	0.4	-	-	0.3	0.3	0.2	0.02
C14	Lip, oral cavity and pharynx, NOS	11	-	-	-	-	-	-	-	-	-	0.3	0.5	0.3	1.0	0.8	0.4	-	-	0.7	0.2	0.2	0.1	0.02
C15	Oesophagus	228	-	-	-	-	-	-	-	0.3	-	1.3	3.5	8.8	12.0	7.8	14.6	13.5	16.8	16.8	4.2	2.8	1.9	0.24
C16	Stomach	499	-	-	-	0.3	-	0.6	0.6	2.4	3.0	4.0	6.8	10.6	11.7	20.2	20.7	32.9	41.8	71.0	9.2	5.7	3.8	0.40
C17	Small intestine	85	-	-	-	-	-	-	0.3	0.5	0.5	0.8	2.7	0.9	3.3	3.3	5.3	5.9	8.1	2.7	1.6	1.1	0.7	0.09
C18	Colon	2,609	-	-	1.3	0.9	1.9	1.5	4.1	6.9	8.3	14.6	30.9	46.0	78.7	109.6	144.0	197.2	252.9	268.7	47.9	29.5	19.8	2.22
C19	Rectosigmoid junction	120	-	-	-	-	0.3	-	-	-	-	0.3	2.2	2.9	2.7	6.6	7.3	12.2	8.7	8.7	2.2	1.4	0.9	0.11
C20	Rectum	960	-	-	-	-	-	-	-	4.0	4.3	9.0	17.6	22.1	37.4	43.7	52.5	73.0	68.9	70.4	17.6	11.8	8.1	0.95
C21	Anus and anal canal	82	-	-	-	-	-	0.3	0.3	-	0.8	3.3	2.2	3.2	1.7	2.9	2.4	5.9	2.7	5.4	1.5	1.1	0.8	0.09
C22	Liver and intrahepatic bile ducts	192	0.3	-	-	-	-	0.3	0.3	0.5	2.0	2.0	1.9	3.8	6.7	10.7	13.0	18.6	8.7	8.7	3.5	2.4	1.7	0.21
C23	Gallbladder	72	-	-	-	-	-	-	-	0.3	0.3	-	-	0.6	1.7	4.9	5.7	8.0	7.1	3.4	1.3	0.8	0.5	0.07
C24	Biliary tract, NOS	113	-	-	-	-	-	-	-	-	0.3	0.8	1.1	1.5	2.7	2.9	6.9	13.5	8.7	13.4	2.1	1.2	0.8	0.08
C25	Pancreas	573	-	-	-	-	0.6	0.9	0.6	1.9	1.8	4.8	8.9	9.7	18.0	30.9	35.0	50.2	39.6	40.2	10.5	6.9	4.7	0.56
C26	Other ill-defined digestive organs	15	-	-	-	-	-	-	-	0.3	-	-	0.5	-	0.7	0.4	0.8	1.7	1.1	0.7	0.3	0.2	0.1	0.01
C30	Nasal cavity and middle ear	14	-	-	-	-	-	0.3	-	-	-	0.3	0.5	0.9	0.3	0.8	-	0.8	0.5	0.7	0.3	0.2	0.2	0.02
C31	Accessory sinuses	24	-	-	-	-	-	-	-	-	1.0	0.3	-	0.6	1.0	1.6	0.8	1.3	0.5	2.7	0.4	0.3	0.2	0.03
C32	Larynx	86	-	-	-	-	-	-	0.3	-	1.0	1.3	4.9	5.3	3.7	4.5	2.8	1.7	2.7	1.3	1.6	1.4	1.0	0.12
C33	Trachea	2	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.4	-	-	-	-	0.0	0.0	0.0	0.00
C34	Bronchus and lung	1,776	-	-	-	0.9	0.3	0.3	1.8	4.0	10.8	25.4	49.6	65.8	87.7	105.9	106.6	82.8	79.8	50.3	32.6	25.2	18.1	2.27
C37	Thymus	15	-	-	-	-	-	-	0.3	-	0.3	0.5	0.3	-	0.3	0.4	2.0	0.8	-	0.7	0.3	0.2	0.2	0.02
C38	Heart, mediastinum and pleura	14	0.3	-	-	-	-	0.3	-	-	0.3	-	0.3	0.6	1.0	0.4	0.4	1.3	-	-	0.3	0.2	0.2	0.02
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	34	-	0.7	2.7	0.6	0.3	-	0.9	0.3	0.5	1.0	0.5	0.6	1.0	0.8	-	-	-	1.3	0.6	0.7	0.7	0.05
C41	Bone and articular cartilage, NOS	30	-	0.3	0.3	0.3	-	0.6	-	0.3	0.8	0.8	0.5	1.5	0.3	1.2	0.8	0.8	0.5	1.3	0.6	0.5	0.4	0.04
C43	Malignant melanoma of skin	1,147	-	-	-	1.9	8.1	13.4	19.1	31.3	25.0	30.9	24.7	28.9	35.0	28.4	35.4	36.3	34.2	42.9	21.1	18.0	14.4	1.40
C44	Malignant neoplasms of skin	1,560	-	0.3	0.3	1.3	0.9	0.6	2.4	4.5	4.8	8.8	11.1	18.6	32.4	47.4	72.8	102.2	169.3	282.1	28.7	15.8	10.3	1.03

Belgium: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C45	Mesothelioma	52	-	-	-	-	-	-	-	-	0.3	0.5	0.5	1.5	0.7	2.5	4.5	4.6	4.3	2.7	1.0	0.6	0.4	0.05
C46	Kaposi's sarcoma	11	-	-	-	-	0.3	0.3	0.3	-	0.3	-	-	0.9	-	-	-	-	1.6	0.7	0.2	0.2	0.1	0.01
C47,C49	Soft tissues	168	1.0	-	-	1.9	0.6	1.5	1.5	1.9	1.0	2.5	3.3	4.1	4.7	2.1	8.1	9.3	9.2	14.7	3.1	2.3	1.8	0.17
C48	Retroperitoneum and peritoneum	53	0.3	0.3	-	-	-	0.3	0.3	0.3	0.5	0.5	1.6	1.2	0.7	2.9	2.8	2.5	3.3	4.0	1.0	0.7	0.6	0.06
C50	Breast	9,697	-	-	-	-	3.1	8.8	35.0	76.5	167.0	268.1	303.3	352.8	398.7	411.2	363.7	370.7	378.8	359.8	178.2	143.6	106.0	11.26
C51	Vulva	187	-	-	-	-	-	0.3	0.6	1.6	1.3	2.5	1.9	4.7	5.3	6.6	8.5	11.0	16.3	20.8	3.4	2.2	1.5	0.17
C52	Vagina	35	-	-	-	-	-	-	-	-	0.3	-	-	0.3	1.0	2.5	2.0	2.1	1.6	7.4	0.6	0.4	0.2	0.03
C53	Cervix uteri	643	-	-	-	0.3	0.9	4.7	14.1	16.2	22.5	22.4	15.4	14.2	16.3	15.7	19.1	18.6	16.3	14.7	11.8	10.3	8.2	0.81
C54	Corpus uteri	1,450	-	-	-	-	-	1.5	0.6	4.0	5.3	10.1	21.7	49.0	62.1	87.4	99.3	95.4	82.0	68.4	26.6	18.9	13.1	1.69
C55	Uterus	11	-	-	-	-	-	-	-	-	-	0.3	-	-	1.0	0.4	1.2	-	0.5	1.3	0.2	0.1	0.1	0.01
C56	Ovary	870	-	0.3	-	0.6	1.9	2.9	2.6	3.7	5.8	14.6	17.9	30.7	37.7	35.0	49.6	50.7	46.1	34.8	16.0	12.0	8.7	1.01
C57	Female genital organs, NOS	50	-	-	-	-	-	-	0.6	-	-	1.0	0.5	2.4	1.3	2.1	3.7	4.6	1.1	2.0	0.9	0.7	0.5	0.06
C58	Placenta	2	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.00
C64	Kidney	541	2.4	-	1.0	0.3	0.6	1.2	1.2	1.9	4.5	4.8	11.4	12.7	17.0	26.8	39.5	38.4	33.1	17.4	9.9	7.2	5.3	0.62
C65	Renal pelvis	77	-	-	-	-	-	-	0.3	0.5	0.3	-	0.3	1.2	2.3	1.6	4.5	8.9	9.2	5.4	1.4	0.8	0.5	0.05
C66	Ureter	41	-	-	-	-	-	-	-	-	-	0.3	-	-	1.0	2.9	2.0	5.9	2.7	4.0	0.8	0.4	0.3	0.03
C67	Bladder	474	0.3	-	-	-	-	0.3	0.3	0.8	0.8	1.3	5.4	8.3	10.0	19.0	26.4	41.4	53.2	50.3	8.7	5.1	3.3	0.36
C68	Urinary organs, NOS	8	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	-	-	0.8	0.5	1.3	0.1	0.1	0.1	0.00
C69	Eye and adnexa	39	1.7	0.3	-	-	0.3	-	-	0.3	0.5	0.5	0.8	1.8	1.0	0.4	1.6	1.7	2.2	1.3	0.7	0.6	0.6	0.05
C70	Meninges	10	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.0	0.8	0.4	0.4	-	0.7	0.2	0.1	0.1	0.01
C71	Brain	327	2.0	1.0	2.7	1.6	2.5	3.2	5.3	4.8	5.0	4.0	7.9	8.8	10.7	9.1	17.5	14.8	11.4	1.3	6.0	5.2	4.3	0.43
C72	Spinal cord, cranial nerves and CNS, NOS	9	1.0	-	-	-	-	0.3	-	0.5	-	-	0.3	-	0.3	0.4	-	-	-	-	0.2	0.2	0.2	0.01
C73	Thyroid gland	546	0.3	-	-	1.6	5.0	5.3	10.9	16.2	14.0	16.3	15.4	16.2	19.7	14.0	15.9	11.8	6.5	2.0	10.0	9.3	7.6	0.75
C74	Adrenal gland	15	0.3	-	-	-	-	0.3	-	-	1.0	0.3	0.5	-	0.3	0.4	0.8	0.8	-	-	0.3	0.2	0.2	0.02
C75	Endocrine glands, NOS	7	0.3	0.3	-	-	-	0.3	-	-	0.3	-	-	0.3	-	-	-	0.4	0.5	-	0.1	0.1	0.1	0.01
C81	Hodgkin's disease	130	-	0.3	2.0	3.1	5.0	4.1	3.2	2.1	0.8	3.3	2.7	2.9	0.7	1.2	1.6	4.2	3.3	2.0	2.4	2.3	2.2	0.17
C82-C85	Non-Hodgkin-lymphoma	932	0.7	1.7	0.3	1.9	4.4	1.5	3.2	3.5	7.8	9.5	12.7	25.1	28.7	45.7	52.5	58.7	60.8	65.0	17.1	12.1	8.8	0.99
C88	Malignant immunoproliferative diseases	23	-	-	-	-	-	-	-	-	-	-	0.3	1.2	0.7	3.3	0.4	0.8	2.7	-	0.4	0.3	0.2	0.03
C90	Multiple myeloma	319	-	-	-	-	-	-	0.6	0.8	2.5	2.8	4.1	10.0	10.7	13.6	19.9	26.2	19.0	22.1	5.9	4.0	2.7	0.32
C91	Lymphoid leukaemia	262	2.7	3.1	2.3	0.3	0.6	0.3	0.9	0.5	1.8	2.0	4.3	5.0	8.7	10.7	17.1	14.4	19.5	11.4	4.8	3.6	3.0	0.30
C92	Myeloid leukaemia	257	0.3	0.7	0.7	1.9	0.9	1.5	1.2	1.1	2.8	3.3	6.0	5.6	5.7	8.2	9.4	18.2	21.7	14.7	4.7	3.4	2.6	0.25
C93	Monocytic leukaemia	22	0.7	-	-	-	-	0.3	-	0.5	0.3	0.8	0.5	0.6	0.3	1.6	0.4	0.8	0.5	-	0.4	0.4	0.3	0.03
C94-C95	Leukaemia other	11	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.8	0.4	0.8	0.5	0.7	0.2	0.1	0.1	0.01
C96	Lymphoid, haematopoietic and related tissue, NOS	12	1.0	0.3	-	-	0.3	-	-	0.3	0.5	0.3	0.3	-	-	0.4	0.4	-	-	-	0.2	0.2	0.3	0.02
C76	Other and ill-defined sites	4	0.3	0.3	-	-	0.3	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.1	0.1	0.1	0.01
C80	Unknown primary site	608	-	-	-	-	0.3	0.9	0.6	0.8	2.8	6.5	8.7	14.7	19.4	27.6	29.7	42.6	53.2	55.6	11.2	7.2	4.9	0.56
MPD	Myeloproliferative Disorders	205	-	-	-	-	-	0.3	0.9	1.6	2.8	0.8	4.1	3.8	6.0	7.8	13.8	13.9	16.3	12.7	3.8	2.6	1.8	0.21
MDS	Myelodysplastic syndromes	234	-	-	0.3	-	0.3	0.3	0.6	0.3	0.3	1.3	1.4	2.7	7.0	8.2	12.2	21.1	27.7	24.1	4.3	2.5	1.6	0.17
Total		29,048	16.4	10.7	14.1	19.7	40.7	60.2	117.0	200.2	319.8	499.1	641.5	835.0	1,045.9	1,227.1	1,376.8	1,579.1	1,677.6	1,732.2	533.7	394.4	286.8	27.47
Total excl. non-melanoma		27,488	16.4	10.4	13.8	18.5	39.8	59.6	114.6	195.7	315.0	490.3	630.4	816.4	1,013.5	1,179.8	1,304.0	1,476.9	1,508.3	1,450.1	505.1	378.6	276.5	26.72
Total excl. non-melanoma and MDS, MPD		27,049	16.4	10.4	13.4	18.5	39.5	59.0	113.1	193.8	312.0	488.3	624.9	809.9	1,000.5	1,163.7	1,277.9	1,441.9	1,464.3	1,413.3	497.0	373.5	273.1	26.44

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Flemish Region: Males, number of invasive tumours by primary site and age group in 2008

Flemish Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	22	-	-	-	-	-	-	-	-	1	2	1	-	3	5	2	4	1	3
C01	Base of tongue	55	-	-	-	-	-	-	-	-	1	6	10	7	10	5	6	7	-	3
C02	Tongue	84	-	-	-	1	-	-	2	2	5	11	8	14	11	11	7	11	1	-
C03	Gum	16	-	-	-	-	-	-	-	-	1	2	2	1	1	1	3	3	1	1
C04	Floor of mouth	85	-	-	-	-	-	-	-	-	1	15	18	11	16	6	7	4	5	2
C05	Palate	32	-	-	-	-	-	-	-	-	-	4	6	5	8	4	4	-	-	1
C06	Mouth, NOS	29	-	-	-	-	-	1	-	-	-	3	6	4	5	2	3	3	-	2
C07	Parotid gland	29	-	-	-	-	-	1	1	1	-	1	2	5	2	1	4	3	4	4
C08	Salivary glands, NOS	7	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	2	-	-
C09	Tonsil	97	-	-	-	-	-	-	-	-	2	11	21	18	14	11	7	9	3	1
C10	Oropharynx	63	-	-	-	-	-	-	-	1	1	2	11	12	14	7	6	7	2	-
C11	Nasopharynx	24	-	-	-	-	2	-	1	3	-	2	1	2	5	2	3	1	2	-
C12	Pyiform sinus	41	-	-	-	-	-	-	-	-	-	4	8	8	17	2	2	-	-	-
C13	Hypopharynx	33	-	-	-	-	-	-	-	-	-	4	6	7	4	4	7	1	-	-
C14	Lip, oral cavity and pharynx, NOS	16	-	-	-	-	-	-	-	-	-	-	3	-	3	4	2	1	2	1
C15	Oesophagus	389	-	-	-	-	-	-	1	3	1	20	43	45	64	54	68	45	28	17
C16	Stomach	530	1	-	-	-	-	-	2	6	8	20	23	36	40	69	83	106	73	63
C17	Small intestine	68	-	-	-	-	-	-	-	1	3	-	7	7	6	14	11	10	6	3
C18	Colon	1,880	-	1	-	-	1	3	6	7	20	46	78	130	189	257	348	385	262	147
C19	Rectosigmoid junction	103	-	-	-	-	-	-	1	-	-	2	3	13	17	13	18	17	8	11
C20	Rectum	939	-	-	-	1	1	-	1	4	14	37	76	78	120	140	145	157	99	66
C21	Anus and anal canal	36	-	-	-	-	-	-	-	-	1	1	5	4	8	4	4	5	3	1
C22	Liver and intrahepatic bile ducts	226	1	-	1	-	-	3	1	6	2	2	18	26	32	44	33	32	20	5
C23	Gallbladder	17	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	6	2	3
C24	Biliary tract, NOS	79	-	-	-	-	-	-	-	-	-	1	4	6	9	17	12	16	7	7
C25	Pancreas	354	-	-	-	-	-	1	-	3	4	14	18	39	61	45	65	52	37	15
C26	Other ill-defined digestive organs	6	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	2	-
C30	Nasal cavity and middle ear	19	-	-	-	-	-	-	-	-	1	1	1	1	2	3	3	2	2	3
C31	Accessory sinuses	45	-	-	-	-	1	-	-	-	-	-	3	7	14	3	9	7	1	-
C32	Larynx	316	-	-	-	-	-	-	-	-	1	14	35	48	65	37	46	39	22	9
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
C34	Bronchus and lung	3,239	1	-	1	-	1	2	6	3	19	81	199	310	436	506	607	610	330	127
C37	Thymus	6	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	-
C38	Heart, mediastinum and pleura	9	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	1	1	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	16	-	-	3	1	1	3	-	1	-	-	2	-	-	1	1	3	-	-
C41	Bone and articular cartilage, NOS	23	-	-	1	3	1	3	-	1	2	-	3	3	-	-	3	3	-	-
C43	Malignant melanoma of skin	425	-	-	1	2	2	7	17	25	38	27	46	48	44	44	43	38	26	17
C44	Malignant neoplasms of skin	1,348	-	-	1	-	1	4	2	3	14	13	25	50	90	114	237	283	275	236

Flemish Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C45	Mesothelioma	146	-	-	-	-	-	1	-	1	2	2	8	13	20	27	27	27	13	5
C46	Kaposi's sarcoma	15	-	-	-	-	-	-	1	-	3	2	1	-	1	2	-	2	1	2
C47,C49	Soft tissues	117	3	-	1	1	2	3	3	3	9	8	9	12	14	5	13	12	10	9
C48	Retroperitoneum and peritoneum	13	-	-	-	-	-	-	-	1	3	2	1	1	1	-	-	2	1	1
C50	Breast	49	-	-	-	-	-	-	2	-	-	2	3	3	8	5	12	7	6	1
C60	Penis	39	-	-	-	-	-	-	-	-	1	2	3	1	6	3	6	6	9	2
C61	Prostate	5,796	-	-	-	-	-	-	-	2	9	75	302	605	814	1,021	1,207	980	508	273
C62	Testis	174	-	-	1	5	27	43	34	23	13	12	5	5	3	1	1	1	-	-
C63	Male genital organs, NOS	11	-	1	-	-	-	-	1	1	1	-	-	1	-	1	2	-	2	1
C64	Kidney	584	1	-	-	-	1	3	4	8	15	31	52	60	84	90	95	87	40	13
C65	Renal pelvis	66	-	-	-	-	-	-	-	-	3	1	3	6	6	6	10	16	11	4
C66	Ureter	66	-	-	-	-	-	-	-	-	1	2	3	5	4	13	5	23	7	3
C67	Bladder	1,044	-	-	-	-	-	1	-	3	2	13	33	47	114	120	179	239	176	117
C68	Urinary organs, NOS	16	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	5	1	1
C69	Eye and adnexa	41	-	-	-	-	-	-	-	2	1	2	2	-	6	3	8	11	5	1
C70	Meninges	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
C71	Brain	270	1	1	3	7	2	9	7	8	12	21	25	28	30	21	29	43	15	8
C72	Spinal cord, cranial nerves and CNS, NOS	8	1	-	2	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-
C73	Thyroid gland	90	-	-	-	1	1	4	2	8	5	11	13	10	9	6	6	7	4	3
C74	Adrenal gland	13	4	-	-	-	-	-	-	-	-	-	2	1	2	-	1	3	-	-
C75	Endocrine glands, NOS	7	-	1	1	-	-	2	-	-	-	-	-	-	-	1	1	1	-	-
C81	Hodgkin's disease	104	-	-	4	7	7	16	8	7	7	6	10	2	8	6	8	4	3	1
C82-C85	Non-Hodgkin-lymphoma	620	2	6	3	5	4	7	8	10	29	27	39	62	66	73	100	80	59	40
C88	Malignant immunoproliferative diseases	27	-	-	-	-	-	-	-	-	-	2	1	4	3	4	3	3	4	3
C90	Multiple myeloma	270	-	-	-	-	-	-	-	3	6	9	22	17	29	55	36	48	35	10
C91	Lymphoid leukaemia	306	7	7	6	5	2	3	6	2	8	10	18	40	36	32	47	29	31	17
C92	Myeloid leukaemia	205	1	-	2	3	2	3	3	9	5	7	7	14	19	29	25	30	30	16
C93	Monocytic leukaemia	12	-	-	-	-	-	-	-	2	1	-	-	-	2	1	4	1	1	-
C94-C95	Leukaemia other	15	1	-	-	-	-	-	1	-	2	-	-	-	1	3	3	3	1	-
C96	Lymphoid, haematopoietic and related tissue, NOS	12	3	1	-	-	-	1	1	-	-	1	-	1	-	2	-	2	-	-
C76	Other and ill-defined sites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C80	Unknown primary site	335	-	-	-	-	1	-	-	2	4	16	17	32	43	30	62	66	39	23
MPD	Myeloproliferative Disorders	144	-	-	-	1	1	2	-	1	6	9	11	10	14	25	13	30	17	4
MDS	Myelodysplastic syndromes	208	-	1	1	-	-	-	-	3	2	4	2	6	20	17	40	40	41	31
Total		21,533	27	19	32	43	61	126	122	170	291	627	1,291	1,938	2,678	3,040	3,749	3,685	2,296	1,338
Total excl. non-melanoma		20,185	27	19	31	43	60	122	120	167	277	614	1,266	1,888	2,588	2,926	3,512	3,402	2,021	1,102
Total excl. non-melanoma and MDS, MPD		19,833	27	18	30	42	59	120	120	163	269	601	1,253	1,872	2,554	2,884	3,459	3,332	1,963	1,067

Flemish Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2008 (n/100,000 person years)

Flemish Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	22	-	-	-	-	-	-	-	-	0.4	0.8	0.5	-	1.7	3.6	1.5	3.8	1.5	8.3	0.7	0.6	0.4	0.04
C01	Base of tongue	55	-	-	-	-	-	-	-	-	0.4	2.5	4.5	3.5	5.7	3.6	4.6	6.7	-	8.3	1.8	1.5	1.1	0.12
C02	Tongue	84	-	-	-	0.5	-	-	1.0	0.9	2.0	4.5	3.6	7.0	6.2	8.0	5.4	10.5	1.5	-	2.8	2.3	1.7	0.20
C03	Gum	16	-	-	-	-	-	-	-	-	0.4	0.8	0.9	0.5	0.6	0.7	2.3	2.9	1.5	2.8	0.5	0.4	0.3	0.03
C04	Floor of mouth	85	-	-	-	-	-	-	-	-	0.4	6.2	8.1	5.5	9.0	4.4	5.4	3.8	7.6	5.5	2.8	2.4	1.7	0.20
C05	Palate	32	-	-	-	-	-	-	-	-	-	1.7	2.7	2.5	4.5	2.9	3.1	-	-	2.8	1.1	0.9	0.7	0.09
C06	Mouth, NOS	29	-	-	-	-	-	0.5	-	-	-	1.2	2.7	2.0	2.8	1.5	2.3	2.9	-	5.5	1.0	0.8	0.6	0.07
C07	Parotid gland	29	-	-	-	-	-	0.5	0.5	0.5	-	0.4	0.9	2.5	1.1	0.7	3.1	2.9	6.1	11.1	1.0	0.8	0.5	0.05
C08	Salivary glands, NOS	7	-	-	-	-	-	-	-	-	-	-	0.5	1.5	-	0.7	-	1.9	-	-	0.2	0.2	0.1	0.01
C09	Tonsil	97	-	-	-	-	-	-	-	-	0.8	4.5	9.5	9.0	7.9	8.0	5.4	8.6	4.6	2.8	3.2	2.7	1.9	0.23
C10	Oropharynx	63	-	-	-	-	-	-	-	0.5	0.4	0.8	5.0	6.0	7.9	5.1	4.6	6.7	3.1	-	2.1	1.7	1.2	0.15
C11	Nasopharynx	24	-	-	-	-	1.1	-	0.5	1.4	-	0.8	0.5	1.0	2.8	1.5	2.3	1.0	3.1	-	0.8	0.7	0.5	0.06
C12	Pyriform sinus	41	-	-	-	-	-	-	-	-	-	1.7	3.6	4.0	9.6	1.5	1.5	-	-	-	1.3	1.2	0.9	0.11
C13	Hypopharynx	33	-	-	-	-	-	-	-	-	-	1.7	2.7	3.5	2.3	2.9	5.4	1.0	-	-	1.1	0.9	0.7	0.09
C14	Lip, oral cavity and pharynx, NOS	16	-	-	-	-	-	-	-	-	-	-	1.4	-	1.7	2.9	1.5	1.0	3.1	2.8	0.5	0.4	0.3	0.04
C15	Oesophagus	389	-	-	-	-	-	0.5	1.4	0.4	8.3	19.5	22.6	36.2	39.2	52.2	42.8	42.8	47.1	12.8	10.2	7.1	0.90	
C16	Stomach	530	0.6	-	-	-	-	-	1.0	2.7	3.3	8.3	10.4	18.1	22.6	50.1	63.7	100.7	111.6	174.5	17.4	12.9	8.4	0.90
C17	Small intestine	68	-	-	-	-	-	-	0.5	1.2	-	3.2	3.5	3.4	10.2	8.4	9.5	9.2	8.3	2.2	1.7	1.2	0.15	
C18	Colon	1,880	-	0.6	-	-	0.6	1.5	3.1	3.2	8.2	19.0	35.3	65.4	106.9	186.5	267.2	365.9	400.6	407.2	61.8	45.1	29.5	3.43
C19	Rectosigmoid junction	103	-	-	-	-	-	0.5	-	-	0.8	1.4	6.5	9.6	9.4	13.8	16.2	12.2	30.5	3.4	2.6	1.7	0.21	
C20	Rectum	939	-	-	-	0.5	0.6	-	0.5	1.8	5.7	15.3	34.4	39.2	67.8	101.6	111.3	149.2	151.4	182.8	30.9	23.6	15.9	1.88
C21	Anus and anal canal	36	-	-	-	-	-	-	-	-	0.4	0.4	2.3	2.0	4.5	2.9	3.1	4.8	4.6	2.8	1.2	0.9	0.7	0.08
C22	Liver and intrahepatic bile ducts	226	0.6	-	0.6	-	-	1.5	0.5	2.7	0.8	0.8	8.1	13.1	18.1	31.9	25.3	30.4	30.6	13.9	7.4	5.9	4.2	0.52
C23	Gallbladder	17	-	-	-	-	-	-	-	-	-	-	-	0.5	-	2.2	1.5	5.7	3.1	8.3	0.6	0.4	0.2	0.02
C24	Biliary tract, NOS	79	-	-	-	-	-	-	-	-	-	0.4	1.8	3.0	5.1	12.3	9.2	15.2	10.7	19.4	2.6	2.0	1.3	0.16
C25	Pancreas	354	-	-	-	-	-	0.5	-	1.4	1.6	5.8	8.1	19.6	34.5	32.7	49.9	49.4	56.6	41.6	11.6	8.9	6.1	0.77
C26	Other ill-defined digestive organs	6	-	-	-	-	-	-	-	-	-	0.4	0.5	-	-	0.7	-	1.0	3.1	-	0.2	0.1	0.1	0.01
C30	Nasal cavity and middle ear	19	-	-	-	-	-	-	-	-	0.4	0.4	0.5	0.5	1.1	2.2	2.3	1.9	3.1	8.3	0.6	0.5	0.3	0.04
C31	Accessory sinuses	45	-	-	-	-	0.6	-	-	-	-	-	1.4	3.5	7.9	2.2	6.9	6.7	1.5	-	1.5	1.2	0.8	0.11
C32	Larynx	316	-	-	-	-	-	-	-	-	0.4	5.8	15.8	24.1	36.7	26.9	35.3	37.1	33.6	24.9	10.4	8.3	5.8	0.72
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	0.0	0.0	0.0	0.00
C34	Bronchus and lung	3,239	0.6	-	0.6	-	0.6	1.0	3.1	1.4	7.8	33.4	90.0	155.8	246.5	367.2	466.1	579.7	504.6	351.8	106.5	80.2	54.0	6.64
C37	Thymus	6	-	-	-	-	-	-	-	-	-	-	0.5	-	1.1	-	0.8	1.0	1.5	-	0.2	0.1	0.1	0.01
C38	Heart, mediastinum and pleura	9	-	-	-	-	-	-	-	-	-	-	0.9	-	0.6	0.7	2.3	1.0	1.5	-	0.3	0.2	0.2	0.02
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	16	-	-	1.7	0.5	0.6	1.5	-	0.5	-	-	0.9	-	-	0.7	0.8	2.9	-	-	0.5	0.5	0.5	0.04
C41	Bone and articular cartilage, NOS	23	-	-	0.6	1.6	0.6	1.5	-	0.5	0.8	-	1.4	1.5	-	-	2.3	2.9	-	-	0.8	0.7	0.6	0.05
C43	Malignant melanoma of skin	425	-	-	0.6	1.1	1.1	3.6	8.9	11.4	15.5	11.1	20.8	24.1	24.9	31.9	33.0	36.1	39.8	47.1	14.0	11.7	8.8	0.94
C44	Malignant neoplasms of skin	1,348	-	-	0.6	-	0.6	2.0	1.0	1.4	5.7	5.4	11.3	25.1	50.9	82.7	182.0	269.0	420.5	653.8	44.3	30.9	18.9	1.83

Flemish Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C45	Mesothelioma	146	-	-	-	-	-	0.5	-	0.5	0.8	0.8	3.6	6.5	11.3	19.6	20.7	25.7	19.9	13.9	4.8	3.6	2.5	0.32
C46	Kaposi's sarcoma	15	-	-	-	-	-	-	0.5	-	1.2	0.8	0.5	-	0.6	1.5	-	1.9	1.5	5.5	0.5	0.4	0.3	0.03
C47,C49	Soft tissues	117	1.8	-	0.6	0.5	1.1	1.5	1.6	1.4	3.7	3.3	4.1	6.0	7.9	3.6	10.0	11.4	15.3	24.9	3.8	3.2	2.5	0.24
C48	Retroperitoneum and peritoneum	13	-	-	-	-	-	-	-	0.5	1.2	0.8	0.5	0.5	0.6	-	-	1.9	1.5	2.8	0.4	0.3	0.3	0.02
C50	Breast	49	-	-	-	-	-	-	1.0	-	-	0.8	1.4	1.5	4.5	3.6	9.2	6.7	9.2	2.8	1.6	1.2	0.8	0.11
C60	Penis	39	-	-	-	-	-	-	-	-	0.4	0.8	1.4	0.5	3.4	2.2	4.6	5.7	13.8	5.5	1.3	0.9	0.6	0.07
C61	Prostate	5,796	-	-	-	-	-	-	-	0.9	3.7	31.0	136.7	304.1	460.2	741.0	926.8	931.4	776.8	756.3	190.7	144.7	97.3	12.21
C62	Testis	174	-	-	0.6	2.7	14.9	22.0	17.8	10.5	5.3	5.0	2.3	2.5	1.7	0.7	0.8	1.0	-	-	5.7	6.0	5.9	0.43
C63	Male genital organs, NOS	11	-	0.6	-	-	-	-	0.5	0.5	0.4	-	-	0.5	-	0.7	1.5	-	3.1	2.8	0.4	0.3	0.2	0.02
C64	Kidney	584	0.6	-	-	-	0.6	1.5	2.1	3.6	6.1	12.8	23.5	30.2	47.5	65.3	72.9	82.7	61.2	36.0	19.2	15.2	10.7	1.33
C65	Renal pelvis	66	-	-	-	-	-	-	-	-	1.2	0.4	1.4	3.0	3.4	4.4	7.7	15.2	16.8	11.1	2.2	1.5	1.0	0.11
C66	Ureter	66	-	-	-	-	-	-	-	-	0.4	0.8	1.4	2.5	2.3	9.4	3.8	21.9	10.7	8.3	2.2	1.6	1.0	0.10
C67	Bladder	1,044	-	-	-	-	-	0.5	-	1.4	0.8	5.4	14.9	23.6	64.5	87.1	137.4	227.1	269.1	324.1	34.3	24.3	15.4	1.66
C68	Urinary organs, NOS	16	-	-	-	-	-	-	-	-	-	0.4	0.5	1.0	1.1	1.5	0.8	4.8	1.5	2.8	0.5	0.4	0.3	0.03
C69	Eye and adnexa	41	-	-	-	-	-	-	-	0.9	0.4	0.8	0.9	-	3.4	2.2	6.1	10.5	7.6	2.8	1.3	1.0	0.7	0.07
C70	Meninges	2	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	1.0	-	-	0.1	0.0	0.0	0.00
C71	Brain	270	0.6	0.6	1.7	3.7	1.1	4.6	3.7	3.6	4.9	8.7	11.3	14.1	17.0	15.2	22.3	40.9	22.9	22.2	8.9	7.4	5.7	0.56
C72	Spinal cord, cranial nerves and CNS, NOS	8	0.6	-	1.1	-	-	-	-	0.5	0.4	0.4	-	0.5	-	-	-	1.0	-	-	0.3	0.3	0.3	0.02
C73	Thyroid gland	90	-	-	-	0.5	0.6	2.0	1.0	3.6	2.0	4.5	5.9	5.0	5.1	4.4	4.6	6.7	6.1	8.3	3.0	2.6	2.0	0.20
C74	Adrenal gland	13	2.4	-	-	-	-	-	-	-	-	-	0.9	0.5	1.1	-	0.8	2.9	-	-	0.4	0.4	0.4	0.03
C75	Endocrine glands, NOS	7	-	0.6	0.6	-	-	1.0	-	-	-	-	-	-	-	0.7	0.8	1.0	-	-	0.2	0.2	0.2	0.02
C81	Hodgkin's disease	104	-	-	2.3	3.7	3.9	8.2	4.2	3.2	2.9	2.5	4.5	1.0	4.5	4.4	6.1	3.8	4.6	2.8	3.4	3.3	3.0	0.26
C82-C85	Non-Hodgkin-lymphoma	620	1.2	3.6	1.7	2.7	2.2	3.6	4.2	4.6	11.9	11.1	17.6	31.2	37.3	53.0	76.8	76.0	90.2	110.8	20.4	16.2	11.8	1.30
C88	Malignant immunoproliferative diseases	27	-	-	-	-	-	-	-	-	-	0.8	0.5	2.0	1.7	2.9	2.3	2.9	6.1	8.3	0.9	0.7	0.5	0.05
C90	Multiple myeloma	270	-	-	-	-	-	-	-	1.4	2.5	3.7	10.0	8.5	16.4	39.9	27.6	45.6	53.5	27.7	8.9	6.7	4.6	0.55
C91	Lymphoid leukaemia	306	4.2	4.2	3.4	2.7	1.1	1.5	3.1	0.9	3.3	4.1	8.1	20.1	20.4	23.2	36.1	27.6	47.4	47.1	10.1	8.3	6.6	0.68
C92	Myeloid leukaemia	205	0.6	-	1.1	1.6	1.1	1.5	1.6	4.1	2.0	2.9	3.2	7.0	10.7	21.0	19.2	28.5	45.9	44.3	6.7	5.2	3.8	0.39
C93	Monocytic leukaemia	12	-	-	-	-	-	-	-	0.9	0.4	-	-	-	1.1	0.7	3.1	1.0	1.5	-	0.4	0.3	0.2	0.03
C94-C95	Leukaemia other	15	0.6	-	-	-	-	-	0.5	-	0.8	-	-	-	0.6	2.2	2.3	2.9	1.5	-	0.5	0.4	0.3	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	12	1.8	0.6	-	-	-	0.5	0.5	-	-	0.4	-	0.5	-	1.5	-	1.9	-	-	0.4	0.4	0.5	0.03
C76	Other and ill-defined sites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.8	0.0	0.0	0.0
C80	Unknown primary site	335	-	-	-	-	0.6	-	-	0.9	1.6	6.6	7.7	16.1	24.3	21.8	47.6	62.7	59.6	63.7	11.0	8.2	5.4	0.63
MPD	Myeloproliferative Disorders	144	-	-	-	0.5	0.6	1.0	-	0.5	2.5	3.7	5.0	5.0	7.9	18.1	10.0	28.5	26.0	11.1	4.7	3.6	2.6	0.27
MDS	Myelodysplastic syndromes	208	-	0.6	0.6	-	-	-	-	1.4	0.8	1.7	0.9	3.0	11.3	12.3	30.7	38.0	62.7	85.9	6.8	4.8	3.1	0.32
Total		21,533	16.2	11.5	18.2	22.9	33.8	64.5	63.8	77.5	119.0	258.8	584.2	974.3	1,514.1	2,206.3	2,878.6	3,502.2	3,510.9	3,706.6	708.3	540.1	369.4	35.74
Total excl. non-melanoma		20,185	16.2	11.5	17.6	22.9	33.2	62.5	62.8	76.1	113.3	253.5	572.9	949.1	1,463.2	2,123.6	2,696.7	3,233.2	3,090.4	3,052.8	664.0	509.2	350.6	34.54
Total excl. non-melanoma and MDS, MPD		19,833	16.2	10.9	17.0	22.4	32.7	61.4	62.8	74.3	110.0	248.1	567.0	941.1	1,444.0	2,093.1	2,656.0	3,166.7	3,001.7	2,955.8	652.4	500.7	344.9	34.15

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Flemish Region: Females, number of invasive tumours by primary site and age group in 2008

Flemish Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	12	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	3	2	1
C01	Base of tongue	15	-	-	-	-	-	-	-	1	-	-	1	2	2	2	1	3	2	1
C02	Tongue	41	-	-	-	-	1	1	-	1	3	5	10	4	2	1	4	5	4	
C03	Gum	16	-	-	-	-	-	-	-	-	1	-	-	3	1	2	4	3	2	
C04	Floor of mouth	14	-	-	-	-	-	-	-	-	1	6	1	3	1	-	1	-	1	
C05	Palate	17	-	-	-	-	-	1	-	-	1	3	4	4	2	1	-	1	-	
C06	Mouth, NOS	17	-	-	-	-	-	1	-	-	1	1	1	-	1	4	3	3	2	
C07	Parotid gland	24	-	-	-	1	1	-	2	1	1	1	-	5	1	3	4	3	1	
C08	Salivary glands, NOS	5	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	2	
C09	Tonsil	30	-	-	-	-	-	-	-	-	1	5	6	5	3	3	3	4	-	
C10	Oropharynx	13	-	-	-	-	-	-	-	-	1	4	3	2	-	1	-	2	-	
C11	Nasopharynx	6	-	-	-	-	-	-	1	-	-	2	-	1	-	-	2	-	-	
C12	Pyiform sinus	10	-	-	-	-	-	-	-	-	-	2	-	3	3	1	1	-	-	
C13	Hypopharynx	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	
C14	Lip, oral cavity and pharynx, NOS	4	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	
C15	Oesophagus	115	-	-	-	-	-	-	-	-	3	9	15	12	7	20	21	15	13	
C16	Stomach	288	-	-	1	-	2	2	5	6	8	8	16	22	24	29	48	54	63	
C17	Small intestine	46	-	-	-	-	-	-	2	1	1	7	2	3	7	6	5	11	1	
C18	Colon	1,602	-	-	2	4	4	10	20	21	29	65	96	152	183	235	281	273	227	
C19	Rectosigmoid junction	73	-	-	-	-	-	-	-	-	-	6	4	4	11	10	18	11	9	
C20	Rectum	610	-	-	-	-	-	-	12	13	28	36	48	75	61	88	110	76	63	
C21	Anus and anal canal	39	-	-	-	-	1	-	-	2	3	2	7	3	2	1	10	2	6	
C22	Liver and intrahepatic bile ducts	105	1	-	-	-	1	-	2	6	5	4	6	12	10	21	25	8	4	
C23	Gallbladder	48	-	-	-	-	-	-	1	-	-	-	1	3	8	12	10	10	3	
C24	Biliary tract, NOS	74	-	-	-	-	-	-	-	1	2	2	2	7	4	12	19	10	15	
C25	Pancreas	315	-	-	-	1	3	1	3	3	9	23	20	25	43	49	61	41	33	
C26	Other ill-defined digestive organs	9	-	-	-	-	-	-	1	-	-	1	-	1	1	-	2	2	1	
C30	Nasal cavity and middle ear	5	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	1	-	
C31	Accessory sinuses	20	-	-	-	-	-	-	-	4	-	-	1	3	2	2	3	1	4	
C32	Larynx	38	-	-	-	-	-	1	-	2	1	7	5	5	6	3	2	4	2	
C33	Trachea	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
C34	Bronchus and lung	957	-	-	1	-	-	5	5	15	47	91	118	144	154	139	108	82	48	
C37	Thymus	8	-	-	-	-	-	-	-	-	1	1	-	-	-	4	1	-	1	
C38	Heart, mediastinum and pleura	7	1	-	-	-	1	-	-	-	-	-	1	1	1	-	2	-	-	
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C40	Bone and articular cartilage of limbs	17	-	-	4	1	-	3	-	1	2	-	1	2	2	-	-	-	1	
C41	Bone and articular cartilage, NOS	15	-	-	1	-	2	-	-	2	1	1	1	1	2	1	1	1	1	
C43	Malignant melanoma of skin	679	-	-	-	4	10	24	41	80	67	76	48	52	59	39	54	55	36	34
C44	Malignant neoplasms of skin	947	-	-	-	2	1	1	3	10	16	21	24	45	59	82	115	140	178	250

Flemish Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C45	Mesothelioma	38	-	-	-	-	-	-	-	-	1	-	2	4	-	4	10	9	6	2
C46	Kaposi's sarcoma	4	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	2	-
C47,C49	Soft tissues	105	1	-	-	2	2	2	2	6	2	5	11	9	7	3	13	15	10	15
C48	Retroperitoneum and peritoneum	33	-	1	-	-	-	1	1	1	2	1	5	3	1	5	3	4	3	2
C50	Breast	5,528	-	-	-	-	7	22	69	168	402	638	646	666	617	605	497	509	403	279
C51	Vulva	112	-	-	-	-	-	-	1	3	2	8	3	13	8	12	15	16	12	19
C52	Vagina	19	-	-	-	-	-	-	-	-	1	-	-	1	-	4	3	3	-	7
C53	Cervix uteri	360	-	-	-	1	1	7	22	39	52	54	30	24	27	20	26	30	16	11
C54	Corpus uteri	908	-	-	-	-	-	4	2	10	14	26	47	101	116	139	163	131	88	67
C55	Uterus	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	2
C56	Ovary	533	-	-	-	1	2	5	5	6	13	38	37	61	70	52	77	83	57	26
C57	Female genital organs, NOS	22	-	-	-	-	-	-	2	-	-	4	1	3	1	2	4	4	-	1
C58	Placenta	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
C64	Kidney	350	4	-	1	1	-	1	2	2	13	14	27	24	28	42	65	62	45	19
C65	Renal pelvis	46	-	-	-	-	-	-	-	1	1	-	1	2	3	4	8	13	9	4
C66	Ureter	27	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	11	3	4
C67	Bladder	288	-	-	-	-	-	1	1	3	3	3	8	15	17	31	43	57	58	48
C68	Urinary organs, NOS	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2
C69	Eye and adnexa	26	3	1	-	-	-	-	-	1	2	2	2	2	2	1	3	3	3	1
C70	Meninges	6	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-
C71	Brain	195	1	2	6	1	4	5	11	12	10	9	18	15	19	11	33	21	15	2
C72	Spinal cord, cranial nerves and CNS, NOS	7	3	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
C73	Thyroid gland	223	1	-	-	3	9	7	14	29	15	16	20	20	29	11	23	17	7	2
C74	Adrenal gland	11	1	-	-	-	-	1	-	-	3	1	-	-	1	-	2	2	-	-
C75	Endocrine glands, NOS	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-
C81	Hodgkin's disease	72	-	-	3	4	7	5	8	2	1	9	6	6	1	2	4	7	5	2
C82-C85	Non-Hodgkin-lymphoma	525	1	2	1	3	5	2	7	10	17	19	24	42	49	70	70	75	70	58
C88	Malignant immunoproliferative diseases	18	-	-	-	-	-	-	-	-	-	-	1	3	1	6	1	2	4	-
C90	Multiple myeloma	217	-	-	-	-	-	-	2	3	4	10	9	25	19	26	33	45	23	18
C91	Lymphoid leukaemia	160	3	5	5	1	1	-	2	1	4	5	12	6	16	17	27	26	22	7
C92	Myeloid leukaemia	147	1	-	-	2	3	3	4	3	6	7	13	10	12	12	9	26	25	11
C93	Monocytic leukaemia	14	2	-	-	-	-	1	-	-	1	2	2	1	-	3	-	2	-	-
C94-C95	Leukaemia other	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-
C96	Lymphoid, haematopoietic and related tissue, NOS	4	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
C76	Other and ill-defined sites	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
C80	Unknown primary site	290	-	-	-	-	1	1	1	1	5	11	12	24	24	31	40	47	49	43
MPD	Myeloproliferative Disorders	136	-	-	-	-	-	1	2	5	8	3	12	11	14	12	22	19	18	9
MDS	Myelodysplastic syndromes	156	-	-	1	-	1	1	2	1	1	2	3	7	13	13	18	32	37	24
Total		16,853	25	12	22	30	61	113	230	456	747	1,138	1,326	1,569	1,732	1,814	2,039	2,226	1,834	1,479
Total excl. non-melanoma		15,906	25	12	22	28	60	112	227	446	731	1,117	1,302	1,524	1,673	1,732	1,924	2,086	1,656	1,229
Total excl. non-melanoma and MDS, MPD		15,614	25	12	21	28	59	110	223	440	722	1,112	1,287	1,506	1,646	1,707	1,884	2,035	1,601	1,196

Flemish Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2008 (n/100,000 person years)

Flemish Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	12	-	-	-	-	-	-	-	-	-	-	0.5	0.5	0.6	2.0	-	2.1	1.9	1.2	0.4	0.2	0.2	0.02
C01	Base of tongue	15	-	-	-	-	-	-	-	0.5	-	-	0.5	1.0	1.1	1.4	0.7	2.1	1.9	1.2	0.5	0.3	0.2	0.03
C02	Tongue	41	-	-	-	-	-	0.5	0.5	-	0.4	1.3	2.3	5.1	2.2	1.4	0.7	2.9	4.8	4.8	1.3	1.0	0.7	0.07
C03	Gum	16	-	-	-	-	-	-	-	-	-	0.4	-	-	1.7	0.7	1.3	2.9	2.9	2.4	0.5	0.3	0.2	0.02
C04	Floor of mouth	14	-	-	-	-	-	-	-	-	-	0.4	2.8	0.5	1.7	0.7	-	0.7	-	1.2	0.4	0.4	0.3	0.03
C05	Palate	17	-	-	-	-	-	-	0.5	-	-	0.4	1.4	2.1	2.2	1.4	0.7	-	1.0	-	0.5	0.5	0.4	0.04
C06	Mouth, NOS	17	-	-	-	-	-	-	0.5	-	-	0.4	0.5	0.5	-	0.7	2.7	2.1	2.9	2.4	0.5	0.3	0.2	0.03
C07	Parotid gland	24	-	-	-	-	0.6	0.5	-	0.9	0.4	0.4	0.5	-	2.8	0.7	2.0	2.9	2.9	1.2	0.8	0.6	0.4	0.04
C08	Salivary glands, NOS	5	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	1.3	-	-	2.4	0.2	0.1	0.1	0.01
C09	Tonsil	30	-	-	-	-	-	-	-	-	-	0.4	2.3	3.1	2.8	2.0	2.0	2.1	3.8	-	1.0	0.7	0.5	0.06
C10	Oropharynx	13	-	-	-	-	-	-	-	-	-	0.4	1.9	1.5	1.1	-	0.7	-	1.9	-	0.4	0.3	0.2	0.03
C11	Nasopharynx	6	-	-	-	-	-	-	-	0.5	-	-	0.9	-	0.6	-	-	1.4	-	-	0.2	0.2	0.1	0.01
C12	Pyiform sinus	10	-	-	-	-	-	-	-	-	-	-	0.9	-	1.7	2.0	0.7	0.7	-	-	0.3	0.3	0.2	0.03
C13	Hypopharynx	3	-	-	-	-	-	-	-	-	-	0.4	0.5	0.5	-	-	-	-	-	-	0.1	0.1	0.1	0.01
C14	Lip, oral cavity and pharynx, NOS	4	-	-	-	-	-	-	-	-	-	-	0.5	-	1.1	-	-	-	-	1.2	0.1	0.1	0.1	0.01
C15	Oesophagus	115	-	-	-	-	-	-	-	-	-	1.3	4.2	7.7	6.7	4.7	13.3	15.0	14.3	15.7	3.7	2.4	1.6	0.19
C16	Stomach	288	-	-	-	0.6	-	1.0	1.1	2.3	2.5	3.4	3.7	8.2	12.3	16.2	19.3	34.4	51.5	76.2	9.2	5.3	3.6	0.35
C17	Small intestine	46	-	-	-	-	-	-	-	0.9	0.4	0.4	3.2	1.0	1.7	4.7	4.0	3.6	10.5	1.2	1.5	1.0	0.7	0.08
C18	Colon	1,602	-	-	-	1.1	2.3	2.1	5.3	9.3	8.9	12.3	30.1	49.3	85.3	123.7	156.3	201.1	260.6	274.5	51.3	31.2	21.0	2.40
C19	Rectosigmoid junction	73	-	-	-	-	-	-	-	-	-	-	2.8	2.1	2.2	7.4	6.6	12.9	10.5	10.9	2.3	1.4	0.9	0.11
C20	Rectum	610	-	-	-	-	-	-	-	5.6	5.5	11.9	16.7	24.6	42.1	41.2	58.5	78.7	72.5	76.2	19.5	12.8	8.8	1.03
C21	Anus and anal canal	39	-	-	-	-	-	0.5	-	-	0.8	1.3	0.9	3.6	1.7	1.4	0.7	7.2	1.9	7.3	1.2	0.9	0.6	0.05
C22	Liver and intrahepatic bile ducts	105	0.6	-	-	-	-	0.5	-	0.9	2.5	2.1	1.9	3.1	6.7	6.8	14.0	17.9	7.6	4.8	3.4	2.3	1.7	0.20
C23	Gallbladder	48	-	-	-	-	-	-	-	0.5	-	-	-	0.5	1.7	5.4	8.0	7.2	9.5	3.6	1.5	0.9	0.6	0.08
C24	Biliary tract, NOS	74	-	-	-	-	-	-	-	0.4	0.8	0.9	1.0	3.9	2.7	8.0	13.6	9.5	18.1	2.4	1.3	0.8	0.09	
C25	Pancreas	315	-	-	-	-	0.6	1.6	0.5	1.4	1.3	3.8	10.7	10.3	14.0	29.1	32.6	43.7	39.1	39.9	10.1	6.5	4.5	0.53
C26	Other ill-defined digestive organs	9	-	-	-	-	-	-	-	0.5	-	-	0.5	-	0.6	0.7	-	1.4	1.9	1.2	0.3	0.2	0.1	0.01
C30	Nasal cavity and middle ear	5	-	-	-	-	-	0.5	-	-	-	0.4	0.5	-	-	0.7	-	-	1.0	-	0.2	0.1	0.1	0.01
C31	Accessory sinuses	20	-	-	-	-	-	-	-	-	1.7	-	-	0.5	1.7	1.4	1.3	2.1	1.0	4.8	0.6	0.4	0.3	0.03
C32	Larynx	38	-	-	-	-	-	-	0.5	-	0.8	0.4	3.2	2.6	2.8	4.1	2.0	1.4	3.8	2.4	1.2	1.0	0.7	0.08
C33	Trachea	1	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.00
C34	Bronchus and lung	957	-	-	-	0.6	-	-	2.7	2.3	6.4	20.0	42.2	60.5	80.8	104.1	92.4	77.3	78.3	58.1	30.7	22.7	16.1	2.04
C37	Thymus	8	-	-	-	-	-	-	-	-	-	0.4	0.5	-	-	-	2.7	0.7	-	1.2	0.3	0.2	0.1	0.02
C38	Heart, mediastinum and pleura	7	0.6	-	-	-	-	0.5	-	-	-	-	-	0.5	0.6	0.7	-	1.4	-	-	0.2	0.2	0.2	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	17	-	-	2.4	0.6	-	-	1.6	-	0.4	0.8	-	0.5	1.1	1.4	-	-	-	1.2	0.5	0.6	0.5	0.04
C41	Bone and articular cartilage, NOS	15	-	-	0.6	-	-	1.0	-	-	0.8	0.4	0.5	0.5	0.6	1.4	0.7	0.7	1.0	1.2	0.5	0.4	0.4	0.03
C43	Malignant melanoma of skin	679	-	-	-	2.2	5.6	12.6	21.9	37.2	28.4	32.3	22.2	26.7	33.1	26.4	35.9	39.4	34.4	41.1	21.8	18.3	14.6	1.41
C44	Malignant neoplasms of skin	947	-	-	-	1.1	0.6	0.5	1.6	4.7	6.8	8.9	11.1	23.1	33.1	55.4	76.5	100.2	169.9	302.3	30.3	16.7	10.9	1.11

Flemish Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C45	Mesothelioma	38	-	-	-	-	-	-	-	-	0.4	-	0.9	2.1	-	2.7	6.6	6.4	5.7	2.4	1.2	0.7	0.5	0.06
C46	Kaposi's sarcoma	4	-	-	-	-	0.6	-	0.5	-	-	-	-	-	-	-	-	-	1.9	-	0.1	0.1	0.1	0.01
C47,C49	Soft tissues	105	0.6	-	-	1.1	1.1	1.0	1.1	2.8	0.8	2.1	5.1	4.6	3.9	2.0	8.6	10.7	9.5	18.1	3.4	2.4	1.8	0.18
C48	Retroperitoneum and peritoneum	33	-	0.6	-	-	-	0.5	0.5	0.5	0.8	0.4	2.3	1.5	0.6	3.4	2.0	2.9	2.9	2.4	1.1	0.8	0.6	0.07
C50	Breast	5,528	-	-	-	-	3.9	11.5	36.9	78.2	170.2	270.9	299.4	341.7	346.1	409.0	330.5	364.3	384.7	337.4	177.1	139.6	103.2	10.86
C51	Vulva	112	-	-	-	-	-	-	0.5	1.4	0.8	3.4	1.4	6.7	4.5	8.1	10.0	11.5	11.5	23.0	3.6	2.4	1.6	0.18
C52	Vagina	19	-	-	-	-	-	-	-	-	0.4	-	-	0.5	-	2.7	2.0	2.1	-	8.5	0.6	0.4	0.2	0.03
C53	Cervix uteri	360	-	-	-	0.6	0.6	3.7	11.8	18.1	22.0	22.9	13.9	12.3	15.1	13.5	17.3	21.5	15.3	13.3	11.5	9.8	7.8	0.76
C54	Corpus uteri	908	-	-	-	-	-	2.1	1.1	4.7	5.9	11.0	21.8	51.8	65.1	94.0	108.4	93.8	84.0	81.0	29.1	20.2	14.0	1.81
C55	Uterus	8	-	-	-	-	-	-	-	-	-	-	-	-	1.1	0.7	1.3	-	1.0	2.4	0.3	0.2	0.1	0.02
C56	Ovary	533	-	-	-	0.6	1.1	2.6	2.7	2.8	5.5	16.1	17.1	31.3	39.3	35.2	51.2	59.4	54.4	31.4	17.1	12.2	8.8	1.02
C57	Female genital organs, NOS	22	-	-	-	-	-	-	1.1	-	-	1.7	0.5	1.5	0.6	1.4	2.7	2.9	-	1.2	0.7	0.5	0.4	0.05
C58	Placenta	1	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.00
C64	Kidney	350	2.5	-	0.6	0.6	-	0.5	1.1	0.9	5.5	5.9	12.5	12.3	15.7	28.4	43.2	44.4	43.0	23.0	11.2	7.6	5.5	0.65
C65	Renal pelvis	46	-	-	-	-	-	-	-	0.5	0.4	-	0.5	1.0	1.7	2.7	5.3	9.3	8.6	4.8	1.5	0.8	0.5	0.06
C66	Ureter	27	-	-	-	-	-	-	-	-	-	-	-	-	1.7	2.0	2.0	7.9	2.9	4.8	0.9	0.5	0.3	0.03
C67	Bladder	288	-	-	-	-	-	0.5	0.5	1.4	1.3	1.3	3.7	7.7	9.5	21.0	28.6	40.8	55.4	58.1	9.2	5.2	3.4	0.38
C68	Urinary organs, NOS	6	-	-	-	-	-	-	-	-	-	-	0.5	-	0.6	-	-	1.4	-	2.4	0.2	0.1	0.1	0.01
C69	Eye and adnexa	26	1.9	0.6	-	-	-	-	-	0.5	0.8	0.8	0.9	1.0	1.1	0.7	2.0	2.1	2.9	1.2	0.8	0.7	0.7	0.05
C70	Meninges	6	-	-	-	-	-	-	-	-	-	0.4	0.5	-	0.6	1.4	0.7	-	-	-	0.2	0.2	0.1	0.02
C71	Brain	195	0.6	1.3	3.5	0.6	2.3	2.6	5.9	5.6	4.2	3.8	8.3	7.7	10.7	7.4	21.9	15.0	14.3	2.4	6.2	5.1	4.2	0.43
C72	Spinal cord, cranial nerves and CNS, NOS	7	1.9	-	-	-	-	-	-	0.9	-	-	0.5	-	0.6	-	-	-	-	-	0.2	0.3	0.3	0.02
C73	Thyroid gland	223	0.6	-	-	1.7	5.1	3.7	7.5	13.5	6.4	6.8	9.3	10.3	16.3	7.4	15.3	12.2	6.7	2.4	7.1	6.3	5.2	0.52
C74	Adrenal gland	11	0.6	-	-	-	-	0.5	-	-	1.3	0.4	-	-	0.6	-	1.3	1.4	-	-	0.4	0.3	0.3	0.02
C75	Endocrine glands, NOS	3	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.7	1.0	-	0.1	0.1	0.0	0.00
C81	Hodgkin's disease	72	-	-	1.8	2.2	3.9	2.6	4.3	0.9	0.4	3.8	2.8	3.1	0.6	1.4	2.7	5.0	4.8	2.4	2.3	2.1	1.9	0.15
C82-C85	Non-Hodgkin-lymphoma	525	0.6	1.3	0.6	1.7	2.8	1.0	3.7	4.7	7.2	8.1	11.1	21.5	27.5	47.3	46.5	53.7	66.8	70.1	16.8	11.4	8.2	0.92
C88	Malignant immunoproliferative diseases	18	-	-	-	-	-	-	-	-	-	-	0.5	1.5	0.6	4.1	0.7	1.4	3.8	-	0.6	0.4	0.3	0.04
C90	Multiple myeloma	217	-	-	-	-	-	-	1.1	1.4	1.7	4.2	4.2	12.8	10.7	17.6	21.9	32.2	22.0	21.8	7.0	4.6	3.2	0.38
C91	Lymphoid leukaemia	160	1.9	3.2	3.0	0.6	0.6	-	1.1	0.5	1.7	2.1	5.6	3.1	9.0	11.5	18.0	18.6	21.0	8.5	5.1	3.7	3.0	0.31
C92	Myeloid leukaemia	147	0.6	-	-	1.1	1.7	1.6	2.1	1.4	2.5	3.0	6.0	5.1	6.7	8.1	6.0	18.6	23.9	13.3	4.7	3.3	2.5	0.23
C93	Monocytic leukaemia	14	1.3	-	-	-	-	0.5	-	-	0.4	0.8	0.9	0.5	-	2.0	-	1.4	-	-	0.4	0.4	0.4	0.03
C94-C95	Leukaemia other	7	-	-	-	-	-	-	-	-	-	-	-	0.5	0.6	0.7	0.7	1.4	1.0	-	0.2	0.1	0.1	0.01
C96	Lymphoid, haematopoietic and related tissue, NOS	4	0.6	-	-	-	-	-	-	0.5	0.4	-	0.5	-	-	-	-	-	-	-	0.1	0.1	0.2	0.01
C76	Other and ill-defined sites	3	0.6	0.6	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	0.1	0.1	0.2	0.01
C80	Unknown primary site	290	-	-	-	-	0.6	0.5	0.5	0.5	2.1	4.7	5.6	12.3	13.5	21.0	26.6	33.6	46.8	52.0	9.3	5.7	3.9	0.44
MPD	Myeloproliferative Disorders	136	-	-	-	-	-	0.5	1.1	2.3	3.4	1.3	5.6	5.6	7.9	8.1	14.6	13.6	17.2	10.9	4.4	3.0	2.2	0.25
MDS	Myelodysplastic syndromes	156	-	-	0.6	-	0.6	0.5	1.1	0.5	0.4	0.8	1.4	3.6	7.3	8.8	12.0	22.9	35.3	29.0	5.0	2.8	1.9	0.19
Total		16,853	15.7	7.6	13.0	16.7	34.4	59.1	122.9	212.2	316.3	483.3	614.5	805.0	971.6	1.226.4	1.355.7	1.593.3	1.750.7	1.788.7	539.9	386.7	280.2	26.86
Total excl. non-melanoma		15,906	15.7	7.6	13.0	15.6	33.8	58.6	121.3	207.5	309.5	474.3	603.4	781.9	938.5	1.171.0	1.279.3	1.493.1	1.580.8	1.486.3	509.5	370.0	269.3	26.03
Total excl. non-melanoma and MDS, MPD		15,614	15.7	7.6	12.4	15.6	33.3	57.6	119.2	204.7	305.7	472.2	596.4	772.7	923.3	1.154.1	1.252.7	1.456.6	1.528.3	1.446.4	500.2	364.1	265.3	25.71

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Brussels Capital Region: Males, number of invasive tumours by primary site and age group in 2008

Brussels Capital Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1
C01	Base of tongue	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
C02	Tongue	12	-	-	-	-	-	-	-	-	-	3	2	4	1	1	1	-	-	-
C03	Gum	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C04	Floor of mouth	11	-	-	-	-	-	-	-	-	1	-	2	1	1	1	3	1	1	-
C05	Palate	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1
C06	Mouth, NOS	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2
C07	Parotid gland	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
C08	Salivary glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	17	-	-	-	-	-	-	-	-	1	2	1	2	4	4	1	2	-	-
C10	Oropharynx	15	-	-	-	-	-	-	-	-	-	2	5	3	3	1	-	-	1	-
C11	Nasopharynx	5	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-
C12	Pyiform sinus	15	-	-	-	-	-	-	-	-	-	-	-	3	6	-	3	2	-	1
C13	Hypopharynx	11	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	3	1	-
C14	Lip, oral cavity and pharynx, NOS	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
C15	Oesophagus	44	-	-	-	-	-	-	-	-	-	2	5	4	4	11	4	6	6	2
C16	Stomach	63	-	-	-	-	-	-	1	2	4	5	4	3	7	7	11	9	8	2
C17	Small intestine	12	-	-	-	-	-	-	-	-	1	1	1	2	2	1	1	1	1	1
C18	Colon	228	-	-	-	1	2	-	-	1	2	5	14	20	25	24	37	36	36	25
C19	Rectosigmoid junction	18	-	-	-	-	-	-	-	-	2	-	1	1	1	5	4	1	3	-
C20	Rectum	85	-	-	-	1	-	-	1	2	3	5	5	8	10	10	10	16	8	6
C21	Anus and anal canal	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	1
C22	Liver and intrahepatic bile ducts	35	-	-	-	-	-	1	1	-	-	1	1	3	4	8	5	8	3	-
C23	Gallbladder	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-
C24	Biliary tract, NOS	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	3	-
C25	Pancreas	63	-	-	-	-	-	-	-	2	1	1	4	-	9	11	11	15	8	1
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
C30	Nasal cavity and middle ear	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C31	Accessory sinuses	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	51	-	-	-	-	-	-	-	1	-	1	6	8	14	8	2	5	6	-
C33	Trachea	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C34	Bronchus and lung	371	-	-	-	-	-	-	-	2	5	16	27	38	71	54	58	53	34	13
C37	Thymus	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C38	Heart, mediastinum and pleura	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	5	-	-	-	2	-	-	1	-	-	-	-	-	1	1	-	-	-	-
C41	Bone and articular cartilage, NOS	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
C43	Malignant melanoma of skin	76	-	-	-	-	1	2	-	1	8	4	9	4	9	7	8	8	10	5
C44	Malignant neoplasms of skin	197	-	-	-	-	-	-	-	1	1	6	4	4	8	16	27	38	45	47

Brussels Capital Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C45	Mesothelioma	6	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-
C46	Kaposi's sarcoma	12	-	-	-	-	-	-	-	-	1	4	1	1	-	3	1	1	-	-
C47,C49	Soft tissues	16	-	-	-	1	-	1	1	1	1	1	1	1	1	3	1	2	1	-
C48	Retroperitoneum and peritoneum	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
C50	Breast	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	-
C60	Penis	11	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1	-	3	-
C61	Prostate	629	-	-	-	-	-	-	-	-	1	8	35	61	85	112	103	121	62	41
C62	Testis	30	-	-	-	1	5	10	7	4	2	1	-	-	-	-	-	-	-	-
C63	Male genital organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
C64	Kidney	73	-	-	-	-	-	-	1	3	-	6	5	9	8	14	9	11	4	3
C65	Renal pelvis	14	-	-	-	-	-	-	-	-	-	-	1	2	-	4	3	2	1	1
C66	Ureter	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
C67	Bladder	127	-	-	-	-	-	-	-	-	3	2	5	7	14	15	15	27	23	16
C68	Urinary organs, NOS	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
C69	Eye and adnexa	5	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-
C70	Meninges	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C71	Brain	38	1	1	2	-	1	2	2	2	1	2	5	3	3	2	4	4	3	-
C72	Spinal cord, cranial nerves and CNS, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid gland	33	-	-	-	-	1	2	1	5	5	3	3	3	3	1	1	3	2	-
C74	Adrenal gland	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C75	Endocrine glands, NOS	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
C81	Hodgkin's disease	17	2	-	-	2	-	5	-	1	1	2	2	1	-	-	-	1	-	-
C82-C85	Non-Hodgkin-lymphoma	86	-	-	-	1	1	-	4	2	6	7	6	10	10	8	9	13	5	4
C88	Malignant immunoproliferative diseases	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-
C90	Multiple myeloma	26	-	-	-	-	-	-	-	-	-	-	1	3	5	4	2	5	2	4
C91	Lymphoid leukaemia	30	3	1	-	-	1	1	1	1	-	2	3	5	-	2	5	3	1	1
C92	Myeloid leukaemia	24	1	-	-	-	-	-	2	1	1	2	1	2	-	-	8	3	2	1
C93	Monocytic leukaemia	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
C94-C95	Leukaemia other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
C96	Lymphoid, haematopoietic and related tissue, NOS	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C80	Unknown primary site	71	-	-	-	-	-	1	1	2	1	7	12	3	8	4	8	11	7	6
MPD	Myeloproliferative Disorders	17	-	-	-	-	-	-	-	-	1	-	-	1	4	2	2	3	3	1
MDS	Myelodysplastic syndromes	19	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	7	4	2
Total		2,697	8	4	2	10	13	25	24	35	54	107	183	235	338	359	371	431	308	190
Total excl. non-melanoma		2,500	8	4	2	10	13	25	24	34	53	101	179	231	330	343	344	393	263	143
Total excl. non-melanoma and MDS, MPD		2,464	8	4	2	10	13	25	24	34	52	101	179	229	324	339	341	383	256	140

Brussels Capital Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2008 (n/100,000 person years)

Brussels Capital Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	5	-	-	-	-	-	-	-	-	-	-	-	3.8	-	-	6.9	8.0	11.2	16.4	1.0	0.9	0.5	0.05
C01	Base of tongue	4	-	-	-	-	-	-	-	-	-	-	-	3.8	9.1	6.1	-	-	-	-	0.8	0.9	0.7	0.10
C02	Tongue	12	-	-	-	-	-	-	-	-	-	8.7	6.7	15.2	4.6	6.1	6.9	-	-	-	2.4	2.7	2.0	0.24
C03	Gum	2	-	-	-	-	-	-	-	-	-	2.9	-	-	-	-	-	-	-	16.4	0.4	0.4	0.3	0.01
C04	Floor of mouth	11	-	-	-	-	-	-	-	2.5	-	6.7	3.8	4.6	6.1	20.6	8.0	11.2	-	-	2.2	2.2	1.6	0.22
C05	Palate	3	-	-	-	-	-	-	-	-	-	-	-	7.6	-	-	-	-	-	16.4	0.6	0.6	0.4	0.04
C06	Mouth, NOS	4	-	-	-	-	-	-	-	-	-	-	3.4	-	-	-	-	-	11.2	32.8	0.8	0.7	0.4	0.02
C07	Parotid gland	3	-	-	-	-	-	-	-	-	-	-	-	-	4.6	6.1	-	8.0	-	-	0.6	0.6	0.4	0.05
C08	Salivary glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	17	-	-	-	-	-	-	-	2.5	5.8	3.4	7.6	18.3	24.4	6.9	15.9	-	-	-	3.4	3.7	2.7	0.34
C10	Oropharynx	15	-	-	-	-	-	-	-	-	-	5.8	16.8	11.4	13.7	6.1	-	-	11.2	-	3.0	3.3	2.4	0.27
C11	Nasopharynx	5	-	-	-	-	-	-	-	2.5	2.9	6.7	-	-	6.1	-	-	-	-	-	1.0	1.1	0.8	0.09
C12	Pyrimform sinus	15	-	-	-	-	-	-	-	-	-	-	-	11.4	27.4	-	20.6	15.9	-	16.4	3.0	3.2	2.2	0.30
C13	Hypopharynx	11	-	-	-	-	-	-	-	-	-	3.4	7.6	9.1	12.2	-	23.9	11.2	-	2.2	2.2	1.5	0.16	
C14	Lip, oral cavity and pharynx, NOS	3	-	-	-	-	-	-	-	-	-	-	3.8	4.6	6.1	-	-	-	-	-	0.6	0.7	0.5	0.07
C15	Oesophagus	44	-	-	-	-	-	-	-	-	5.8	16.8	15.2	18.3	67.0	27.4	47.7	67.2	32.8	8.7	8.9	6.1	0.75	
C16	Stomach	63	-	-	-	-	-	2.2	4.5	10.2	14.6	13.5	11.4	32.0	42.6	75.5	71.6	89.6	32.8	12.5	12.1	8.4	1.03	
C17	Small intestine	12	-	-	-	-	-	-	-	2.5	2.9	3.4	7.6	9.1	6.1	6.9	8.0	11.2	16.4	2.4	2.4	1.7	0.19	
C18	Colon	228	-	-	-	3.4	6.1	-	-	2.3	5.1	14.6	47.2	76.2	114.3	146.1	253.9	286.3	403.4	409.9	45.1	43.1	28.5	3.29
C19	Rectosigmoid junction	18	-	-	-	-	-	-	-	-	5.1	-	3.4	3.8	4.6	30.4	27.4	8.0	33.6	-	3.6	3.6	2.5	0.37
C20	Rectum	85	-	-	-	3.4	-	-	2.2	4.5	7.6	14.6	16.8	30.5	45.7	60.9	68.6	127.3	89.6	98.4	16.8	16.5	11.3	1.27
C21	Anus and anal canal	8	-	-	-	-	-	-	-	-	-	-	3.4	-	4.6	6.1	-	23.9	11.2	16.4	1.6	1.5	0.9	0.07
C22	Liver and intrahepatic bile ducts	35	-	-	-	-	-	2.3	2.2	-	-	2.9	3.4	11.4	18.3	48.7	34.3	63.6	33.6	-	6.9	6.9	4.8	0.62
C23	Gallbladder	5	-	-	-	-	-	-	-	-	-	-	-	3.8	-	6.1	6.9	15.9	-	-	1.0	1.0	0.6	0.08
C24	Biliary tract, NOS	6	-	-	-	-	-	-	-	-	-	-	3.4	-	4.6	6.1	-	-	33.6	-	1.2	1.0	0.7	0.07
C25	Pancreas	63	-	-	-	-	-	-	4.5	2.5	2.9	13.5	-	41.1	67.0	75.5	119.3	89.6	16.4	12.5	12.1	8.2	1.03	
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	-	-	-	-	9.1	-	6.9	-	-	-	0.6	0.7	0.5	0.08
C30	Nasal cavity and middle ear	2	-	-	-	-	-	-	-	-	-	-	3.4	-	-	-	-	-	-	16.4	0.4	0.4	0.3	0.02
C31	Accessory sinuses	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	51	-	-	-	-	-	-	2.3	-	2.9	20.2	30.5	64.0	48.7	13.7	39.8	67.2	-	-	10.1	10.6	7.6	0.91
C33	Trachea	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C34	Bronchus and lung	371	-	-	-	-	-	-	4.5	12.7	46.7	91.0	144.8	324.6	328.7	398.0	421.5	381.0	213.1	-	73.3	75.2	52.2	6.53
C37	Thymus	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C38	Heart, mediastinum and pleura	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	5	-	-	-	6.8	-	-	2.2	-	-	-	-	-	4.6	6.1	-	-	-	-	1.0	1.1	1.1	0.10
C41	Bone and articular cartilage, NOS	3	-	-	-	-	-	-	-	-	-	-	-	-	4.6	-	13.7	-	-	-	0.6	0.6	0.5	0.09
C43	Malignant melanoma of skin	76	-	-	-	-	3.1	4.5	-	2.3	20.3	11.7	30.3	15.2	41.1	42.6	54.9	63.6	112.0	82.0	15.0	14.6	10.4	1.12
C44	Malignant neoplasms of skin	197	-	-	-	-	-	-	-	2.3	2.5	17.5	13.5	15.2	36.6	97.4	185.3	302.2	504.2	770.6	38.9	33.5	20.1	1.83

Brussels Capital Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C45	Mesothelioma	6	-	-	-	-	-	-	-	-	-	-	3.4	-	9.1	6.1	13.7	-	-	-	1.2	1.3	1.0	0.16
C46	Kaposi's sarcoma	12	-	-	-	-	-	-	-	-	2.5	11.7	3.4	3.8	-	18.3	6.9	8.0	-	-	2.4	2.6	1.9	0.23
C47,C49	Soft tissues	16	-	-	-	3.4	-	2.3	2.2	2.3	2.5	2.9	3.4	3.8	4.6	18.3	6.9	15.9	11.2	-	3.2	3.1	2.5	0.26
C48	Retroperitoneum and peritoneum	3	-	-	-	-	-	-	-	2.3	-	-	-	-	-	-	6.9	-	11.2	-	0.6	0.5	0.3	0.05
C50	Breast	7	-	-	-	-	-	-	-	-	-	2.9	-	-	-	6.1	13.7	-	33.6	-	1.4	1.2	0.8	0.11
C60	Penis	11	-	-	-	-	-	-	-	-	-	2.9	6.7	3.8	9.1	6.1	6.9	-	33.6	-	2.2	2.1	1.5	0.18
C61	Prostate	629	-	-	-	-	-	-	-	2.5	23.3	117.9	232.4	388.6	681.8	706.8	962.4	694.7	672.2	124.3	124.8	83.3	10.21	
C62	Testis	30	-	-	-	3.4	15.3	22.7	15.2	9.1	5.1	2.9	-	-	-	-	-	-	-	-	5.9	5.2	5.3	0.37
C63	Male genital organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	3.8	-	-	-	-	-	-	0.2	0.2	0.2	0.02
C64	Kidney	73	-	-	-	-	-	-	2.2	6.8	-	17.5	16.8	34.3	36.6	85.2	61.8	87.5	44.8	49.2	14.4	14.9	10.4	1.30
C65	Renal pelvis	14	-	-	-	-	-	-	-	-	-	-	3.4	7.6	-	24.4	20.6	15.9	11.2	16.4	2.8	2.9	1.9	0.28
C66	Ureter	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.9	-	-	-	0.2	0.2	0.1	0.03
C67	Bladder	127	-	-	-	-	-	-	-	7.6	5.8	16.8	26.7	64.0	91.3	102.9	214.7	257.7	262.3	25.1	23.2	14.8	1.56	
C68	Urinary organs, NOS	2	-	-	-	-	-	-	-	-	-	-	-	3.8	-	6.1	-	-	-	-	0.4	0.5	0.3	0.05
C69	Eye and adnexa	5	-	3.2	-	-	-	-	-	-	-	2.9	-	7.6	-	-	-	-	11.2	-	1.0	1.0	0.9	0.07
C70	Meninges	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C71	Brain	38	2.6	3.2	6.8	-	3.1	4.5	4.4	4.5	2.5	5.8	16.8	11.4	13.7	12.2	27.4	31.8	33.6	-	7.5	7.5	6.1	0.59
C72	Spinal cord, cranial nerves and CNS, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid gland	33	-	-	-	-	3.1	4.5	2.2	11.3	12.7	8.7	10.1	11.4	13.7	6.1	6.9	23.9	22.4	-	6.5	6.2	4.9	0.45
C74	Adrenal gland	2	-	3.2	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	-	-	0.4	0.4	0.4	0.02
C75	Endocrine glands, NOS	2	-	-	-	3.4	-	-	-	-	-	-	-	3.8	-	-	-	-	-	-	0.4	0.5	0.5	0.04
C81	Hodgkin's disease	17	5.2	-	-	6.8	-	11.4	-	2.3	2.5	5.8	6.7	3.8	-	-	-	8.0	-	-	3.4	3.3	3.3	0.22
C82-C85	Non-Hodgkin-lymphoma	86	-	-	-	3.4	3.1	-	8.7	4.5	15.2	20.4	20.2	38.1	45.7	48.7	61.8	103.4	56.0	65.6	17.0	16.9	12.2	1.34
C88	Malignant immunoproliferative diseases	5	-	-	-	-	-	-	-	-	-	2.9	3.4	-	-	-	-	8.0	22.4	-	1.0	0.8	0.5	0.03
C90	Multiple myeloma	26	-	-	-	-	-	-	-	-	-	-	3.4	11.4	22.9	24.4	13.7	39.8	22.4	65.6	5.1	5.1	3.4	0.38
C91	Lymphoid leukaemia	30	7.8	3.2	-	-	3.1	2.3	2.2	2.3	-	5.8	10.1	19.1	-	12.2	34.3	23.9	11.2	16.4	5.9	6.1	5.0	0.51
C92	Myeloid leukaemia	24	2.6	-	-	-	-	-	4.4	2.3	2.5	5.8	3.4	7.6	-	-	54.9	23.9	22.4	16.4	4.7	4.5	3.2	0.42
C93	Monocytic leukaemia	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	11.2	-	0.4	0.3	0.1	-
C94-C95	Leukaemia other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.9	-	-	-	0.2	0.2	0.1	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	2	2.6	-	-	-	3.1	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.4	0.6	0.03
C76	Other and ill-defined sites	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C80	Unknown primary site	71	-	-	-	-	-	2.3	2.2	4.5	2.5	20.4	40.4	11.4	36.6	24.4	54.9	87.5	78.4	98.4	14.0	13.7	9.5	0.99
MPD	Myeloproliferative Disorders	17	-	-	-	-	-	-	-	-	2.5	-	-	3.8	18.3	12.2	13.7	23.9	33.6	16.4	3.4	3.2	2.2	0.25
MDS	Myelodysplastic syndromes	19	-	-	-	-	-	-	-	-	-	-	-	3.8	9.1	12.2	6.9	55.7	44.8	32.8	3.8	3.3	2.0	0.16
Total		2,697	20.7	12.6	6.8	34.0	39.7	56.8	52.3	79.3	137.1	312.1	616.6	895.4	1,545.2	2,185.6	2,546.0	3,428.0	3,451.0	3,115.3	533.0	525.0	362.0	34.75
Total excl. non-melanoma		2,500	20.7	12.6	6.8	34.0	39.7	56.8	52.3	77.1	134.6	294.6	603.1	880.2	1,508.6	2,088.2	2,360.7	3,125.7	2,946.8	2,344.6	494.1	491.5	341.9	33.53
Total excl. non-melanoma and MDS, MPD		2,464	20.7	12.6	6.8	34.0	39.7	56.8	52.3	77.1	132.0	294.6	603.1	872.6	1,481.2	2,063.8	2,340.1	3,046.2	2,868.3	2,295.5	487.0	485.0	337.8	33.26

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Brussels Capital Region: Females, number of invasive tumours by primary site and age group in 2008

Brussels Capital Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
C01	Base of tongue	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C02	Tongue	9	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	1	1	1
C03	Gum	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
C04	Floor of mouth	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C05	Palate	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
C06	Mouth, NOS	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	2
C07	Parotid gland	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
C08	Salivary glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	7	-	-	-	-	-	-	1	-	-	3	1	-	1	-	-	-	1	-
C10	Oropharynx	6	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-
C11	Nasopharynx	3	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
C12	Pyiform sinus	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
C13	Hypopharynx	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C14	Lip, oral cavity and pharynx, NOS	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
C15	Oesophagus	32	-	-	-	-	-	-	-	-	-	-	2	1	8	2	3	2	10	4
C16	Stomach	59	-	-	-	-	-	-	-	2	2	4	8	4	4	9	7	5	3	11
C17	Small intestine	9	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	1	-	2
C18	Colon	228	-	-	2	-	1	-	2	4	3	7	8	13	14	16	27	40	46	45
C19	Rectosigmoid junction	18	-	-	-	-	1	-	-	-	-	-	2	1	2	2	2	4	3	1
C20	Rectum	57	-	-	-	-	-	-	-	1	3	-	4	2	5	7	8	9	7	11
C21	Anus and anal canal	16	-	-	-	-	-	-	-	-	1	3	2	1	2	-	4	1	1	1
C22	Liver and intrahepatic bile ducts	21	-	-	-	-	-	-	-	-	1	2	1	1	2	4	1	4	-	5
C23	Gallbladder	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
C24	Biliary tract, NOS	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	-	1
C25	Pancreas	62	-	-	-	-	-	-	1	1	1	4	2	2	3	12	8	13	11	4
C26	Other ill-defined digestive organs	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30	Nasal cavity and middle ear	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
C31	Accessory sinuses	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	8	-	-	-	-	-	-	-	-	-	-	1	3	3	-	-	1	-	-
C33	Trachea	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C34	Bronchus and lung	167	-	-	-	-	-	1	-	2	3	12	18	27	22	18	23	13	17	11
C37	Thymus	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
C38	Heart, mediastinum and pleura	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	5	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1
C41	Bone and articular cartilage, NOS	5	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1
C43	Malignant melanoma of skin	99	-	-	-	-	3	5	8	15	2	8	5	6	9	7	4	8	8	11
C44	Malignant neoplasms of skin	134	-	-	-	1	1	-	2	2	-	1	8	1	4	8	9	19	31	47

Brussels Capital Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C45	Mesothelioma	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi's sarcoma	4	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-
C47,C49	Soft tissues	15	1	-	-	-	-	1	-	1	2	-	-	1	3	-	1	1	1	3
C48	Retroperitoneum and peritoneum	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-
C50	Breast	895	-	-	-	-	-	1	11	30	57	77	101	117	115	81	92	84	63	66
C51	Vulva	25	-	-	-	-	-	-	1	-	2	-	3	1	2	2	1	2	7	4
C52	Vagina	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2
C53	Cervix uteri	72	-	-	-	-	1	1	7	6	7	8	6	6	7	5	7	1	4	6
C54	Corpus uteri	114	-	-	-	-	-	1	-	2	2	2	8	15	11	13	11	21	19	9
C55	Uterus	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
C56	Ovary	74	-	1	-	-	1	-	1	4	2	3	5	12	8	3	10	9	7	8
C57	Female genital organs, NOS	9	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	2
C58	Placenta	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
C64	Kidney	32	-	-	2	-	-	1	1	2	-	-	4	2	4	2	6	4	3	1
C65	Renal pelvis	9	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	2	1
C66	Ureter	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2
C67	Bladder	32	-	-	-	-	-	-	-	-	-	1	1	3	3	1	6	6	6	5
C68	Urinary organs, NOS	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
C69	Eye and adnexa	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
C70	Meninges	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
C71	Brain	32	1	-	-	-	1	2	4	1	4	1	1	5	2	2	2	5	1	-
C72	Spinal cord, cranial nerves and CNS, NOS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid gland	67	-	-	-	-	2	5	4	7	9	13	5	10	6	2	3	-	1	-
C74	Adrenal gland	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
C75	Endocrine glands, NOS	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
C81	Hodgkin's disease	16	-	-	1	2	4	3	-	2	-	1	1	-	-	-	-	1	-	1
C82-C85	Non-Hodgkin-lymphoma	94	1	-	-	-	3	2	1	1	2	2	4	8	8	4	14	11	11	22
C88	Malignant immunoproliferative diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C90	Multiple myeloma	24	-	-	-	-	-	-	-	-	1	-	-	1	3	1	4	5	5	4
C91	Lymphoid leukaemia	27	-	1	-	-	-	-	1	-	-	2	1	4	3	3	5	-	3	4
C92	Myeloid leukaemia	31	-	2	-	-	-	1	-	1	2	-	1	3	3	2	3	4	4	5
C93	Monocytic leukaemia	4	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
C94-C95	Leukaemia other	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C96	Lymphoid, haematopoietic and related tissue, NOS	4	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
C76	Other and ill-defined sites	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
C80	Unknown primary site	77	-	-	-	-	-	1	1	1	3	2	6	4	7	7	7	10	16	12
MPD	Myeloproliferative Disorders	16	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	2	3	6
MDS	Myelodysplastic syndromes	16	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	4	2
Total		2,701	5	5	6	4	22	28	47	88	114	163	216	267	283	233	287	305	303	325
Total excl. non-melanoma		2,567	5	5	6	3	21	28	45	86	114	162	208	266	279	235	278	286	272	278
Total excl. non-melanoma and MDS, MPD		2,535	5	5	6	3	21	28	45	85	114	162	207	266	279	219	275	280	265	270

Brussels Capital Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2008 (n/100,000 person years)

Brussels Capital Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	2	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0	-	5.0	-	-	0.4	0.3	0.2	0.03
C01	Base of tongue	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0	-	-	0.2	0.1	0.1	-
C02	Tongue	9	-	-	-	-	-	-	-	-	2.8	-	-	-	-	15.1	10.2	5.0	5.7	5.9	1.7	1.3	0.9	0.14
C03	Gum	3	-	-	-	-	-	-	-	-	-	-	-	3.5	4.0	-	5.1	-	-	-	0.6	0.6	0.4	0.06
C04	Floor of mouth	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C05	Palate	3	-	-	-	-	-	-	-	-	-	-	-	3.5	8.0	-	-	-	-	-	0.6	0.6	0.5	0.06
C06	Mouth, NOS	6	-	-	-	-	-	-	-	-	-	2.9	-	-	-	-	5.1	10.1	-	11.9	1.1	0.7	0.4	0.04
C07	Parotid gland	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	-	-	0.2	0.2	0.1	0.03
C08	Salivary glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	7	-	-	-	-	-	-	2.2	-	-	8.8	3.2	-	4.0	-	-	-	5.7	-	1.3	1.3	1.0	0.09
C10	Oropharynx	6	-	-	-	-	-	-	-	-	-	-	3.2	10.5	8.0	-	-	-	-	-	1.1	1.3	0.9	0.11
C11	Nasopharynx	3	-	-	-	-	-	2.1	-	-	-	-	-	-	4.0	5.0	-	-	-	-	0.6	0.5	0.5	0.06
C12	Pyrimiform sinus	2	-	-	-	-	-	-	-	-	-	-	-	-	4.0	5.0	-	-	-	-	0.4	0.4	0.3	0.05
C13	Hypopharynx	1	-	-	-	-	-	-	-	-	-	-	-	-	4.0	-	-	-	-	-	0.2	0.2	0.2	0.02
C14	Lip, oral cavity and pharynx, NOS	3	-	-	-	-	-	-	-	-	-	2.9	-	-	-	5.0	5.1	-	-	-	0.6	0.6	0.4	0.07
C15	Oesophagus	32	-	-	-	-	-	-	-	-	-	-	6.4	3.5	32.0	10.1	15.3	10.1	57.5	23.8	5.9	4.1	2.9	0.34
C16	Stomach	59	-	-	-	-	-	-	4.9	5.5	11.8	25.6	14.0	16.0	45.4	35.8	25.2	17.2	65.3	10.9	9.2	6.6	0.79	
C17	Small intestine	9	-	-	-	-	-	-	-	-	-	-	3.2	-	8.0	-	15.3	5.0	-	11.9	1.7	1.3	0.9	0.13
C18	Colon	228	-	-	7.2	-	2.7	-	4.5	9.9	8.3	20.6	25.6	45.6	56.0	80.7	137.9	201.8	264.5	267.3	42.0	27.8	18.7	1.98
C19	Rectosigmoid junction	18	-	-	-	-	2.7	-	-	-	-	-	6.4	3.5	8.0	10.1	10.2	20.2	17.2	5.9	3.3	2.6	1.8	0.20
C20	Rectum	57	-	-	-	-	-	-	2.5	8.3	-	12.8	7.0	20.0	35.3	40.9	45.4	40.2	65.3	10.5	7.7	5.2	0.63	
C21	Anus and anal canal	16	-	-	-	-	-	-	-	2.8	8.8	6.4	3.5	8.0	-	20.4	5.0	5.7	5.9	2.9	2.7	2.0	0.25	
C22	Liver and intrahepatic bile ducts	21	-	-	-	-	-	-	-	2.8	5.9	3.2	3.5	8.0	20.2	5.1	20.2	-	29.7	3.9	3.1	2.2	0.24	
C23	Gallbladder	2	-	-	-	-	-	-	-	2.8	-	-	-	-	5.0	-	-	-	-	-	0.4	0.4	0.3	0.04
C24	Biliary tract, NOS	7	-	-	-	-	-	-	-	-	-	-	3.2	-	5.0	-	20.2	-	5.9	1.3	0.9	0.5	0.04	
C25	Pancreas	62	-	-	-	-	-	2.2	2.5	2.8	11.8	6.4	7.0	12.0	60.6	40.9	65.6	63.2	23.8	11.4	8.6	6.0	0.73	
C26	Other ill-defined digestive organs	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30	Nasal cavity and middle ear	2	-	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-	5.0	-	-	0.4	0.3	0.2	0.02
C31	Accessory sinuses	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	8	-	-	-	-	-	-	-	-	-	-	3.2	10.5	12.0	-	-	5.0	-	-	1.5	1.6	1.1	0.13
C33	Trachea	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C34	Bronchus and lung	167	-	-	-	-	-	2.1	-	4.9	8.3	35.4	57.6	94.7	88.0	90.8	117.5	65.6	97.7	65.3	30.8	27.8	19.8	2.47
C37	Thymus	2	-	-	-	-	-	-	2.2	-	-	2.9	-	-	-	-	-	-	-	-	0.4	0.4	0.3	0.03
C38	Heart, mediastinum and pleura	1	-	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-	-	-	-	0.2	0.2	0.1	0.02
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	5	-	-	3.6	3.5	2.7	-	-	2.5	-	-	-	-	-	-	-	-	-	5.9	0.9	0.9	1.0	0.06
C41	Bone and articular cartilage, NOS	5	-	-	-	-	-	-	-	-	2.8	2.9	3.2	3.5	-	-	-	-	-	5.9	0.9	0.9	0.7	0.06
C43	Malignant melanoma of skin	99	-	-	-	-	8.2	10.5	17.9	37.1	5.5	23.6	16.0	21.0	36.0	35.3	20.4	40.4	46.0	65.3	18.2	15.3	12.0	1.15
C44	Malignant neoplasms of skin	134	-	-	-	3.5	2.7	-	4.5	4.9	-	2.9	25.6	3.5	16.0	40.4	46.0	95.8	178.2	279.2	24.7	13.6	8.7	0.75

Brussels Capital Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C45	Mesothelioma	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi's sarcoma	4	-	-	-	-	-	2.1	-	-	2.8	-	-	3.5	-	-	-	-	5.7	-	0.7	0.6	0.5	0.04
C47,C49	Soft tissues	15	2.7	-	-	-	-	2.1	-	2.5	5.5	-	-	3.5	12.0	-	5.1	5.0	5.7	17.8	2.8	2.2	1.9	0.17
C48	Retroperitoneum and peritoneum	3	-	-	-	-	-	-	-	-	-	2.9	-	-	-	-	5.1	5.0	-	-	0.6	0.5	0.3	0.04
C50	Breast	895	-	-	-	-	-	2.1	24.6	74.1	156.8	226.9	323.4	410.2	460.0	408.7	469.9	423.7	362.2	392.0	165.0	150.6	109.8	12.00
C51	Vulva	25	-	-	-	-	-	-	2.2	-	5.5	-	9.6	3.5	8.0	10.1	5.1	10.1	40.2	23.8	4.6	3.2	2.2	0.22
C52	Vagina	5	-	-	-	-	-	-	-	-	-	-	-	-	8.0	5.0	-	-	-	11.9	0.9	0.7	0.5	0.07
C53	Cervix uteri	72	-	-	-	-	2.7	2.1	15.6	14.8	19.3	23.6	19.2	21.0	28.0	25.2	35.8	5.0	23.0	35.6	13.3	12.2	9.5	1.03
C54	Corpus uteri	114	-	-	-	-	-	2.1	-	4.9	5.5	5.9	25.6	52.6	44.0	65.6	56.2	105.9	109.2	53.5	21.0	16.5	11.3	1.30
C55	Uterus	1	-	-	-	-	-	-	-	-	-	2.9	-	-	-	-	-	-	-	-	0.2	0.2	0.2	0.01
C56	Ovary	74	-	3.3	-	-	2.7	-	2.2	9.9	5.5	8.8	16.0	42.1	32.0	15.1	51.1	45.4	40.2	47.5	13.6	11.4	8.3	0.94
C57	Female genital organs, NOS	9	-	-	-	-	-	-	-	-	-	-	-	3.5	8.0	-	10.2	5.0	5.7	11.9	1.7	1.2	0.8	0.11
C58	Placenta	1	-	-	-	-	-	-	-	2.5	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.1	0.01
C64	Kidney	32	-	-	7.2	-	-	2.1	2.2	4.9	-	-	12.8	7.0	16.0	10.1	30.6	20.2	17.2	5.9	5.9	5.2	4.0	0.46
C65	Renal pelvis	9	-	-	-	-	-	-	-	-	-	-	-	3.5	8.0	-	5.1	10.1	11.5	5.9	1.7	1.1	0.8	0.08
C66	Ureter	6	-	-	-	-	-	-	-	-	-	-	-	-	-	10.1	5.1	-	5.7	11.9	1.1	0.7	0.5	0.08
C67	Bladder	32	-	-	-	-	-	-	-	-	-	2.9	3.2	10.5	12.0	5.0	30.6	30.3	34.5	29.7	5.9	4.0	2.6	0.32
C68	Urinary organs, NOS	2	-	-	-	-	-	-	-	-	-	-	-	-	4.0	-	-	-	5.7	-	0.4	0.3	0.2	0.02
C69	Eye and adnexa	3	2.7	-	-	-	2.7	-	-	-	-	-	-	-	-	-	5.1	-	-	-	0.6	0.6	0.6	0.05
C70	Meninges	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0	-	5.9	0.4	0.2	0.1	-
C71	Brain	32	2.7	-	-	-	2.7	4.2	8.9	2.5	11.0	2.9	3.2	17.5	8.0	10.1	10.2	25.2	5.7	-	5.9	5.4	4.4	0.42
C72	Spinal cord, cranial nerves and CNS, NOS	1	-	-	-	-	-	2.1	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.1	0.2	0.01
C73	Thyroid gland	67	-	-	-	-	5.4	10.5	8.9	17.3	24.8	38.3	16.0	35.1	24.0	10.1	15.3	-	5.7	-	12.3	12.7	10.4	1.02
C74	Adrenal gland	2	-	-	-	-	-	-	-	-	-	-	6.4	-	-	-	-	-	-	-	0.4	0.4	0.3	0.03
C75	Endocrine glands, NOS	2	2.7	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-	-	-	-	0.4	0.4	0.5	0.03
C81	Hodgkin's disease	16	-	-	3.6	7.0	10.9	6.3	-	4.9	-	2.9	3.2	-	-	-	-	5.0	-	5.9	2.9	2.9	3.0	0.19
C82-C85	Non-Hodgkin-lymphoma	94	2.7	-	-	-	8.2	4.2	2.2	2.5	5.5	5.9	12.8	28.0	32.0	20.2	71.5	55.5	63.2	130.7	17.3	12.4	8.9	0.97
C88	Malignant immunoproliferative diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0	-	-	-	-	0.2	0.2	0.2	0.03
C90	Multiple myeloma	24	-	-	-	-	-	-	-	-	2.8	-	-	3.5	12.0	5.0	20.4	25.2	28.7	23.8	4.4	2.8	1.9	0.22
C91	Lymphoid leukaemia	27	-	3.3	-	-	-	-	2.2	-	-	5.9	3.2	14.0	12.0	15.1	25.5	-	17.2	23.8	5.0	4.2	3.2	0.41
C92	Myeloid leukaemia	31	-	6.5	-	-	-	2.1	-	2.5	5.5	-	3.2	10.5	12.0	10.1	15.3	20.2	23.0	29.7	5.7	4.4	3.4	0.34
C93	Monocytic leukaemia	4	-	-	-	-	-	-	-	-	-	2.9	-	3.5	4.0	5.0	-	-	-	-	0.7	0.8	0.6	0.08
C94-C95	Leukaemia other	1	-	-	-	-	-	-	-	-	-	-	-	-	4.0	-	-	-	-	-	0.2	0.2	0.2	0.02
C96	Lymphoid, haematopoietic and related tissue, NOS	4	-	3.3	-	-	2.7	-	-	-	2.8	-	-	-	-	-	5.1	-	-	-	0.7	0.8	0.8	0.07
C76	Other and ill-defined sites	1	-	-	-	-	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.2	0.01
C80	Unknown primary site	77	-	-	-	-	-	2.1	2.2	2.5	8.3	5.9	19.2	14.0	28.0	35.3	35.8	50.4	92.0	71.3	14.2	10.2	7.0	0.76
MPD	Myeloproliferative Disorders	16	-	-	-	-	-	-	-	2.5	-	-	3.2	-	-	10.1	5.1	10.1	17.2	35.6	2.9	1.7	1.1	0.10
MDS	Myelodysplastic syndromes	16	-	-	-	-	-	-	-	-	-	-	-	-	-	20.2	10.2	20.2	23.0	11.9	2.9	1.9	1.2	0.15
Total		2,701	13.5	16.3	21.6	13.9	59.8	58.6	105.1	217.5	313.5	480.2	691.7	936.2	1,132.1	1,175.7	1,466.0	1,538.5	1,742.0	1,930.4	497.9	410.8	298.5	28.47
Total excl. non-melanoma		2,567	13.5	16.3	21.6	10.4	57.1	58.6	100.6	212.6	313.5	477.3	666.1	932.6	1,116.1	1,135.3	1,420.0	1,442.6	1,563.8	1,651.2	473.2	397.2	289.8	27.93
Total excl. non-melanoma and MDS, MPD		2,535	13.5	16.3	21.6	10.4	57.1	58.6	100.6	210.1	313.5	477.3	662.9	932.6	1,116.1	1,105.1	1,404.7	1,412.4	1,523.5	1,603.7	467.3	393.7	287.6	27.75

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Walloon Region: Males, number of invasive tumours by primary site and age group in 2008

Walloon Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	13	-	-	-	-	-	-	1	-	-	2	-	1	1	1	1	1	4	1
C01	Base of tongue	41	-	-	-	-	-	-	-	-	1	5	9	6	12	4	-	2	2	-
C02	Tongue	69	-	-	-	-	-	-	-	2	5	3	11	14	12	4	9	4	3	2
C03	Gum	18	-	-	-	-	-	-	-	-	-	2	5	-	4	1	1	2	2	1
C04	Floor of mouth	57	-	-	-	-	-	-	-	-	5	5	14	14	10	3	5	-	1	-
C05	Palate	26	-	-	-	-	-	-	-	-	1	2	5	10	3	1	1	2	1	-
C06	Mouth, NOS	24	-	-	-	-	-	-	-	-	-	1	3	11	2	1	2	1	2	1
C07	Parotid gland	18	-	-	-	-	-	-	1	-	2	1	-	2	4	3	1	1	1	2
C08	Salivary glands, NOS	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
C09	Tonsil	78	-	-	-	-	-	-	-	3	4	15	20	16	12	4	1	1	1	1
C10	Oropharynx	58	-	-	-	-	-	-	-	-	1	8	12	5	14	7	5	4	2	-
C11	Nasopharynx	12	-	-	1	-	-	-	-	3	1	2	1	2	1	-	1	-	-	-
C12	Pyiform sinus	64	-	-	-	-	-	-	-	-	1	3	15	10	17	10	3	4	1	-
C13	Hypopharynx	21	-	-	-	-	-	-	-	-	1	-	3	7	4	3	2	-	-	1
C14	Lip, oral cavity and pharynx, NOS	9	-	-	-	-	-	-	-	-	-	1	3	2	1	2	-	-	-	-
C15	Oesophagus	231	-	-	-	-	-	-	-	1	8	15	19	41	45	23	31	28	13	7
C16	Stomach	211	-	-	-	-	-	1	-	-	4	7	17	9	28	24	37	31	26	27
C17	Small intestine	34	-	-	-	-	-	1	-	-	-	3	4	2	5	6	3	6	3	1
C18	Colon	796	-	-	-	2	2	2	1	4	9	26	35	70	98	105	120	147	102	73
C19	Rectosigmoid junction	37	-	-	-	-	-	-	-	1	1	4	-	5	3	4	6	9	2	2
C20	Rectum	400	-	-	-	-	1	3	-	-	4	14	28	45	51	59	56	77	43	19
C21	Anus and anal canal	12	-	-	-	-	-	-	1	-	-	-	1	2	-	2	2	-	1	3
C22	Liver and intrahepatic bile ducts	152	2	-	-	-	-	1	2	-	1	5	8	18	29	20	34	17	12	3
C23	Gallbladder	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	4	1
C24	Biliary tract, NOS	41	-	-	-	-	-	-	-	-	2	-	-	4	10	8	8	4	3	2
C25	Pancreas	165	-	-	-	-	-	-	1	2	3	13	10	13	23	20	29	29	13	9
C26	Other ill-defined digestive organs	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	1
C30	Nasal cavity and middle ear	9	-	-	-	-	-	-	-	-	-	1	2	1	-	1	2	2	-	-
C31	Accessory sinuses	16	-	-	-	-	1	-	-	-	1	2	-	3	1	1	3	4	-	-
C32	Larynx	223	-	-	-	-	-	-	-	1	4	14	30	34	42	31	36	18	9	4
C33	Trachea	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
C34	Bronchus and lung	1,796	-	-	-	1	-	-	3	7	23	60	137	226	269	272	267	300	170	61
C37	Thymus	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-
C38	Heart, mediastinum and pleura	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	11	-	-	1	4	-	-	2	1	-	-	-	2	-	-	-	-	1	-
C41	Bone and articular cartilage, NOS	6	-	2	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-
C43	Malignant melanoma of skin	255	-	-	1	1	4	3	4	16	17	31	15	20	32	33	28	21	16	13
C44	Malignant neoplasms of skin	637	-	1	-	1	-	1	-	7	6	15	11	24	51	63	90	127	143	97

Walloon Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C45	Mesothelioma	54	-	-	-	-	-	-	-	-	-	1	-	4	8	9	15	7	7	3
C46	Kaposi's sarcoma	6	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	1	-	-
C47,C49	Soft tissues	65	3	-	2	1	1	-	2	2	2	4	5	8	8	11	6	6	1	3
C48	Retroperitoneum and peritoneum	11	1	-	-	-	-	-	-	-	-	1	1	1	1	1	3	1	1	-
C50	Breast	29	-	-	-	-	-	-	-	-	-	1	4	5	3	4	4	4	3	1
C60	Penis	18	-	-	-	-	-	-	-	-	-	1	2	2	2	1	2	4	2	2
C61	Prostate	2,385	-	-	-	-	-	-	-	-	-	34	146	268	366	444	451	361	213	102
C62	Testis	114	-	-	-	5	9	23	19	19	11	16	7	2	1	-	-	2	-	-
C63	Male genital organs, NOS	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
C64	Kidney	289	1	-	-	1	-	-	2	4	11	18	27	42	44	43	34	42	15	5
C65	Renal pelvis	34	-	-	-	-	-	-	-	-	-	2	3	2	4	7	6	8	1	1
C66	Ureter	27	-	-	-	-	-	-	-	-	-	-	1	2	4	2	7	5	5	1
C67	Bladder	514	1	-	-	-	-	-	-	-	3	5	22	42	57	80	65	107	89	43
C68	Urinary organs, NOS	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	-	1	1
C69	Eye and adnexa	12	2	-	-	-	-	1	-	-	-	1	-	3	3	1	-	1	-	-
C70	Meninges	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
C71	Brain	132	4	3	4	2	3	6	5	8	8	9	10	7	25	13	11	8	5	1
C72	Spinal cord, cranial nerves and CNS, NOS	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
C73	Thyroid gland	86	-	1	1	2	-	2	2	6	7	7	8	10	12	15	3	3	6	1
C74	Adrenal gland	7	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-
C75	Endocrine glands, NOS	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
C81	Hodgkin's disease	66	-	-	2	6	3	3	8	4	2	4	10	5	7	5	3	3	1	-
C82-C85	Non-Hodgkin-lymphoma	351	-	8	-	3	5	10	3	12	10	18	31	41	39	35	46	35	36	19
C88	Malignant immunoproliferative diseases	10	-	-	-	-	-	-	-	-	1	-	1	2	1	2	-	1	1	1
C90	Multiple myeloma	85	-	-	-	-	-	-	-	-	1	3	4	8	13	13	11	20	8	4
C91	Lymphoid leukaemia	119	8	3	3	2	1	-	1	1	2	3	6	11	17	10	14	22	11	4
C92	Myeloid leukaemia	98	-	1	-	2	1	-	3	3	2	4	5	6	11	16	9	15	12	8
C93	Monocytic leukaemia	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
C94-C95	Leukaemia other	5	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1
C96	Lymphoid, haematopoietic and related tissue, NOS	4	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
C76	Other and ill-defined sites	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C80	Unknown primary site	227	1	-	-	-	-	-	-	2	4	11	27	30	22	30	33	32	20	15
MPD	Myeloproliferative Disorders	52	-	-	-	-	-	-	-	1	4	3	2	4	10	6	8	5	6	3
MDS	Myelodysplastic syndromes	74	-	-	-	1	-	-	-	1	1	2	3	3	4	6	12	15	18	8
Total		10,460	29	19	16	36	31	58	61	112	178	411	747	1,136	1,453	1,472	1,535	1,558	1,049	559
Total excl. non-melanoma		9,823	29	18	16	35	31	57	61	105	172	396	736	1,112	1,402	1,409	1,445	1,431	906	462
Total excl. non-melanoma and MDS, MPD		9,697	29	18	16	34	31	57	61	103	167	391	731	1,105	1,388	1,397	1,425	1,411	882	451

Walloon Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2008 (n/100,000 person years)

Walloon Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	13	-	-	-	-	-	-	0.9	-	-	1.6	-	0.9	1.1	1.5	1.7	1.9	12.0	5.6	0.8	0.6	0.4	0.04
C01	Base of tongue	41	-	-	-	-	-	-	-	-	0.8	3.9	7.5	5.3	13.2	6.2	-	3.9	6.0	-	2.4	2.2	1.7	0.18
C02	Tongue	69	-	-	-	-	-	-	-	1.6	3.9	2.4	9.2	12.4	13.2	6.2	15.0	7.7	9.0	11.3	4.1	3.7	2.6	0.32
C03	Gum	18	-	-	-	-	-	-	-	-	-	1.6	4.2	-	4.4	1.5	1.7	3.9	6.0	5.6	1.1	0.9	0.7	0.07
C04	Floor of mouth	57	-	-	-	-	-	-	-	-	3.9	3.9	11.7	12.4	11.0	4.6	8.4	-	3.0	-	3.4	3.1	2.3	0.28
C05	Palate	26	-	-	-	-	-	-	-	-	0.8	1.6	4.2	8.9	3.3	1.5	1.7	3.9	3.0	-	1.5	1.4	1.0	0.11
C06	Mouth, NOS	24	-	-	-	-	-	-	-	-	-	0.8	2.5	9.8	2.2	1.5	3.3	1.9	6.0	5.6	1.4	1.2	0.8	0.10
C07	Parotid gland	18	-	-	-	-	-	-	0.9	-	1.6	0.8	-	1.8	4.4	4.6	1.7	1.9	3.0	11.3	1.1	1.0	0.7	0.08
C08	Salivary glands, NOS	3	-	-	-	-	-	-	-	-	-	-	-	1.8	-	-	1.7	-	-	-	0.2	0.2	0.1	0.02
C09	Tonsil	78	-	-	-	-	-	-	-	2.5	3.1	11.8	16.7	14.2	13.2	6.2	1.7	1.9	3.0	5.6	4.6	4.3	3.3	0.35
C10	Oropharynx	58	-	-	-	-	-	-	-	-	0.8	6.3	10.0	4.4	15.4	10.8	8.4	7.7	6.0	-	3.5	3.1	2.3	0.28
C11	Nasopharynx	12	-	-	0.9	-	-	-	-	2.5	0.8	1.6	0.8	1.8	1.1	-	1.7	-	-	-	0.7	0.7	0.6	0.06
C12	Pyriiform sinus	64	-	-	-	-	-	-	-	-	0.8	2.4	12.5	8.9	18.8	15.4	5.0	7.7	3.0	-	3.8	3.5	2.6	0.32
C13	Hypopharynx	21	-	-	-	-	-	-	-	-	0.8	-	2.5	6.2	4.4	4.6	3.3	-	-	5.6	1.3	1.2	0.8	0.11
C14	Lip, oral cavity and pharynx, NOS	9	-	-	-	-	-	-	-	-	-	0.8	2.5	1.8	1.1	3.1	-	-	-	-	0.5	0.5	0.4	0.05
C15	Oesophagus	231	-	-	-	-	-	-	-	0.8	6.3	11.8	15.9	36.4	49.7	35.5	51.8	54.1	38.9	39.4	13.8	11.9	8.4	1.03
C16	Stomach	211	-	-	-	-	-	1.0	-	-	3.1	5.5	14.2	8.0	30.9	37.0	61.8	59.9	77.7	152.1	12.6	10.5	7.0	0.80
C17	Small intestine	34	-	-	-	-	-	1.0	-	-	-	2.4	3.3	1.8	5.5	9.3	5.0	11.6	9.0	5.6	2.0	1.7	1.2	0.14
C18	Colon	796	-	-	-	1.7	1.9	1.9	0.9	3.3	7.0	20.4	29.3	62.1	108.1	162.0	200.5	284.2	304.8	411.2	47.4	39.1	25.9	2.95
C19	Rectosigmoid junction	37	-	-	-	-	-	-	-	0.8	0.8	3.1	-	4.4	3.3	6.2	10.0	17.4	6.0	11.3	2.2	1.8	1.2	0.14
C20	Rectum	400	-	-	-	-	0.9	2.9	-	-	3.1	11.0	23.4	39.9	56.3	91.0	93.6	148.9	128.5	107.0	23.8	19.9	13.4	1.60
C21	Anus and anal canal	12	-	-	-	-	-	-	0.9	-	-	-	0.8	1.8	-	3.1	3.3	-	3.0	16.9	0.7	0.7	0.4	0.05
C22	Liver and intrahepatic bile ducts	152	2.0	-	-	-	-	1.0	1.8	-	0.8	3.9	6.7	16.0	32.0	30.8	56.8	32.9	35.9	16.9	9.1	7.8	5.6	0.76
C23	Gallbladder	9	-	-	-	-	-	-	-	-	-	-	-	-	2.2	1.5	-	1.9	12.0	5.6	0.5	0.4	0.2	0.02
C24	Biliary tract, NOS	41	-	-	-	-	-	-	-	-	1.6	-	-	3.5	11.0	12.3	13.4	7.7	9.0	11.3	2.4	2.1	1.5	0.21
C25	Pancreas	165	-	-	-	-	-	-	0.9	1.6	2.3	10.2	8.4	11.5	25.4	30.8	48.5	56.1	38.9	50.7	9.8	8.3	5.7	0.70
C26	Other ill-defined digestive organs	7	-	-	-	-	-	-	-	-	-	0.8	-	-	1.1	-	1.7	3.9	3.0	5.6	0.4	0.3	0.2	0.02
C30	Nasal cavity and middle ear	9	-	-	-	-	-	-	-	-	-	0.8	1.7	0.9	-	1.5	3.3	3.9	-	-	0.5	0.5	0.3	0.04
C31	Accessory sinuses	16	-	-	-	-	0.9	-	-	-	0.8	1.6	-	2.7	1.1	1.5	5.0	7.7	-	-	1.0	0.8	0.6	0.07
C32	Larynx	223	-	-	-	-	-	-	-	0.8	3.1	11.0	25.1	30.1	46.3	47.8	60.2	34.8	26.9	22.5	13.3	11.8	8.4	1.12
C33	Trachea	2	-	-	-	-	-	-	-	-	-	-	-	-	1.1	-	-	1.9	-	-	0.1	0.1	0.1	0.01
C34	Bronchus and lung	1,796	-	-	-	0.9	-	-	2.7	5.7	18.0	47.0	114.5	200.4	296.8	419.6	446.2	580.0	508.1	343.6	107.0	90.4	61.7	7.47
C37	Thymus	3	-	-	-	-	-	-	-	-	1.6	-	-	-	-	-	-	1.9	-	-	0.2	0.1	0.1	0.01
C38	Heart, mediastinum and pleura	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.9	-	-	0.1	0.1	0.0	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	11	-	-	0.9	3.4	-	-	1.8	0.8	-	-	-	1.8	-	-	-	-	3.0	-	0.7	0.6	0.6	0.04
C41	Bone and articular cartilage, NOS	6	-	1.9	-	0.9	-	-	-	-	-	-	0.8	-	1.1	-	-	1.9	-	-	0.4	0.3	0.4	0.02
C43	Malignant melanoma of skin	255	-	-	0.9	0.9	3.7	2.9	3.7	13.1	13.3	24.3	12.5	17.7	35.3	50.9	46.8	40.6	47.8	73.2	15.2	13.6	10.2	1.12
C44	Malignant neoplasms of skin	637	-	1.0	-	0.9	-	1.0	-	5.7	4.7	11.8	9.2	21.3	56.3	97.2	150.4	245.6	427.4	546.4	38.0	29.5	18.4	1.78

Walloon Region: Males 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C45	Mesothelioma	54	-	-	-	-	-	-	-	-	-	0.8	-	3.5	8.8	13.9	25.1	13.5	20.9	16.9	3.2	2.7	1.8	0.26
C46	Kaposi's sarcoma	6	-	-	-	-	-	-	-	0.8	0.8	1.6	-	-	1.1	-	-	1.9	-	-	0.4	0.3	0.3	0.02
C47,C49	Soft tissues	65	3.0	-	1.9	0.9	0.9	-	1.8	1.6	1.6	3.1	4.2	7.1	8.8	17.0	10.0	11.6	3.0	16.9	3.9	3.6	2.9	0.31
C48	Retroperitoneum and peritoneum	11	1.0	-	-	-	-	-	-	-	-	0.8	0.8	0.9	1.1	1.5	5.0	1.9	3.0	-	0.7	0.6	0.5	0.06
C50	Breast	29	-	-	-	-	-	-	-	-	-	0.8	3.3	4.4	3.3	6.2	6.7	7.7	9.0	5.6	1.7	1.5	1.0	0.12
C60	Penis	18	-	-	-	-	-	-	-	-	-	0.8	1.7	1.8	2.2	1.5	3.3	7.7	6.0	11.3	1.1	0.9	0.6	0.06
C61	Prostate	2,385	-	-	-	-	-	-	-	-	-	26.7	122.1	237.6	403.8	684.9	753.7	698.0	636.6	574.6	142.1	120.9	82.0	10.55
C62	Testis	114	-	-	-	4.3	8.3	22.0	17.4	15.6	8.6	12.5	5.9	1.8	1.1	-	-	3.9	-	-	6.8	6.9	6.5	0.49
C63	Male genital organs, NOS	2	-	-	-	0.9	-	-	-	-	-	-	-	-	-	-	-	-	3.0	-	0.1	0.1	0.1	0.00
C64	Kidney	289	1.0	-	-	0.9	-	-	1.8	3.3	8.6	14.1	22.6	37.2	48.6	66.3	56.8	81.2	44.8	28.2	17.2	15.0	10.7	1.30
C65	Renal pelvis	34	-	-	-	-	-	-	-	-	-	1.6	2.5	1.8	4.4	10.8	10.0	15.5	3.0	5.6	2.0	1.7	1.2	0.16
C66	Ureter	27	-	-	-	-	-	-	-	-	-	-	0.8	1.8	4.4	3.1	11.7	9.7	14.9	5.6	1.6	1.3	0.8	0.11
C67	Bladder	514	1.0	-	-	-	-	-	-	2.3	3.9	18.4	37.2	62.9	123.4	108.6	206.9	266.0	242.2	30.6	24.6	15.9	1.77	
C68	Urinary organs, NOS	9	-	-	-	-	-	-	-	-	-	-	0.8	0.9	-	1.5	6.7	-	3.0	5.6	0.5	0.5	0.3	0.05
C69	Eye and adnexa	12	2.0	-	-	-	-	1.0	-	-	-	0.8	-	2.7	3.3	1.5	-	1.9	-	-	0.7	0.7	0.7	0.06
C70	Meninges	2	-	-	-	-	-	1.0	-	-	-	-	-	-	-	-	-	-	3.0	-	0.1	0.1	0.1	0.00
C71	Brain	132	3.9	2.9	3.8	1.7	2.8	5.7	4.6	6.6	6.3	7.1	8.4	6.2	27.6	20.1	18.4	15.5	14.9	5.6	7.9	7.4	6.4	0.63
C72	Spinal cord, cranial nerves and CNS, NOS	3	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	3.3	-	-	-	0.2	0.2	0.2	0.02
C73	Thyroid gland	86	-	1.0	0.9	1.7	-	1.9	1.8	4.9	5.5	5.5	6.7	8.9	13.2	23.1	5.0	5.8	17.9	5.6	5.1	4.7	3.7	0.40
C74	Adrenal gland	7	3.9	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	-	3.0	-	0.4	0.5	0.6	0.03
C75	Endocrine glands, NOS	1	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	0.1	0.1	0.0	0.00
C81	Hodgkin's disease	66	-	-	1.9	5.2	2.8	2.9	7.3	3.3	1.6	3.1	8.4	4.4	7.7	7.7	5.0	5.8	3.0	-	3.9	3.8	3.3	0.31
C82-C85	Non-Hodgkin-lymphoma	351	-	7.6	-	2.6	4.6	9.6	2.7	9.9	7.8	14.1	25.9	36.4	43.0	54.0	76.9	67.7	107.6	107.0	20.9	18.2	13.6	1.46
C88	Malignant immunoproliferative diseases	10	-	-	-	-	-	-	-	-	0.8	-	0.8	1.8	1.1	3.1	-	1.9	3.0	5.6	0.6	0.5	0.4	0.04
C90	Multiple myeloma	85	-	-	-	-	-	-	-	-	0.8	2.4	3.3	7.1	14.3	20.1	18.4	38.7	23.9	22.5	5.1	4.2	2.8	0.33
C91	Lymphoid leukaemia	119	7.9	2.9	2.8	1.7	0.9	-	0.9	0.8	1.6	2.4	5.0	9.8	18.8	15.4	23.4	42.5	32.9	22.5	7.1	6.2	5.1	0.47
C92	Myeloid leukaemia	98	-	1.0	-	1.7	0.9	-	2.7	2.5	1.6	3.1	4.2	5.3	12.1	24.7	15.0	29.0	35.9	45.1	5.8	5.0	3.6	0.37
C93	Monocytic leukaemia	3	-	-	-	-	-	-	-	-	0.8	-	0.8	0.9	-	-	-	-	-	-	0.2	0.2	0.1	0.01
C94-C95	Leukaemia other	5	-	-	0.9	-	-	-	-	-	-	-	-	0.9	-	-	-	-	6.0	5.6	0.3	0.2	0.2	0.01
C96	Lymphoid, haematopoietic and related tissue, NOS	4	1.0	-	-	-	-	-	-	-	-	-	0.8	0.9	1.1	-	-	-	-	-	0.2	0.2	0.2	0.02
C76	Other and ill-defined sites	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C80	Unknown primary site	227	1.0	-	-	-	-	-	-	1.6	3.1	8.6	22.6	26.6	24.3	46.3	55.1	61.9	59.8	84.5	13.5	11.6	7.9	0.94
MPD	Myeloproliferative Disorders	52	-	-	-	-	-	-	-	0.8	3.1	2.4	1.7	3.5	11.0	9.3	13.4	9.7	17.9	16.9	3.1	2.6	1.9	0.23
MDS	Myelodysplastic syndromes	74	-	-	-	0.9	-	-	-	0.8	0.8	1.6	2.5	2.7	4.4	9.3	20.1	29.0	53.8	45.1	4.4	3.4	2.1	0.21
Total		10,460	28.5	18.1	15.1	31.0	28.7	55.5	55.9	91.9	139.3	322.3	624.5	1.007.3	1.603.3	2.270.6	2.565.2	3.012.4	3.135.0	3.148.8	623.2	530.5	369.3	35.78
Total excl. non-melanoma		9,823	28.5	17.2	15.1	30.2	28.7	54.5	55.9	86.2	134.6	310.5	615.3	986.0	1.547.0	2.173.4	2.414.8	2.766.8	2.707.6	2.602.4	585.3	501.0	350.9	34.62
Total excl. non-melanoma and MDS, MPD		9,697	28.5	17.2	15.1	29.3	28.7	54.5	55.9	84.6	130.7	306.6	611.2	979.8	1.531.5	2.154.9	2.381.4	2.728.2	2.635.9	2.540.4	577.8	495.0	346.9	34.33

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Walloon Region: Females, number of invasive tumours by primary site and age group in 2008

Walloon Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C01	Base of tongue	10	-	-	-	-	-	-	-	1	-	1	1	2	3	2	-	-	-	-
C02	Tongue	23	-	-	-	-	-	-	-	1	1	-	4	4	5	1	-	3	3	1
C03	Gum	15	-	-	-	-	-	-	-	-	-	1	3	1	1	4	2	1	-	2
C04	Floor of mouth	16	-	-	-	-	-	-	-	-	1	2	2	4	1	-	4	2	-	-
C05	Palate	14	-	-	-	-	-	-	-	-	-	4	4	2	1	-	1	1	-	1
C06	Mouth, NOS	7	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	1	-
C07	Parotid gland	13	-	-	-	-	1	-	1	1	2	-	-	2	2	-	-	2	2	-
C08	Salivary glands, NOS	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-
C09	Tonsil	36	-	-	-	-	-	-	-	-	1	4	4	6	8	3	4	4	2	-
C10	Oropharynx	13	-	-	-	-	-	-	-	-	-	1	2	3	2	3	-	1	-	1
C11	Nasopharynx	5	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-
C12	Pyrimform sinus	9	-	-	-	-	-	-	-	-	1	-	1	4	-	-	2	1	-	-
C13	Hypopharynx	12	-	-	-	-	-	-	-	-	-	3	3	1	2	1	1	1	-	-
C14	Lip, oral cavity and pharynx, NOS	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
C15	Oesophagus	81	-	-	-	-	-	-	-	1	-	2	2	14	16	10	13	9	6	8
C16	Stomach	152	-	-	-	-	-	-	-	2	4	4	9	16	9	16	15	25	20	32
C17	Small intestine	30	-	-	-	-	-	-	1	-	1	2	2	1	5	1	4	8	4	1
C18	Colon	779	-	-	2	1	1	1	2	2	9	22	41	47	70	67	92	146	147	129
C19	Rectosigmoid junction	29	-	-	-	-	-	-	-	-	-	1	-	5	2	3	6	7	2	3
C20	Rectum	293	-	-	-	-	-	-	-	2	1	8	25	25	32	38	33	54	44	31
C21	Anus and anal canal	27	-	-	-	-	-	-	1	-	-	7	4	3	-	5	1	3	2	1
C22	Liver and intrahepatic bile ducts	66	-	-	-	-	-	-	1	-	1	1	2	6	6	12	10	15	8	4
C23	Gallbladder	22	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	9	3	2
C24	Biliary tract, NOS	32	-	-	-	-	-	-	-	-	-	1	1	3	1	2	5	9	6	4
C25	Pancreas	196	-	-	-	-	1	-	-	3	3	6	8	11	26	20	29	45	21	23
C26	Other ill-defined digestive organs	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-
C30	Nasal cavity and middle ear	7	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	1
C31	Accessory sinuses	4	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
C32	Larynx	40	-	-	-	-	-	-	-	-	2	4	10	10	3	5	4	1	1	-
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C34	Bronchus and lung	652	-	-	-	2	1	-	1	8	25	42	74	78	97	85	100	75	48	16
C37	Thymus	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-
C38	Heart, mediastinum and pleura	6	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	1	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	12	-	2	3	-	-	-	-	-	1	2	2	1	1	-	-	-	-	-
C41	Bone and articular cartilage, NOS	10	-	1	-	1	-	-	-	1	-	1	-	3	-	1	1	1	-	-
C43	Malignant melanoma of skin	369	-	-	-	2	13	17	16	23	31	39	38	40	37	23	29	23	19	19
C44	Malignant neoplasms of skin	479	-	1	1	1	1	1	3	5	3	13	9	17	34	25	55	83	103	124

Walloon Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C45	Mesothelioma	14	-	-	-	-	-	-	-	-	-	2	-	1	2	2	1	2	2	2
C46	Kaposi's sarcoma	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1
C47,C49	Soft tissues	48	1	-	-	4	-	2	3	-	-	5	1	4	4	2	6	6	6	4
C48	Retroperitoneum and peritoneum	17	1	-	-	-	-	-	-	-	-	-	1	1	1	2	3	1	3	4
C50	Breast	3,274	-	-	-	-	3	7	39	90	209	352	372	413	463	312	305	285	232	192
C51	Vulva	50	-	-	-	-	-	1	-	3	1	2	1	2	6	2	5	8	11	8
C52	Vagina	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2
C53	Cervix uteri	211	-	-	-	-	1	8	19	16	31	27	21	18	15	13	14	13	10	5
C54	Corpus uteri	428	-	-	-	-	-	-	3	5	12	25	50	59	60	70	74	44	26	
C55	Uterus	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
C56	Ovary	263	-	-	-	1	3	5	3	4	8	17	24	31	35	30	35	28	21	18
C57	Female genital organs, NOS	19	-	-	-	-	-	-	-	-	-	-	1	4	1	3	3	6	1	-
C58	Placenta	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C64	Kidney	159	3	-	-	-	2	2	1	3	5	5	11	17	19	21	26	25	13	6
C65	Renal pelvis	22	-	-	-	-	-	-	1	1	-	-	-	1	2	-	2	6	6	3
C66	Ureter	8	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	1	-
C67	Bladder	154	1	-	-	-	-	-	-	-	-	1	11	10	10	14	16	35	34	22
C68	Urinary organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C69	Eye and adnexa	10	1	-	-	-	-	-	-	-	-	-	1	4	1	-	-	1	1	1
C70	Meninges	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
C71	Brain	100	4	1	2	4	3	4	3	5	6	6	10	10	11	9	8	9	5	-
C72	Spinal cord, cranial nerves and CNS, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
C73	Thyroid gland	256	-	-	-	2	5	6	19	25	32	36	32	25	24	21	13	11	4	1
C74	Adrenal gland	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	
C75	Endocrine glands, NOS	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
C81	Hodgkin's disease	42	-	1	2	4	5	6	3	4	2	3	3	4	1	1	-	2	1	-
C82-C85	Non-Hodgkin-lymphoma	313	-	3	-	3	6	1	3	2	12	17	19	35	29	37	45	53	31	17
C88	Malignant immunoproliferative diseases	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-
C90	Multiple myeloma	78	-	-	-	-	-	-	-	5	1	6	8	10	6	12	12	7	11	
C91	Lymphoid leukaemia	75	5	3	2	-	1	1	-	1	3	1	3	7	7	6	10	8	11	6
C92	Myeloid leukaemia	79	-	-	2	4	-	1	-	-	3	6	8	6	2	6	11	13	11	6
C93	Monocytic leukaemia	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-
C94-C95	Leukaemia other	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
C96	Lymphoid, haematopoietic and related tissue, NOS	4	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
C76	Other and ill-defined sites	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C80	Unknown primary site	241	-	-	-	-	-	1	-	1	3	13	14	22	27	29	26	44	33	28
MPD	Myeloproliferative Disorders	53	-	-	-	-	-	-	1	-	3	-	2	2	4	5	11	12	9	4
MDS	Myelodysplastic syndromes	62	-	-	-	-	-	-	-	-	-	3	2	2	8	3	10	14	10	10
Total		9,494	18	14	14	29	47	65	121	210	418	685	825	995	1,120	931	1,058	1,209	954	781
Total excl. non-melanoma		9,015	18	13	13	28	46	64	118	205	415	672	816	978	1,086	906	1,003	1,126	851	657
Total excl. non-melanoma and MDS, MPD		8,900	18	13	13	28	46	64	117	205	412	669	812	974	1,074	898	982	1,100	832	643

Walloon Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2008 (n/100,000 person years)

Walloon Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	0.1	0.1	0.0	0.01
C01	Base of tongue	10	-	-	-	-	-	-	-	0.8	-	0.8	0.8	1.7	3.1	2.7	-	-	-	-	0.6	0.5	0.4	0.05
C02	Tongue	23	-	-	-	-	-	-	-	0.8	0.8	-	3.3	3.5	5.2	1.3	-	3.9	4.8	2.0	1.3	1.0	0.7	0.07
C03	Gum	15	-	-	-	-	-	-	-	-	0.8	2.5	0.9	1.0	5.3	2.6	1.3	-	4.0	0.8	0.7	0.5	0.07	
C04	Floor of mouth	16	-	-	-	-	-	-	-	0.8	1.6	1.6	3.5	1.0	-	5.3	2.6	-	-	0.9	0.7	0.5	0.07	
C05	Palate	14	-	-	-	-	-	-	-	-	3.1	3.3	1.7	1.0	-	1.3	1.3	-	2.0	0.8	0.7	0.5	0.05	
C06	Mouth, NOS	7	-	-	-	-	-	-	-	-	0.8	0.8	0.9	1.0	1.3	1.3	-	1.6	-	0.4	0.3	0.2	0.03	
C07	Parotid gland	13	-	-	-	-	1.0	-	0.9	0.8	1.6	-	-	1.7	2.1	-	-	2.6	3.2	-	0.7	0.6	0.5	0.04
C08	Salivary glands, NOS	4	-	-	-	-	-	-	-	-	-	-	0.8	-	-	-	2.6	1.3	-	-	0.2	0.2	0.1	0.02
C09	Tonsil	36	-	-	-	-	-	-	-	-	0.8	3.1	3.3	5.2	8.3	4.0	5.3	5.2	3.2	-	2.0	1.7	1.2	0.15
C10	Oropharynx	13	-	-	-	-	-	-	-	-	0.8	1.6	2.6	2.1	4.0	-	1.3	-	2.0	0.7	0.6	0.5	0.06	
C11	Nasopharynx	5	-	1.0	-	-	-	-	-	-	-	0.8	-	-	-	1.3	1.3	1.3	-	-	0.3	0.2	0.2	0.02
C12	Pyrimiform sinus	9	-	-	-	-	-	-	-	-	0.8	-	0.8	3.5	-	-	2.6	1.3	-	-	0.5	0.4	0.3	0.04
C13	Hypopharynx	12	-	-	-	-	-	-	-	-	-	2.3	2.5	0.9	2.1	1.3	1.3	1.3	-	-	0.7	0.6	0.5	0.05
C14	Lip, oral cavity and pharynx, NOS	4	-	-	-	-	-	-	-	-	-	-	0.8	0.9	1.0	1.3	-	-	-	-	0.2	0.2	0.2	0.02
C15	Oesophagus	81	-	-	-	-	-	-	-	0.8	-	1.6	1.6	12.1	16.6	13.3	17.1	11.6	9.7	16.1	4.6	3.4	2.4	0.32
C16	Stomach	152	-	-	-	-	-	-	-	1.6	3.1	3.1	7.4	13.8	9.3	21.3	19.8	32.3	32.2	64.4	8.5	5.4	3.6	0.40
C17	Small intestine	30	-	-	-	-	-	-	0.9	-	0.8	1.6	1.6	0.9	5.2	1.3	5.3	10.3	6.4	2.0	1.7	1.2	0.8	0.09
C18	Colon	779	-	-	2.0	0.9	1.0	1.0	1.8	1.6	7.1	17.1	33.6	40.7	72.6	89.4	121.3	188.9	236.7	259.5	43.8	26.6	17.8	1.93
C19	Rectosigmoid junction	29	-	-	-	-	-	-	-	-	-	0.8	-	4.3	2.1	4.0	7.9	9.1	3.2	6.0	1.6	1.1	0.7	0.10
C20	Rectum	293	-	-	-	-	-	-	-	1.6	0.8	6.2	20.5	21.6	33.2	50.7	43.5	69.8	70.9	62.4	16.5	11.1	7.5	0.89
C21	Anus and anal canal	27	-	-	-	-	-	-	0.9	-	-	5.4	3.3	2.6	-	6.7	1.3	3.9	3.2	2.0	1.5	1.3	0.9	0.10
C22	Liver and intrahepatic bile ducts	66	-	-	-	-	-	-	0.9	-	0.8	0.8	1.6	5.2	6.2	16.0	13.2	19.4	12.9	8.0	3.7	2.5	1.7	0.22
C23	Gallbladder	22	-	-	-	-	-	-	-	-	-	-	-	0.9	2.1	4.0	2.6	11.6	4.8	4.0	1.2	0.7	0.5	0.05
C24	Biliary tract, NOS	32	-	-	-	-	-	-	-	-	0.8	0.8	2.6	1.0	2.7	6.6	11.6	9.7	8.0	1.8	1.0	0.6	0.07	
C25	Pancreas	196	-	-	-	-	1.0	-	-	2.5	2.4	4.7	6.6	9.5	27.0	26.7	38.3	58.2	33.8	46.3	11.0	7.3	5.0	0.59
C26	Other ill-defined digestive organs	6	-	-	-	-	-	-	-	-	-	-	0.8	-	1.0	-	2.6	2.6	-	-	0.3	0.2	0.2	0.02
C30	Nasal cavity and middle ear	7	-	-	-	-	-	-	-	-	-	-	0.8	1.7	1.0	1.3	-	1.3	-	2.0	0.4	0.3	0.2	0.02
C31	Accessory sinuses	4	-	-	-	-	-	-	-	-	-	0.8	-	0.9	-	2.7	-	-	-	-	0.2	0.2	0.2	0.02
C32	Larynx	40	-	-	-	-	-	-	-	-	1.6	3.1	8.2	8.6	3.1	6.7	5.3	1.3	1.6	-	2.2	2.0	1.5	0.18
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	0.1	0.1	0.0	0.01
C34	Bronchus and lung	652	-	-	-	1.8	1.0	-	0.9	6.6	19.6	32.7	60.7	67.5	100.5	113.4	131.9	97.0	77.3	32.2	36.7	29.2	21.1	2.65
C37	Thymus	5	-	-	-	-	-	-	-	-	0.8	-	-	-	1.0	1.3	1.3	1.3	-	-	0.3	0.2	0.2	0.02
C38	Heart, mediastinum and pleura	6	-	-	-	-	-	-	-	-	0.8	-	0.8	-	2.1	-	1.3	1.3	-	-	0.3	0.3	0.2	0.02
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	12	-	2.0	3.0	-	-	-	-	-	0.8	1.6	1.6	0.9	1.0	-	-	-	-	-	0.7	0.7	0.8	0.05
C41	Bone and articular cartilage, NOS	10	-	1.0	-	0.9	-	-	-	0.8	-	0.8	-	2.6	-	1.3	1.3	1.3	-	-	0.6	0.5	0.5	0.04
C43	Malignant melanoma of skin	369	-	-	-	1.8	12.4	16.4	14.8	19.0	24.3	30.3	31.2	34.6	38.4	30.7	38.3	29.8	30.6	38.2	20.7	18.2	14.6	1.45
C44	Malignant neoplasms of skin	479	-	1.0	1.0	0.9	1.0	1.0	2.8	4.1	2.4	10.1	7.4	14.7	35.2	33.4	72.5	107.4	165.9	249.5	26.9	14.7	9.6	0.93

Walloon Region: Females 2008		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C45	Mesothelioma	14	-	-	-	-	-	-	-	-	1.6	-	0.9	2.1	2.7	1.3	2.6	3.2	4.0	0.8	0.5	0.4	0.04	
C46	Kaposi's sarcoma	3	-	-	-	-	-	-	-	-	-	-	-	1.7	-	-	-	-	-	2.0	0.2	0.1	0.1	0.01
C47,C49	Soft tissues	48	1.0	-	-	3.6	-	1.9	2.8	-	-	3.9	0.8	3.5	4.1	2.7	7.9	7.8	9.7	8.0	2.7	2.1	1.7	0.16
C48	Retroperitoneum and peritoneum	17	1.0	-	-	-	-	-	-	-	-	0.8	0.9	1.0	2.7	4.0	1.3	4.8	8.0	1.0	0.6	0.5	0.05	
C50	Breast	3,274	-	-	-	-	2.9	6.8	36.0	74.2	164.0	273.9	305.0	357.2	479.9	416.3	402.3	368.7	373.6	386.3	184.1	149.5	110.4	11.83
C51	Vulva	50	-	-	-	-	1.0	-	2.5	0.8	1.6	0.8	1.7	6.2	2.7	6.6	10.3	17.7	16.1	2.8	1.7	1.2	0.12	
C52	Vagina	11	-	-	-	-	-	-	-	-	-	-	-	1.0	1.3	2.6	2.6	4.8	4.0	0.6	0.3	0.2	0.03	
C53	Cervix uteri	211	-	-	-	-	1.0	7.7	17.5	13.2	24.3	21.0	17.2	15.6	15.5	17.3	18.5	16.8	16.1	10.1	11.9	10.7	8.6	0.84
C54	Corpus uteri	428	-	-	-	-	-	-	2.5	3.9	9.3	20.5	43.2	61.2	80.1	92.3	95.7	70.9	52.3	24.1	17.3	12.0	1.55	
C55	Uterus	2	-	-	-	-	-	-	-	-	-	-	-	1.0	-	1.3	-	-	-	0.1	0.1	0.1	0.01	
C56	Ovary	263	-	-	-	0.9	2.9	4.8	2.8	3.3	6.3	13.2	19.7	26.8	36.3	40.0	46.2	36.2	33.8	36.2	14.8	11.6	8.6	1.01
C57	Female genital organs, NOS	19	-	-	-	-	-	-	-	-	-	0.8	3.5	1.0	4.0	4.0	7.8	1.6	-	1.1	0.8	0.5	0.07	
C58	Placenta	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C64	Kidney	159	3.1	-	-	-	1.9	1.9	0.9	2.5	3.9	3.9	9.0	14.7	19.7	28.0	34.3	32.3	20.9	12.1	8.9	6.9	5.2	0.62
C65	Renal pelvis	22	-	-	-	-	-	-	0.9	0.8	-	-	0.9	2.1	-	2.6	7.8	9.7	6.0	1.2	0.7	0.4	0.04	
C66	Ureter	8	-	-	-	-	-	-	-	-	0.8	-	-	-	2.7	1.3	3.9	1.6	-	0.4	0.3	0.2	0.02	
C67	Bladder	154	1.0	-	-	-	-	-	-	-	0.8	9.0	8.6	10.4	18.7	21.1	45.3	54.8	44.3	8.7	5.1	3.3	0.35	
C68	Urinary organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C69	Eye and adnexa	10	1.0	-	-	-	-	-	-	-	-	0.8	3.5	1.0	-	-	1.3	1.6	2.0	0.6	0.5	0.4	0.03	
C70	Meninges	2	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	-	-	0.1	0.1	0.1	0.01	
C71	Brain	100	4.1	1.0	2.0	3.6	2.9	3.9	2.8	4.1	4.7	4.7	8.2	8.6	11.4	12.0	10.6	11.6	8.1	-	5.6	5.2	4.5	0.42
C72	Spinal cord, cranial nerves and CNS, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	0.1	0.1	0.0	0.01
C73	Thyroid gland	256	-	-	-	1.8	4.8	5.8	17.5	20.6	25.1	28.0	26.2	21.6	24.9	28.0	17.1	14.2	6.4	2.0	14.4	13.6	11.0	1.10
C74	Adrenal gland	2	-	-	-	-	-	-	-	0.8	-	-	-	-	-	1.3	-	-	-	-	0.1	0.1	0.1	0.01
C75	Endocrine glands, NOS	2	-	1.0	-	-	-	1.0	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.01
C81	Hodgkin's disease	42	-	1.0	2.0	3.6	4.8	5.8	2.8	3.3	1.6	2.3	2.5	3.5	1.0	1.3	-	2.6	1.6	-	2.4	2.4	2.4	0.18
C82-C85	Non-Hodgkin-lymphoma	313	-	3.0	-	2.7	5.7	1.0	2.8	1.6	9.4	13.2	15.6	30.3	30.1	49.4	59.4	68.6	49.9	34.2	17.6	13.1	9.7	1.11
C88	Malignant immunoproliferative diseases	4	-	-	-	-	-	-	-	-	-	-	-	0.9	1.0	1.3	-	-	1.6	-	0.2	0.2	0.1	0.02
C90	Multiple myeloma	78	-	-	-	-	-	-	-	3.9	0.8	4.9	6.9	10.4	8.0	15.8	15.5	11.3	22.1	4.4	3.0	2.1	0.25	
C91	Lymphoid leukaemia	75	5.1	3.0	2.0	-	1.0	1.0	-	0.8	2.4	0.8	2.5	6.1	7.3	8.0	13.2	10.3	17.7	12.1	4.2	3.3	2.9	0.26
C92	Myeloid leukaemia	79	-	-	2.0	3.6	-	1.0	-	-	2.4	4.7	6.6	5.2	2.1	8.0	14.5	16.8	17.7	12.1	4.4	3.2	2.5	0.25
C93	Monocytic leukaemia	4	-	-	-	-	-	-	-	1.6	-	-	-	-	-	-	1.3	-	1.6	-	0.2	0.2	0.1	0.01
C94-C95	Leukaemia other	3	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.3	-	-	-	2.0	0.2	0.1	0.1	0.01
C96	Lymphoid, haematopoietic and related tissue, NOS	4	2.1	-	-	-	-	-	-	-	0.8	-	-	-	-	1.3	-	-	-	-	0.2	0.3	0.3	0.02
C76	Other and ill-defined sites	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C80	Unknown primary site	241	-	-	-	-	-	1.0	-	0.8	2.4	10.1	11.5	19.0	28.0	38.7	34.3	56.9	53.1	56.3	13.6	9.2	6.3	0.73
MPD	Myeloproliferative Disorders	53	-	-	-	-	-	0.9	-	2.4	-	1.6	1.7	4.1	6.7	14.5	15.5	14.5	8.0	3.0	1.9	1.3	0.16	
MDS	Myelodysplastic syndromes	62	-	-	-	-	-	-	-	-	2.3	1.6	1.7	8.3	4.0	13.2	18.1	16.1	20.1	3.5	2.1	1.4	0.16	
Total		9,494	18.5	14.0	13.8	26.0	44.8	62.9	111.6	173.2	328.0	533.0	676.3	860.6	1,160.9	1,242.1	1,395.5	1,563.9	1,536.3	1,571.2	533.9	403.9	295.6	28.33
Total excl. non-melanoma		9,015	18.5	13.0	12.8	25.1	43.8	61.9	108.8	169.1	325.7	522.9	668.9	845.9	1,125.7	1,208.8	1,322.9	1,456.5	1,370.4	1,321.7	506.9	389.2	286.0	27.65
Total excl. non-melanoma and MDS, MPD		8,900	18.5	13.0	12.8	25.1	43.8	61.9	107.9	169.1	323.3	520.6	665.7	842.5	1,113.3	1,198.1	1,295.2	1,422.9	1,339.8	1,293.6	500.5	385.3	283.4	27.42

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

VIII Malignant bone tumours	12	-	-	3	9	6	-	-	2	4	-	8.3	20.8	9.8	9.2	8.7	0.015
VIIIa Osteosarcoma	5	-	-	1	4	2	-	-	-	2	-	1.7	9.6	3.8	3.6	3.3	0.006
VIIIb Chondrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIIIc Ewing's sarcoma	7	-	-	2	5	3	-	-	1	2	-	5.0	11.2	5.4	5.1	4.8	0.008
VIId Other specified malignant bone tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIIIe Unspecified malignant bone tumours	-	-	-	-	-	1	-	-	1	-	-	1.7	-	0.5	0.5	0.5	0.001
IX Soft tissue and other extraosseous sarcomas	12	2	5	1	4	16	2	6	2	6	24.6	5.0	16.0	15.2	15.6	15.8	0.023
IXa Rhabdomyosarcoma and embryonal sarcoma	7	-	5	1	1	8	1	4	1	2	16.4	3.3	4.8	8.2	8.5	8.8	0.012
IXb Fibrosarcoma, neurofibrosarcoma and other fibromatous neoplasms	1	1	-	-	-	2	1	1	-	-	4.9	-	-	1.6	1.8	1.9	0.002
IXd Other specified soft tissue sarcomas	4	1	-	-	3	4	-	1	1	2	3.3	1.7	8.0	4.4	4.3	4.1	0.006
IXe Unspecified soft tissue sarcomas	-	-	-	-	-	2	-	-	-	2	-	-	3.2	1.1	1.0	0.9	0.002
X Germ cell tumours, trophoblastic tumours and neoplasms of gonads	2	1	1	-	-	6	2	-	2	2	6.6	3.3	3.2	4.4	4.5	4.5	0.007
Xb Other and unspecified non gonadal germ cell tumours	-	-	-	-	-	3	-	-	2	1	-	3.3	1.6	1.6	1.6	1.5	0.002
Xc Gonadal germ cell tumours	1	-	1	-	-	2	2	-	-	-	4.9	-	-	1.6	1.8	1.9	0.002
Xe Other and unspecified gonadal tumours	1	1	-	-	-	1	-	-	-	1	1.6	-	1.6	1.1	1.1	1.1	0.002
Xe Other and unspecified gonadal tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI Other malignant epithelial neoplasms and malignant melanomas	8	-	-	4	4	10	-	-	4	6	-	13.3	16.0	9.8	9.3	8.9	0.015
XIa Adrenocortical carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIb Thyroid carcinoma	2	-	-	-	2	2	-	-	1	1	-	1.7	4.8	2.2	2.1	1.9	0.003
XIc Nasopharyngeal carcinomas	-	-	-	-	-	1	-	-	-	1	-	-	1.6	0.5	0.5	0.5	0.001
XId Malignant melanoma	2	-	-	2	-	2	-	-	-	2	-	3.3	3.2	2.2	2.1	2.0	0.003
XIe Skin carcinoma	-	-	-	-	-	3	-	-	2	1	-	3.3	1.6	1.6	1.6	1.5	0.002
XIe Other and unspecified carcinomas	4	-	-	2	2	2	-	-	1	1	-	5.0	4.8	3.3	3.1	3.0	0.005
XII Other and unspecified malignant neoplasms	-	-	-	-	-	1	1	-	-	-	1.6	-	-	0.5	0.6	0.6	0.001
XIIa Other specified malignant tumours	-	-	-	-	-	1	1	-	-	-	1.6	-	-	0.5	0.6	0.6	0.001
XIIb Other unspecified malignant tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I-XII Total	154	17	51	37	49	178	14	58	52	54	229.9	147.5	164.5	180.6	182.8	184.3	0.271

CR: Crude (all ages) incidence rate (N/1,000,000 person years)

ESR and WSR: age standardised incidence rate, using the European or World Standard Population (N/1,000,000 person years)

CRi: Cumulative risk (0-14 years)

VIII Malignant bone tumours	5	-	1	2	2	12	-	-	3	9	1.7	8.6	18.4	9.7	9.2	8.8	0.014
VIIIa Osteosarcoma	3	-	-	1	2	5	-	-	1	4	-	3.5	10.0	4.5	4.3	4.0	0.007
VIIIb Chondrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIIIc Ewing's sarcoma	2	-	1	1	-	6	-	-	2	4	1.7	5.2	6.7	4.5	4.4	4.3	0.007
VIId Other specified malignant bone tumours	-	-	-	-	-	1	-	-	-	1	-	-	1.7	0.6	0.5	0.5	0.001
VIIE Unspecified malignant bone tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX Soft tissue and other extraosseous sarcomas	8	1	3	2	2	5	1	1	2	1	10.3	6.9	5.0	7.4	7.5	7.7	0.011
IXa Rhabdomyosarcoma and embryonal sarcoma	6	-	3	2	1	2	-	1	1	-	6.9	5.2	1.7	4.5	4.7	4.8	0.007
IXb Fibrosarcoma, neurofibrosarcoma and other fibromatous neoplasms	-	-	-	-	-	1	1	-	-	-	1.7	-	-	0.6	0.6	0.7	0.001
IXd Other specified soft tissue sarcomas	2	1	-	-	1	2	-	-	1	1	1.7	1.7	3.3	2.3	2.2	2.2	0.003
IXe Unspecified soft tissue sarcomas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X Germ cell tumours, trophoblastic tumours and neoplasms of gonads	7	1	-	1	5	8	2	2	3	1	8.6	6.9	10.0	8.5	8.5	8.5	0.013
Xa Intracranial and intraspinal germ cell tumours	-	-	-	-	-	2	-	-	1	1	-	1.7	1.7	1.1	1.1	1.0	0.002
Xb Other and unspecified non gonadal germ cell tumours	1	1	-	-	-	5	2	2	1	-	8.6	1.7	-	3.4	3.7	3.9	0.005
Xc Gonadal germ cell tumours	6	-	-	1	5	1	-	-	1	-	-	3.5	8.3	4.0	3.8	3.5	0.006
Xe Other and unspecified gonadal tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI Other malignant epithelial neoplasms and malignant melanomas	15	-	-	2	13	8	-	-	1	7	-	5.2	33.4	13.1	12.3	11.4	0.019
XIa Adrenocortical carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIb Thyroid carcinoma	2	-	-	-	2	-	-	-	-	-	-	-	3.3	1.1	1.1	1.0	0.002
XIc Nasopharyngeal carcinomas	-	-	-	-	-	1	-	-	1	-	-	1.7	-	0.6	0.6	0.6	0.001
XIId Malignant melanoma	1	-	-	-	1	-	-	-	-	-	-	-	1.7	0.6	0.5	0.5	0.001
XIE Skin carcinoma	5	-	-	-	5	3	-	-	-	3	-	-	13.4	4.5	4.2	3.9	0.007
XIIf Other and unspecified carcinomas	7	-	-	2	5	4	-	-	-	4	-	3.5	15.0	6.3	5.9	5.5	0.009
XII Other and unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIIa Other specified malignant tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIIb Other unspecified malignant tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I-XII Total	135	11	46	33	45	141	17	39	39	46	194.2	124.5	151.9	156.9	158.6	159.4	0.235

CR: Crude (all ages) incidence rate (N/1,000,000 person years)

ESR and WSR: age standardised incidence rate, using the European or World Standard Population (N/1,000,000 person years)

CRi: Cumulative risk (0-14 years)

Appendix 6a German-speaking Community: Males, number of invasive tumours, age-specific and age-standardised incidence rates by primary site and age group in 2007-2008

		Number of invasive tumours										Age-specific and age-standardised incidence rates								
		2007					2008					2007-2008					CR	ESR	WSR	CRi
		Tot	00-14	15-44	45-74	75+	Tot	00-14	15-44	45-74	75+	Tot	00-14	15-44	45-74	75+				
C01	Base of tongue	0	-	-	-	-	1	-	-	1	-	1	-	-	3.7	-	1.4	1.0	0.8	0.13
C04	Floor of mouth	0	-	-	-	-	2	-	-	2	-	2	-	-	7.4	-	2.7	2.3	1.6	0.24
C09	Tonsil	1	-	-	1	-	2	-	-	2	-	3	-	-	11.1	-	4.1	3.8	3.0	0.31
C11	Nasopharynx	0	-	-	-	-	1	-	-	1	-	1	-	-	3.7	-	1.4	1.3	0.9	0.11
C12	Pyiform sinus	1	-	-	1	-	0	-	-	-	-	1	-	-	3.7	-	1.4	1.0	0.8	0.13
C15	Oesophagus	5	-	-	5	-	3	-	-	2	1	8	-	-	25.9	23.6	10.9	9.2	6.9	0.81
C16	Stomach	3	-	-	1	2	3	-	1	-	2	6	-	3.4	3.7	94.3	8.2	6.1	3.6	0.22
C17	Small intestine	0	-	-	-	-	2	-	1	1	-	2	-	3.4	3.7	-	2.7	3.1	2.9	0.24
C18	Colon	14	-	-	8	6	10	-	-	8	2	24	-	-	59.3	188.6	32.6	26.3	17.0	2.12
C19	Rectosigmoid junction	1	-	-	1	-	0	-	-	-	-	1	-	-	3.7	-	1.4	0.9	0.6	0.15
C20	Rectum	5	-	-	4	1	6	-	-	5	1	11	-	-	33.3	47.1	15.0	11.2	7.8	1.06
C22	Liver and intrahepatic bile ducts	1	-	-	1	-	1	-	-	1	-	2	-	-	7.4	-	2.7	2.2	1.5	0.26
C24	Biliary tract, NOS	0	-	-	-	-	1	-	-	1	-	1	-	-	3.7	-	1.4	1.4	1.1	0.14
C25	Pancreas	6	-	-	4	2	2	-	-	2	-	8	-	-	22.2	47.1	10.9	8.3	5.5	0.81
C26	Other ill-defined digestive organs	0	-	-	-	-	1	-	-	-	1	1	-	-	-	23.6	1.4	1.6	0.8	-
C30	Nasal cavity and middle ear	1	-	-	1	-	0	-	-	-	-	1	-	-	3.7	-	1.4	1.0	0.8	0.13
C32	Larynx	3	-	-	3	-	3	-	-	3	-	6	-	-	22.2	-	8.2	6.5	4.8	0.85
C34	Bronchus and lung	29	-	-	21	8	28	-	5	14	9	57	-	17.1	129.6	400.8	77.5	58.3	39.4	5.04
C43	Malignant melanoma of skin	7	-	4	2	1	4	-	-	4	-	11	-	13.7	22.2	23.6	15.0	12.7	10.4	1.01
C44	Malignant neoplasms of skin	16	-	1	8	7	18	-	-	7	11	34	-	3.4	55.6	424.3	46.2	31.6	19.3	2.14
C45	Mesothelioma	1	-	-	1	-	0	-	-	-	-	1	-	-	3.7	-	1.4	1.4	1.1	0.14
C47,C49	Soft tissues	3	1	1	1	-	1	-	-	1	-	4	7.6	3.4	7.4	-	5.4	4.8	4.6	0.40
C48	Retroperitoneum and peritoneum	1	-	-	1	-	0	-	-	-	-	1	-	-	3.7	-	1.4	0.9	0.6	0.15
C61	Prostate	54	-	-	38	16	44	-	-	28	16	98	-	-	244.5	754.4	133.3	99.5	66.3	8.55
C62	Testis	2	-	1	1	-	4	-	2	1	1	6	-	10.3	7.4	23.6	8.2	7.2	5.9	0.45

C64	Kidney	5	-	-	4	1	9	-	1	8	-	14	-	3.4	44.4	23.6	19.0	15.9	11.5	1.53
C66	Ureter	0	-	-	-	-	1	-	-	-	1	1	-	-	-	23.6	1.4	0.8	0.4	-
C67	Bladder	12	-	-	5	7	16	-	-	11	5	28	-	-	59.3	282.9	38.1	27.9	17.6	2.06
C69	Eye and adnexa	1	-	-	1	-	0	-	-	-	-	1	-	-	3.7	-	1.4	0.9	0.6	0.15
C71	Brain	1	-	-	1	-	3	-	1	2	-	4	-	3.4	11.1	-	5.4	4.7	3.6	0.46
C73	Thyroid gland	2	-	1	-	1	1	-	-	1	-	3	-	3.4	3.7	23.6	4.1	2.9	2.2	0.15
C75	Endocrine glands, NOS	0	-	-	-	-	1	-	-	1	-	1	-	-	3.7	-	1.4	1.3	0.9	0.11
C81	Hodgkin's disease	1	-	1	-	-	1	1	-	-	-	2	7.6	3.4	-	-	2.7	3.2	3.8	0.23
C82-C85	Non-Hodgkin-lymphoma	10	-	-	7	3	10	-	-	10	-	20	-	-	63.0	70.7	27.2	21.6	14.5	2.19
C88	Malignant immunoproliferative diseases	0	-	-	-	-	1	-	-	1	-	1	-	-	3.7	-	1.4	1.3	0.9	0.11
C90	Multiple myeloma	1	-	-	1	-	2	-	-	1	1	3	-	-	7.4	23.6	4.1	3.5	2.2	0.22
C91	Lymphoid leukaemia	0	-	-	-	-	3	-	-	-	3	3	-	-	-	70.7	4.1	3.4	1.7	-
C92	Myeloid leukaemia	1	-	-	-	1	1	-	-	1	-	2	-	-	3.7	23.6	2.7	2.2	1.4	0.09
C94-C95	Leukaemia other	1	-	-	1	-	0	-	-	-	-	1	-	-	3.7	-	1.4	1.4	1.1	0.14
C96	Lymphoid, haematopoietic and related tissue, NOS	0	-	-	-	-	1	-	-	1	-	1	-	-	3.7	-	1.4	1.3	0.9	0.09
C80	Unknown primary site	3	-	-	1	2	2	-	1	-	1	5	-	3.4	3.7	70.7	6.8	4.6	2.9	0.24
MPD	Myeloproliferative Disorders	1	-	-	-	1	0	-	-	-	-	1	-	-	-	23.6	1.4	0.9	0.4	-
MDS	Myelodysplastic syndromes	0	-	-	-	-	1	-	-	1	-	1	-	-	3.7	-	1.4	0.9	0.6	0.15
Total		193	1	9	124	59	190	1	12	122	55	383	15.3	71.9	911.2	2,687.4	521.0	402.3	275.2	28.94
Total excl. non-melanoma		177	1	8	116	52	172	1	12	115	44	349	15.3	68.5	855.6	2,263.1	474.7	370.8	255.9	27.39
Total excl. non-melanoma and MDS, MPD		176	1	8	116	51	171	1	12	114	44	347	15.3	68.5	851.9	2,239.5	472.0	369.0	254.9	27.28

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CR: cumulative Risk (0-74 years)

Appendix 6b German-speaking Community: Females, number of invasive tumours, age-specific and age-standardised incidence rates by primary site and age group in 2007-2008

		Number of invasive tumours										Age-specific and age-standardised incidence rates								
		2007					2008					2007-2008								
		Tot	00-14	15-44	45-74	75+	Tot	00-14	15-44	45-74	75+	Tot	00-14	15-44	45-74	75+	CR	ESR	WSR	CRi
C03	Gum	0	-	-	-	-	1	-	-	1	-	1	-	-	3.7	-	1.3	1.0	0.7	0.12
C09	Tonsil	1	-	-	1	-	0	-	-	-	-	1	-	-	3.7	-	1.3	0.9	0.6	0.14
C15	Oesophagus	0	-	-	-	-	1	-	-	1	-	1	-	-	3.7	-	1.3	1.3	0.9	0.11
C16	Stomach	4	-	-	3	1	2	-	-	2	-	6	-	-	18.6	13.9	8.1	5.7	4.3	0.55
C17	Small intestine	1	-	-	-	1	0	-	-	-	-	1	-	-	-	13.9	1.3	0.4	0.2	-
C18	Colon	12	-	2	5	5	12	-	-	5	7	24	-	7.1	37.3	166.9	32.3	21.2	14.4	1.48
C20	Rectum	9	-	-	3	6	4	-	-	1	3	13	-	-	14.9	125.2	17.5	9.7	6.1	0.46
C21	Anus and anal canal	1	-	-	1	-	0	-	-	-	-	1	-	-	3.7	-	1.3	1.3	0.9	0.11
C22	Liver and intrahepatic bile ducts	0	-	-	-	-	1	-	-	-	1	1	-	-	-	13.9	1.3	0.7	0.3	-
C24	Biliary tract, NOS	0	-	-	-	-	1	-	-	-	1	1	-	-	-	13.9	1.3	0.4	0.2	-
C25	Pancreas	3	-	-	2	1	6	-	-	3	3	9	-	-	18.6	55.6	12.1	7.7	5.1	0.70
C26	Other ill-defined digestive organs	0	-	-	-	-	1	-	-	1	-	1	-	-	3.7	-	1.3	0.9	0.6	0.14
C34	Bronchus and lung	9	-	-	6	3	14	-	1	9	4	23	-	3.5	55.9	97.3	30.9	23.0	16.5	1.96
C40	Bone and articular cartilage of limbs	1	-	-	1	-	1	-	-	1	-	2	-	-	7.5	-	2.7	2.0	1.6	0.22
C41	Bone and articular cartilage, NOS	1	-	-	1	-	0	-	-	-	-	1	-	-	3.7	-	1.3	1.4	1.1	0.14
C43	Malignant melanoma of skin	10	-	4	3	3	6	-	3	3	-	16	-	24.8	22.4	41.7	21.5	19.4	16.8	1.35
C44	Malignant neoplasms of skin	21	-	1	4	16	17	-	-	7	10	38	-	3.5	41.0	361.6	51.1	29.2	18.1	1.43
C47,C49	Soft tissues	1	-	-	1	-	1	-	-	1	-	2	-	-	7.5	-	2.7	2.2	1.5	0.25
C50	Breast	63	-	6	45	12	43	-	2	31	10	106	-	28.4	283.3	305.9	142.6	111.5	81.1	9.03
C51	Vulva	3	-	-	2	1	1	-	-	-	1	4	-	-	7.5	27.8	5.4	3.7	2.5	0.25
C52	Vagina	0	-	-	-	-	1	-	-	-	1	1	-	-	-	13.9	1.3	0.7	0.3	-
C53	Cervix uteri	3	-	-	2	1	4	-	1	3	-	7	-	3.5	18.6	13.9	9.4	8.4	6.3	0.69
C54	Corpus uteri	5	-	-	4	1	4	-	-	4	-	9	-	-	29.8	13.9	12.1	10.1	7.4	0.95
C56	Ovary	9	-	1	4	4	6	-	-	6	-	15	-	3.5	37.3	55.6	20.2	15.7	10.9	1.26
C57	Female genital organs, NOS	0	-	-	-	-	1	-	-	1	-	1	-	-	3.7	-	1.3	0.9	0.6	0.14

C64	Kidney	1	-	-	1	-	3	-	-	2	1	4	-	-	11.2	13.9	5.4	4.5	3.4	0.37
C67	Bladder	2	-	-	2	-	6	-	-	2	4	8	-	-	14.9	55.6	10.8	7.2	4.4	0.48
C71	Brain	5	-	2	2	1	1	-	-	-	1	6	-	7.1	7.5	27.8	8.1	6.8	5.8	0.49
C73	Thyroid gland	5	-	1	4	-	2	-	-	2	-	7	-	3.5	22.4	-	9.4	9.3	7.2	0.84
C81	Hodgkin's disease	0	-	-	-	-	1	-	1	-	-	1	-	3.5	-	-	1.3	1.9	2.2	0.14
C82-C85	Non-Hodgkin-lymphoma	3	-	1	1	1	7	1	-	4	2	10	8.3	3.5	18.6	41.7	13.5	9.8	8.1	0.80
C88	Malignant immunoproliferative diseases	1	-	-	1	-	0	-	-	-	-	1	-	-	3.7	-	1.3	1.0	0.7	0.12
C90	Multiple myeloma	3	-	-	3	-	2	-	-	2	-	5	-	-	18.6	-	6.7	5.5	3.9	0.60
C91	Lymphoid leukaemia	1	-	-	-	1	2	-	-	1	1	3	-	-	3.7	27.8	4.0	1.9	1.1	0.14
C92	Myeloid leukaemia	2	-	-	1	1	0	-	-	-	-	2	-	-	3.7	13.9	2.7	1.6	1.1	0.12
C80	Unknown primary site	2	-	-	1	1	2	-	-	-	2	4	-	-	3.7	41.7	5.4	3.3	1.9	0.10
MPD	Myeloproliferative Disorders	0	-	-	-	-	1	-	-	-	1	1	-	-	-	13.9	1.3	0.4	0.2	-
Total		182	0	18	104	60	155	1	8	93	53	337	8.3	92.2	734.4	1,571.4	453.4	332.5	239.0	23.04
Total excl. non-melanoma		161	0	17	100	44	138	1	8	86	43	299	8.3	88.6	693.4	1,209.8	402.3	303.3	220.9	21.93
Total excl. non-melanoma and MDS, MPD		161	0	17	100	44	137	1	8	86	42	298	8.3	88.6	693.4	1,195.9	400.9	302.9	220.7	21.93

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRi: cumulative Risk (0-74 years)

Flemish Region: Males, number of invasive tumours and age-standardised incidence by primary site and incidence year, 1999-2008

Males		N										WSR										EAPC	
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	%	p-value
C00	Lip	48	41	39	48	49	44	47	40	18	22	1.0	0.7	0.7	0.8	0.9	0.7	0.8	0.7	0.3	0.4	-8.5	0.02
C01	Base of tongue	34	21	36	27	33	37	21	25	58	55	0.7	0.5	0.8	0.6	0.7	0.8	0.5	0.5	1.2	1.1	4.6	0.23
C02	Tongue	77	89	76	81	65	95	97	81	71	84	1.8	2.1	1.7	1.9	1.4	2.1	2.1	1.7	1.4	1.7	-1.5	0.41
C03	Gum	10	11	6	10	11	11	8	15	10	16	0.2	0.2	0.1	0.2	0.3	0.2	0.2	0.3	0.2	0.3	2.0	0.42
C04	Floor of mouth	77	72	73	77	76	92	83	75	72	85	1.8	1.7	1.7	1.8	1.7	2.0	1.8	1.6	1.6	1.7	-0.8	0.33
C05	Palate	28	26	23	26	19	26	27	29	31	32	0.6	0.6	0.6	0.6	0.4	0.5	0.6	0.6	0.6	0.7	0.6	0.74
C06	Mouth, NOS	39	50	41	38	41	43	44	52	32	29	0.9	1.1	1.0	0.8	0.9	0.9	0.8	1.1	0.6	0.6	-4.5	0.04
C07	Parotid gland	28	27	24	39	31	38	30	24	30	29	0.6	0.5	0.6	0.8	0.6	0.8	0.6	0.5	0.6	0.5	-1.6	0.44
C08	Salivary glands, NOS	16	11	7	8	12	9	14	6	10	7	0.3	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.2	0.1	-5.6	0.12
C09	Tonsil	72	74	76	72	85	84	78	91	88	97	1.7	1.8	1.7	1.6	1.9	1.7	1.7	1.9	1.8	1.9	1.0	0.11
C10	Oropharynx	32	35	39	30	34	42	35	40	52	63	0.8	0.8	0.9	0.6	0.7	1.0	0.8	0.9	1.1	1.2	4.2	0.04
C11	Nasopharynx	14	12	21	15	23	19	15	21	17	24	0.3	0.3	0.6	0.4	0.5	0.5	0.4	0.5	0.4	0.5	2.4	0.33
C12	Pyiform sinus	49	52	49	50	45	75	55	55	68	41	1.2	1.2	1.1	1.2	1.0	1.6	1.2	1.1	1.5	0.9	-0.6	0.77
C13	Hypopharynx	24	36	24	21	31	39	30	41	44	33	0.5	0.9	0.6	0.5	0.7	0.8	0.6	0.9	0.9	0.7	3.3	0.20
C14	Lip, oral cavity and pharynx, NOS	21	24	21	16	10	11	16	7	9	16	0.4	0.5	0.5	0.4	0.3	0.3	0.4	0.1	0.2	0.3	-9.8	0.01
C15	Oesophagus	272	329	385	366	351	364	398	426	437	389	5.8	6.9	8.0	7.5	7.0	7.2	7.7	7.9	8.1	7.1	1.8	0.10
C16	Stomach	486	492	533	526	513	533	522	511	525	530	9.2	9.1	9.8	9.6	9.1	9.2	9.0	8.3	8.5	8.4	-1.4	0.01
C17	Small intestine	45	45	50	54	76	62	56	72	43	68	1.0	0.9	0.9	1.1	1.4	1.2	1.1	1.4	0.8	1.2	2.0	0.33
C18	Colon	1,177	1,328	1,410	1,437	1,512	1,580	1,698	1,746	1,705	1,880	22.5	24.5	25.9	25.8	26.6	26.7	28.6	28.9	27.2	29.5	2.5	0.00
C19	Rectosigmoid junction	165	164	168	159	150	207	119	97	86	103	3.1	3.1	3.1	2.9	2.6	3.6	2.1	1.6	1.4	1.7	-8.7	0.00
C20	Rectum	758	834	720	750	815	830	831	903	904	939	14.9	16.1	13.9	14.1	14.9	15.2	14.9	15.8	15.5	15.9	0.7	0.22
C21	Anus and anal canal	23	15	21	24	28	28	33	25	25	36	0.5	0.3	0.4	0.4	0.6	0.6	0.7	0.5	0.5	0.7	4.4	0.13
C22	Liver and intrahepatic bile ducts	126	125	123	106	120	142	169	169	185	226	2.7	2.5	2.4	2.1	2.6	2.7	3.2	3.2	3.4	4.2	5.6	0.00
C23	Gallbladder	17	17	13	16	9	20	18	23	21	17	0.3	0.3	0.2	0.3	0.2	0.3	0.3	0.4	0.4	0.2	2.6	0.38
C24	Biliary tract, NOS	42	34	50	49	60	73	62	84	84	79	0.8	0.6	1.0	0.9	1.0	1.3	1.1	1.4	1.4	1.3	7.6	0.00
C25	Pancreas	257	258	266	310	337	348	327	359	350	354	5.1	5.0	5.2	6.0	6.1	6.5	5.9	6.2	6.1	6.1	2.4	0.01
C26	Other ill-defined digestive organs	5	13	2	1	6	3	3	1	3	6	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1	-7.5	0.40
C30	Nasal cavity and middle ear	9	16	10	10	13	9	16	14	13	19	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.3	4.5	0.15
C31	Accessory sinuses	42	30	42	40	34	36	46	35	41	45	0.9	0.7	1.0	0.8	0.7	0.7	0.9	0.7	0.8	0.8	-0.9	0.53
C32	Larynx	313	333	352	341	369	349	315	318	344	316	6.9	7.0	7.2	7.1	7.5	7.0	6.0	6.0	6.6	5.8	-2.1	0.02
C33	Trachea	8	4	3	11	8	8	5	4	9	1	0.2	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.0	-8.0	0.29
C34	Bronchus and lung	2,914	3,065	3,067	3,006	3,045	3,264	3,189	3,245	3,335	3,239	57.4	59.5	58.1	55.6	55.2	58.0	56.0	55.7	56.3	54.0	-0.6	0.03
C37	Thymus	5	7	6	8	5	18	10	10	8	6	0.1	0.2	0.1	0.2	0.1	0.4	0.2	0.2	0.2	0.1	1.9	0.69
C38	Heart, mediastinum and pleura	16	7	11	5	7	5	7	8	12	9	0.4	0.1	0.3	0.1	0.1	0.1	0.2	0.2	0.3	0.2	-0.5	0.92
C39	Respiratory system and intrathoracic organs, NOS	0	1	0	0	1	0	1	0	0	0	-	0.0	-	-	0.0	-	0.0	-	-	-	-	-
C40	Bone and articular cartilage of limbs	18	25	25	19	21	28	23	21	22	16	0.7	0.9	0.8	0.6	0.7	1.0	0.8	0.8	0.8	0.5	-1.6	0.47
C41	Bone and articular cartilage, NOS	28	26	20	22	23	25	22	20	22	23	0.7	0.7	0.5	0.7	0.7	0.8	0.6	0.6	0.5	0.6	-1.4	0.36

C43	Malignant melanoma of skin	245	305	255	283	341	365	375	380	444	425	5.8	7.1	5.9	6.1	7.9	8.1	8.2	8.2	9.4	8.8	5.1	0.00
C44	Malignant neoplasms of skin	515	689	741	772	887	968	1,082	1,208	1,338	1,348	9.6	12.3	12.9	13.1	14.9	15.8	16.9	18.6	19.8	18.9	7.6	0.00
C45	Mesothelioma	101	111	129	98	119	137	141	149	136	146	2.0	2.1	2.5	1.9	2.2	2.5	2.5	2.6	2.3	2.5	2.3	0.07
C46	Kaposi's sarcoma	7	0	7	9	19	8	10	10	15	15	0.1	-	0.1	0.2	0.4	0.2	0.3	0.3	0.4	0.3	-	-
C47,C49	Soft tissues	91	106	93	95	120	120	102	100	126	117	2.2	2.6	2.1	2.1	2.8	2.8	2.2	2.4	2.6	2.5	1.2	0.35
C48	Retroperitoneum and peritoneum	14	14	18	11	14	16	18	17	13	13	0.3	0.3	0.4	0.3	0.3	0.3	0.4	0.3	0.3	0.3	-0.6	0.75
C50	Breast	50	54	54	50	54	57	50	37	54	49	1.0	1.1	1.0	0.9	1.0	1.0	1.0	0.6	1.1	0.8	-2.8	0.13
C60	Penis	27	37	30	31	36	38	37	53	44	39	0.5	0.7	0.5	0.6	0.6	0.7	0.6	1.0	0.8	0.6	3.0	0.16
C61	Prostate	4,498	4,944	5,432	5,008	5,573	5,923	6,132	5,938	5,968	5,796	85.0	92.6	99.4	91.4	100.5	105.1	107.5	104.0	102.1	97.3	1.6	0.03
C62	Testis	96	132	133	128	129	128	159	149	171	174	3.0	4.3	4.4	4.3	4.2	4.2	5.1	5.3	5.7	5.9	5.8	0.00
C63	Male genital organs, NOS	5	3	6	0	6	6	5	10	8	11	0.1	0.1	0.1	-	0.1	0.1	0.2	0.2	0.2	0.2	-	-
C64	Kidney	370	458	471	458	518	501	519	537	575	584	7.8	10.0	9.6	9.5	10.6	10.0	10.2	10.2	10.6	10.7	2.2	0.01
C65	Renal pelvis	52	71	61	56	77	57	73	63	72	66	1.0	1.3	1.2	1.0	1.4	0.9	1.1	1.0	1.2	1.0	-0.9	0.61
C66	Ureter	25	39	46	40	37	51	40	56	48	66	0.5	0.7	0.8	0.7	0.7	0.8	0.7	0.9	0.8	1.0	4.6	0.01
C67	Bladder	777	930	1,002	927	887	954	977	1,025	1,046	1,044	14.7	17.0	17.6	16.0	15.1	15.9	15.8	16.3	16.1	15.4	-0.2	0.73
C68	Urinary organs, NOS	5	17	13	12	11	13	9	11	12	16	0.1	0.4	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.3	1.8	0.66
C69	Eye and adnexa	22	36	33	37	26	27	18	30	38	41	0.5	1.0	0.9	1.0	1.0	0.6	0.4	0.7	0.9	0.7	-1.6	0.63
C70	Meninges	2	3	4	8	7	7	3	4	1	2	0.1	0.1	0.1	0.2	0.1	0.1	0.0	0.1	0.0	0.0	-7.8	0.29
C71	Brain	234	239	221	250	269	256	262	256	278	270	6.1	6.6	5.7	6.2	6.7	6.0	6.4	5.9	6.3	5.7	-0.5	0.43
C72	Spinal cord, cranial nerves and CNS, NOS	9	6	7	7	7	11	9	8	7	8	0.2	0.2	0.2	0.3	0.2	0.5	0.2	0.3	0.3	0.3	3.7	0.31
C73	Thyroid gland	58	57	48	55	56	63	71	80	77	90	1.4	1.4	1.1	1.3	1.3	1.4	1.6	1.8	1.9	2.0	5.5	0.00
C74	Adrenal gland	11	8	12	11	10	10	7	11	8	13	0.4	0.2	0.6	0.3	0.3	0.4	0.3	0.5	0.3	0.4	1.9	0.50
C75	Endocrine glands, NOS	4	4	3	6	6	8	6	8	3	7	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.3	0.1	0.2	6.8	0.22
C81	Hodgkin's disease	89	74	74	78	94	80	107	93	88	104	2.7	2.4	2.4	2.5	2.8	2.4	3.5	2.7	2.7	3.0	2.0	0.15
C82-C85	Non-Hodgkin-lymphoma	510	472	492	495	545	590	596	674	624	620	11.1	10.2	10.8	10.3	11.1	12.0	11.8	13.1	12.2	11.8	2.0	0.01
C88	Malignant immunoproliferative diseases	14	16	18	14	13	36	20	35	26	27	0.3	0.3	0.3	0.3	0.2	0.7	0.4	0.5	0.5	0.5	7.0	0.06
C90	Multiple myeloma	216	200	197	201	249	228	229	242	261	270	4.3	3.9	3.7	3.7	4.6	4.1	3.9	4.2	4.5	4.6	1.4	0.14
C91	Lymphoid leukaemia	277	251	259	232	247	279	259	249	260	306	6.5	5.5	6.3	5.6	6.1	6.3	5.9	5.6	5.7	6.6	-0.1	0.95
C92	Myeloid leukaemia	171	159	196	155	169	162	181	157	193	205	3.6	3.4	4.4	3.4	3.7	3.1	3.9	3.0	3.6	3.8	-0.6	0.68
C93	Monocytic leukaemia	6	3	8	5	7	7	9	11	10	12	0.2	0.1	0.3	0.1	0.2	0.2	0.2	0.3	0.2	0.2	5.5	0.26
C94-C95	Leukaemia other	33	25	20	19	17	17	12	13	11	15	0.7	0.5	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.3	-10.8	0.00
C96	Lymphoid, haematopoietic and related tissue, NOS	14	8	11	3	5	2	3	8	7	12	0.8	0.3	0.5	0.1	0.3	0.1	0.1	0.4	0.2	0.5	-5.2	0.59
C76	Other and ill-defined sites	24	9	15	25	14	13	11	8	0	1	0.7	0.3	0.4	0.6	0.3	0.2	0.4	0.2	-	0.0	-	-
C80	Unknown primary site	616	543	549	376	365	335	318	323	315	335	12.4	10.4	10.3	7.1	6.5	6.0	5.5	5.5	5.3	5.4	-9.3	0.00
Total (excl. MDS-MPD)		16,483	17,772	18,490	17,773	19,002	20,070	20,320	20,646	21,061	21,181	332.3	351.8	359.2	340.2	358.9	370.3	370.1	369.8	370.0	363.8	1.0	0.01
Total (excl. Non-melanoma, MDS-MPD)		15,968	17,083	17,749	17,001	18,115	19,102	19,238	19,438	19,723	19,833	322.7	339.4	346.2	327.1	344.1	354.4	353.2	351.2	350.2	344.9	0.7	0.04

WSR: age standardised incidence rate, using the World Standard Population (n/100,000 person years)

EAPC: Estimated annual percentage change (%)

Flemish Region: Females, number of invasive tumours and age-standardised incidence by primary site and incidence year, 1999-2008

Females		N										WSR										EAPC	
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	%	p-value
C00	Lip	11	14	12	10	16	15	14	10	6	12	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.2	-1.1	0.72
C01	Base of tongue	6	8	6	8	9	9	7	10	11	15	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.2	0.2	4.2	0.10
C02	Tongue	32	32	26	29	36	31	43	34	21	41	0.7	0.5	0.5	0.5	0.6	0.7	0.9	0.7	0.4	0.7	0.8	0.77
C03	Gum	8	3	5	7	14	12	9	8	15	16	0.1	0.0	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.2	10.9	0.12
C04	Floor of mouth	11	14	17	27	14	29	29	20	29	14	0.2	0.3	0.4	0.6	0.3	0.6	0.6	0.4	0.6	0.3	6.0	0.21
C05	Palate	7	10	17	17	8	17	16	13	16	17	0.1	0.2	0.4	0.4	0.2	0.4	0.3	0.2	0.3	0.4	6.6	0.15
C06	Mouth, NOS	18	24	14	19	15	22	29	16	20	17	0.4	0.4	0.2	0.3	0.2	0.4	0.4	0.3	0.3	0.2	-2.8	0.40
C07	Parotid gland	13	16	23	18	21	17	24	18	20	24	0.3	0.2	0.4	0.3	0.4	0.3	0.4	0.4	0.3	0.4	5.0	0.03
C08	Salivary glands, NOS	5	9	8	7	8	5	20	10	11	5	0.1	0.2	0.1	0.2	0.1	0.1	0.4	0.2	0.3	0.1	2.4	0.70
C09	Tonsil	15	26	20	16	22	21	21	33	19	30	0.4	0.5	0.5	0.3	0.5	0.4	0.4	0.7	0.4	0.5	2.5	0.36
C10	Oropharynx	3	10	7	2	4	13	4	5	13	13	0.1	0.2	0.2	0.0	0.1	0.3	0.1	0.1	0.3	0.2	10.0	0.23
C11	Nasopharynx	5	3	5	8	5	4	3	5	9	6	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.1	1.4	0.77
C12	Pyiform sinus	7	6	7	8	5	8	7	7	7	10	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.1	0.2	1.7	0.50
C13	Hypopharynx	2	6	5	3	6	6	5	3	13	3	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	7.0	0.27
C14	Lip, oral cavity and pharynx, NOS	1	2	5	4	3	2	0	6	2	4	0.0	0.1	0.1	0.1	0.1	0.0	-	0.1	0.0	0.1	-	-
C15	Oesophagus	95	109	93	89	116	123	130	131	139	115	1.5	1.7	1.5	1.3	1.8	1.7	1.9	1.9	1.9	1.6	2.4	0.11
C16	Stomach	323	334	325	353	307	328	339	335	275	288	4.4	4.6	4.1	4.6	3.7	4.1	4.3	4.4	3.6	3.6	-1.9	0.05
C17	Small intestine	35	47	40	42	49	44	47	58	70	46	0.6	0.7	0.7	0.8	0.8	0.7	0.7	0.9	1.1	0.7	3.1	0.10
C18	Colon	1,123	1,248	1,385	1,363	1,415	1,390	1,396	1,474	1,556	1,602	15.9	17.6	19.4	18.4	19.8	18.5	18.7	20.0	20.0	21.0	2.2	0.00
C19	Rectosigmoid junction	109	117	115	115	125	140	106	79	65	73	1.6	1.9	1.9	1.6	1.8	1.9	1.5	1.1	0.9	0.9	-7.9	0.01
C20	Rectum	453	555	517	487	541	525	507	584	598	610	7.2	8.4	8.2	7.3	8.1	7.7	7.6	8.7	8.7	8.8	1.4	0.07
C21	Anus and anal canal	20	37	21	35	48	29	37	34	42	39	0.4	0.6	0.4	0.6	0.9	0.5	0.6	0.6	0.6	0.6	3.3	0.27
C22	Liver and intrahepatic bile ducts	91	98	90	76	71	75	92	90	82	105	1.3	1.4	1.4	1.2	1.0	1.3	1.4	1.5	1.3	1.7	1.4	0.38
C23	Gallbladder	50	36	49	42	39	39	43	44	46	48	0.6	0.5	0.7	0.5	0.5	0.5	0.5	0.6	0.5	0.6	-1.3	0.33
C24	Biliary tract, NOS	30	39	34	46	64	77	64	72	69	74	0.4	0.6	0.5	0.6	0.9	1.1	0.8	0.9	1.0	0.8	8.9	0.01
C25	Pancreas	281	254	251	310	298	286	312	305	318	315	4.0	3.8	3.7	4.2	4.0	4.0	4.6	4.4	4.6	4.5	2.1	0.00
C26	Other ill-defined digestive organs	6	7	2	4	3	2	3	2	3	9	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-2.7	0.73
C30	Nasal cavity and middle ear	1	3	4	3	8	7	16	7	14	5	0.0	0.0	0.1	0.1	0.2	0.1	0.3	0.1	0.2	0.1	23.2	0.01
C31	Accessory sinuses	12	6	9	7	12	8	11	8	6	20	0.3	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.3	0.0	1.00
C32	Larynx	35	35	38	38	52	45	34	28	46	38	0.6	0.8	0.7	0.7	0.9	0.9	0.6	0.6	0.9	0.7	0.0	0.99
C33	Trachea	3	1	2	1	3	1	3	5	3	1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	2.2	0.86
C34	Bronchus and lung	543	561	659	680	692	830	865	886	995	957	10.0	10.4	11.9	12.7	12.7	14.8	14.9	15.2	16.7	16.1	5.9	0.00
C37	Thymus	6	8	8	8	6	8	5	8	4	8	0.1	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	-5.1	0.05
C38	Heart, mediastinum and pleura	3	3	13	4	0	3	4	3	4	7	0.0	0.1	0.3	0.1	-	0.1	0.1	0.1	0.1	0.2	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	1	0	0	1	0	0	0	0	0	-	0.0	-	-	0.0	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	18	21	20	18	20	21	30	20	22	17	0.7	0.6	0.6	0.5	0.5	0.6	1.0	0.7	0.6	0.5	0.9	0.71
C41	Bone and articular cartilage, NOS	19	18	16	20	31	14	21	24	21	15	0.5	0.5	0.4	0.6	0.8	0.4	0.5	0.7	0.5	0.4	-1.3	0.67

C45	Mesothelioma	25	15	21	21	14	19	34	24	32	38	0.5	0.3	0.4	0.3	0.3	0.3	0.6	0.4	0.4	0.5	3.4	0.31
C46	Kaposi's sarcoma	1	4	1	4	7	4	2	4	3	4	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.1	7.5	0.45
C47,C49	Soft tissues	79	82	89	86	85	100	93	84	98	105	1.5	2.0	2.1	2.0	2.1	2.0	2.3	1.7	2.0	1.8	0.5	0.71
C48	Retroperitoneum and peritoneum	10	21	27	23	21	26	25	20	19	33	0.2	0.4	0.5	0.5	0.4	0.5	0.5	0.4	0.4	0.6	6.6	0.10
C50	Breast	4,672	4,912	5,335	5,276	5,563	5,335	5,501	5,517	5,694	5,528	98.8	103.0	110.7	107.9	113.0	105.8	107.0	105.7	107.5	103.2	0.2	0.61
C51	Vulva	73	85	72	88	88	85	102	102	80	112	1.2	1.2	1.1	1.3	1.4	1.3	1.5	1.5	1.2	1.6	2.7	0.03
C52	Vagina	28	31	23	25	22	27	28	27	26	19	0.5	0.5	0.3	0.4	0.3	0.5	0.4	0.4	0.3	0.2	-5.1	0.04
C53	Cervix uteri	350	412	391	363	353	372	405	360	402	360	8.2	9.6	8.9	8.4	7.9	8.4	9.4	8.1	9.1	7.8	-0.6	0.47
C54	Corpus uteri	672	766	808	769	796	855	831	834	858	908	12.0	13.7	14.5	13.5	13.5	14.3	13.5	13.9	13.9	14.0	0.8	0.16
C55	Uterus	56	36	27	39	49	22	28	16	6	8	1.0	0.7	0.5	0.6	0.9	0.4	0.5	0.3	0.1	0.1	-20.1	0.00
C56	Ovary	583	652	598	568	607	570	561	583	546	533	11.5	12.4	11.3	10.5	10.9	10.2	9.8	10.0	9.8	8.8	-3.0	0.00
C57	Female genital organs, NOS	12	17	10	14	14	16	19	14	22	22	0.2	0.4	0.2	0.3	0.3	0.3	0.3	0.3	0.4	0.4	4.9	0.08
C58	Placenta	3	1	0	5	4	2	1	1	4	1	0.1	0.1	-	0.2	0.1	0.1	0.0	0.0	0.2	0.0	-	-
C64	Kidney	268	276	272	288	330	352	335	335	347	350	4.9	5.1	5.1	5.3	5.5	5.9	5.5	5.7	5.8	5.5	1.7	0.00
C65	Renal pelvis	22	38	29	36	37	44	44	43	44	46	0.3	0.6	0.4	0.5	0.4	0.6	0.6	0.5	0.5	0.5	3.6	0.13
C66	Ureter	18	20	23	26	25	17	12	18	28	27	0.3	0.3	0.3	0.3	0.4	0.2	0.1	0.2	0.4	0.3	-1.5	0.73
C67	Bladder	223	252	249	225	217	245	271	254	256	288	3.1	3.3	3.0	2.8	2.7	3.0	3.4	3.0	3.1	3.4	0.4	0.61
C68	Urinary organs, NOS	1	6	3	1	2	4	4	0	4	6	0.0	0.1	0.1	0.0	0.0	0.1	0.0	-	0.0	0.1	-	-
C69	Eye and adnexa	23	26	27	20	29	29	21	15	30	26	0.5	0.6	0.5	0.5	0.5	0.7	0.5	0.3	0.7	0.7	0.8	0.77
C70	Meninges	7	12	7	10	19	12	7	6	9	6	0.1	0.4	0.2	0.2	0.4	0.3	0.2	0.1	0.1	0.1	-6.3	0.31
C71	Brain	196	200	180	214	174	205	163	158	192	195	4.9	5.1	4.4	4.9	4.0	4.3	3.7	4.2	4.3	4.2	-2.2	0.03
C72	Spinal cord, cranial nerves and CNS, NOS	5	6	5	5	2	11	8	9	8	7	0.2	0.2	0.2	0.2	0.1	0.6	0.4	0.4	0.2	0.3	8.1	0.33
C73	Thyroid gland	113	135	136	166	159	169	231	222	209	223	2.7	3.2	3.1	3.9	4.0	4.3	5.4	5.4	5.0	5.2	8.1	0.00
C74	Adrenal gland	12	13	13	7	7	12	8	11	11	11	0.4	0.3	0.4	0.1	0.3	0.6	0.4	0.3	0.3	0.3	-1.8	0.68
C75	Endocrine glands, NOS	3	1	5	2	2	4	3	7	2	3	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.2	0.0	0.0	-2.7	0.71
C81	Hodgkin's disease	62	58	87	71	55	76	78	70	57	72	1.9	1.8	2.8	2.5	1.7	2.4	2.6	2.3	1.9	1.9	0.2	0.94
C82-C85	Non-Hodgkin-lymphoma	423	439	427	422	440	490	478	517	513	525	7.9	7.8	7.3	7.7	7.5	8.2	7.8	8.6	8.4	8.2	1.1	0.04
C88	Malignant immunoproliferative diseases	3	9	9	9	16	16	20	14	12	18	0.0	0.2	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.3	15.7	0.03
C90	Multiple myeloma	197	187	197	184	166	219	200	188	209	217	2.9	2.9	3.0	2.6	2.6	3.2	2.9	3.0	3.2	3.2	1.1	0.21
C91	Lymphoid leukaemia	165	145	170	187	177	216	184	167	183	160	3.6	3.1	3.8	3.6	3.7	4.5	3.8	3.9	4.1	3.0	0.5	0.75
C92	Myeloid leukaemia	110	166	145	123	140	160	157	133	156	147	2.2	3.2	2.6	2.3	2.6	2.9	3.0	2.4	3.0	2.5	0.6	0.68
C93	Monocytic leukaemia	6	5	5	5	4	4	8	9	13	14	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.4	0.4	10.1	0.09
C94-C95	Leukaemia other	25	24	24	17	15	9	10	6	6	7	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1	-16.3	0.00
C96	Lymphoid, haematopoietic and related tissue, NOS	5	5	12	1	4	2	5	4	7	4	0.2	0.2	0.5	0.0	0.2	0.1	0.2	0.2	0.1	0.2	-2.6	0.77
C76	Other and ill-defined sites	26	16	16	11	25	16	3	7	2	3	0.7	0.3	0.4	0.2	0.5	0.4	0.1	0.2	0.1	0.2	-15.6	0.02
C80	Unknown primary site	569	520	486	307	317	277	262	229	277	290	9.5	8.0	8.0	4.4	4.4	3.9	3.6	3.0	3.9	3.9	-10.7	0.00
Total (excl. MDS-MPD)		13,170	14,207	14,748	14,500	15,134	15,416	15,726	15,771	16,383	16,561	249.5	265.9	274.4	264.2	273.6	273.9	276.9	275.8	280.3	276.2	0.9	0.01
Total (excl. Non-melanoma, MDS-MPD)		12,829	13,753	14,241	13,979	14,552	14,722	14,996	15,002	15,526	15,614	245.3	259.9	267.9	257.8	266.3	265.3	268.0	266.6	270.4	265.3	0.7	0.03

WSR: age standardised incidence rate, using the World Standard Population (n/100.000 person years)
EAPC: Estimated annual percentage change (%)

Belgium: Males, number of invasive tumours and age-standardised incidence by primary site and incidence year, 2004-2008																	
Males		N					ESR					WSR					
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2008	2004	2005	2006	2007	2008	
C00	Lip	60	64	55	34	40	0.9	1.0	0.9	0.5	0.6	0.6	0.7	0.6	0.4	0.4	
C01	Base of tongue	64	56	63	97	100	1.2	1.0	1.1	1.7	1.7	0.9	0.7	0.8	1.2	1.2	
C02	Tongue	186	176	168	151	165	3.4	3.1	2.9	2.6	2.8	2.5	2.3	2.2	1.9	2.0	
C03	Gum	28	32	36	34	36	0.5	0.6	0.6	0.6	0.6	0.4	0.4	0.4	0.4	0.4	
C04	Floor of mouth	168	157	134	163	153	3.0	2.9	2.4	2.9	2.6	2.2	2.1	1.8	2.1	1.9	
C05	Palate	52	67	61	62	61	0.9	1.2	1.1	1.1	1.1	0.7	0.9	0.8	0.8	0.8	
C06	Mouth, NOS	83	68	68	60	57	1.5	1.2	1.2	1.0	1.0	1.1	0.8	0.8	0.7	0.7	
C07	Parotid gland	54	48	48	56	50	0.9	0.8	0.8	0.9	0.8	0.7	0.6	0.6	0.6	0.6	
C08	Salivary glands, NOS	20	26	9	22	10	0.3	0.4	0.1	0.4	0.2	0.3	0.3	0.1	0.3	0.1	
C09	Tonsil	165	161	154	195	192	2.9	2.9	2.6	3.4	3.3	2.2	2.1	1.9	2.4	2.4	
C10	Oropharynx	96	99	92	104	136	1.8	1.8	1.6	1.8	2.3	1.3	1.3	1.2	1.3	1.7	
C11	Nasopharynx	42	35	45	36	41	0.8	0.6	0.8	0.6	0.7	0.6	0.5	0.6	0.5	0.6	
C12	Pyiform sinus	145	127	129	157	120	2.7	2.2	2.3	2.8	2.1	1.9	1.6	1.6	2.0	1.5	
C13	Hypopharynx	58	50	66	75	65	1.0	0.9	1.2	1.3	1.1	0.8	0.7	0.9	0.9	0.8	
C14	Lip, oral cavity and pharynx, NOS	44	45	25	18	28	0.8	0.8	0.4	0.3	0.5	0.6	0.6	0.3	0.3	0.3	
C15	Oesophagus	627	669	697	692	664	10.8	11.3	11.6	11.3	10.6	7.5	7.9	8.1	7.9	7.4	
C16	Stomach	885	875	857	872	804	14.3	14.1	13.3	13.3	12.1	9.5	9.4	8.7	8.9	7.9	
C17	Small intestine	95	100	108	81	114	1.6	1.7	1.8	1.3	1.8	1.1	1.2	1.2	0.9	1.3	
C18	Colon	2,553	2,707	2,724	2,737	2,904	40.6	42.5	42.0	41.0	43.2	26.6	27.9	27.7	26.8	28.4	
C19	Rectosigmoid junction	305	205	152	144	158	4.9	3.4	2.3	2.2	2.4	3.2	2.2	1.5	1.4	1.6	
C20	Rectum	1,255	1,262	1,381	1,370	1,424	20.7	20.3	21.9	21.5	21.9	14.0	13.6	14.8	14.5	14.8	
C21	Anus and anal canal	47	52	54	47	56	0.8	0.9	0.9	0.8	0.9	0.5	0.6	0.6	0.5	0.6	
C22	Liver and intrahepatic bile ducts	261	303	346	370	413	4.3	4.9	5.7	6.0	6.6	3.0	3.5	4.0	4.3	4.7	
C23	Gallbladder	36	28	30	27	31	0.5	0.4	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.3	
C24	Biliary tract, NOS	121	107	126	144	126	2.0	1.7	2.0	2.2	1.9	1.4	1.1	1.3	1.5	1.3	
C25	Pancreas	589	546	613	644	582	9.7	8.8	9.7	10.1	8.9	6.6	6.0	6.5	6.9	6.1	
C26	Other ill-defined digestive organs	12	10	9	7	16	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.2	
C30	Nasal cavity and middle ear	22	21	20	27	30	0.4	0.4	0.3	0.4	0.5	0.3	0.3	0.2	0.3	0.3	
C31	Accessory sinuses	47	72	52	57	61	0.8	1.2	0.9	0.9	1.0	0.6	0.8	0.6	0.7	0.7	
C32	Larynx	631	561	537	627	590	11.1	9.5	9.0	10.4	9.6	7.9	6.7	6.3	7.4	6.7	
C33	Trachea	12	11	7	14	3	0.2	0.2	0.1	0.2	0.0	0.1	0.1	0.1	0.1	0.0	
C34	Bronchus and lung	5,518	5,415	5,367	5,493	5,406	89.8	87.1	85.1	85.6	83.0	60.7	59.0	57.6	58.1	56.3	
C37	Thymus	23	17	18	15	9	0.4	0.3	0.3	0.2	0.1	0.3	0.2	0.2	0.2	0.1	
C38	Heart, mediastinum and pleura	8	9	12	19	11	0.2	0.2	0.2	0.3	0.2	0.1	0.1	0.2	0.3	0.1	
C39	Respiratory system and intrathoracic organs, NOS	0	1	0	0	0	-	0.0	-	-	-	-	0.0	-	-	-	
C40	Bone and articular cartilage of limbs	46	34	34	38	32	0.9	0.7	0.7	0.7	0.6	0.9	0.7	0.7	0.8	0.6	
C41	Bone and articular cartilage, NOS	44	36	33	38	32	0.8	0.7	0.6	0.7	0.6	0.7	0.7	0.5	0.6	0.5	
C43	Malignant melanoma of skin	627	638	621	734	756	11.0	10.8	10.5	12.4	12.5	8.4	8.1	8.0	9.4	9.3	

C44	Malignant neoplasms of skin	1,682	1,784	1,910	2,220	2,182	26.6	27.4	28.8	32.5	30.7	16.4	17.1	17.9	19.9	18.8
C45	Mesothelioma	209	210	206	197	206	3.4	3.4	3.2	3.0	3.2	2.3	2.3	2.1	2.0	2.1
C46	Kaposi's sarcoma	22	24	18	36	33	0.4	0.4	0.3	0.6	0.5	0.3	0.3	0.2	0.5	0.4
C47,C49	Soft tissues	185	178	168	197	198	3.2	3.1	2.9	3.2	3.3	2.5	2.3	2.3	2.6	2.6
C48	Retroperitoneum and peritoneum	24	23	24	19	27	0.4	0.4	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.3
C50	Breast	87	83	66	82	85	1.4	1.4	1.1	1.4	1.3	1.0	0.9	0.7	1.0	0.9
C60	Penis	66	68	76	75	68	1.1	1.1	1.2	1.2	1.0	0.7	0.8	0.8	0.8	0.7
C61	Prostate	9,728	9,719	9,273	8,976	8,810	157.7	155.9	147.9	140.6	135.9	105.4	104.3	100.0	95.1	91.5
C62	Testis	252	288	273	306	318	4.9	5.6	5.3	6.0	6.2	4.7	5.2	5.3	5.8	6.0
C63	Male genital organs, NOS	10	11	13	12	14	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.2
C64	Kidney	815	842	852	890	946	13.9	13.9	14.1	14.3	15.1	10.0	10.0	10.1	10.1	10.7
C65	Renal pelvis	96	114	99	121	114	1.4	1.7	1.5	1.8	1.7	0.9	1.1	1.0	1.2	1.1
C66	Ureter	89	69	79	85	94	1.4	1.1	1.2	1.3	1.4	0.9	0.7	0.8	0.8	0.9
C67	Bladder	1,661	1,629	1,604	1,682	1,685	26.4	25.3	24.5	25.2	24.4	16.9	16.2	15.7	16.2	15.5
C68	Urinary organs, NOS	17	27	23	25	27	0.3	0.4	0.4	0.3	0.4	0.2	0.3	0.2	0.2	0.3
C69	Eye and adnexa	36	37	50	56	58	0.6	0.7	0.8	1.0	0.9	0.5	0.7	0.7	0.8	0.7
C70	Meninges	11	8	5	1	4	0.2	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0
C71	Brain	422	432	414	433	440	7.5	7.7	7.1	7.5	7.4	6.1	6.4	5.8	5.9	6.0
C72	Spinal cord, cranial nerves and CNS, NOS	29	11	14	14	11	0.6	0.2	0.3	0.3	0.2	0.5	0.2	0.4	0.4	0.2
C73	Thyroid gland	155	173	176	182	209	2.7	3.1	3.1	3.2	3.6	2.1	2.5	2.4	2.6	2.8
C74	Adrenal gland	18	13	15	19	22	0.4	0.3	0.3	0.4	0.4	0.5	0.3	0.3	0.5	0.5
C75	Endocrine glands, NOS	9	7	12	4	10	0.2	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.2
C81	Hodgkin's disease	159	180	181	167	187	3.0	3.5	3.4	3.1	3.5	2.8	3.4	3.1	2.9	3.2
C82-C85	Non-Hodgkin-lymphoma	1,022	1,039	1,058	1,062	1,057	17.3	17.2	17.4	17.3	16.9	12.6	12.5	12.6	12.7	12.4
C88	Malignant immunoproliferative diseases	50	30	45	36	42	0.8	0.5	0.7	0.6	0.6	0.6	0.3	0.4	0.4	0.4
C90	Multiple myeloma	366	366	390	421	381	5.9	5.8	6.2	6.7	5.8	3.9	3.9	4.2	4.5	3.9
C91	Lymphoid leukaemia	419	417	379	385	455	7.3	7.3	6.5	6.5	7.5	6.0	6.0	5.2	5.3	6.0
C92	Myeloid leukaemia	272	311	264	339	327	4.5	5.3	4.3	5.5	5.1	3.3	4.1	3.2	4.1	3.7
C93	Monocytic leukaemia	13	12	17	17	17	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2
C94-C95	Leukaemia other	24	23	21	22	21	0.4	0.4	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.3
C96	Lymphoid, haematopoietic and related tissue, NOS	8	5	13	9	18	0.2	0.1	0.3	0.2	0.4	0.2	0.1	0.4	0.2	0.4
C76	Other and ill-defined sites	16	19	19	2	1	0.3	0.4	0.3	0.0	0.0	0.2	0.3	0.3	0.0	0.0
C80	Unknown primary site	654	598	607	578	633	10.7	9.6	9.5	9.0	9.7	7.2	6.4	6.3	6.1	6.6
MPD	Myeloproliferative Disorders	171	167	174	194	213	2.9	2.6	2.8	3.0	3.3	2.1	1.8	1.9	2.0	2.3
MDS	Myelodysplastic syndromes	273	246	265	249	301	4.3	3.8	3.9	3.7	4.2	2.7	2.5	2.6	2.4	2.7
Total		34,099	34,053	33,754	34,574	34,690	561.4	552.6	540.5	544.7	536.3	385.2	380.0	372.2	375.5	369.1
Total excl. non-melanoma		32,417	32,269	31,844	32,354	32,508	534.9	525.2	511.7	512.2	505.6	368.8	362.9	354.3	355.6	350.3
Total excl. non-melanoma and MDS, MPD		31,973	31,856	31,405	31,911	31,994	527.7	518.7	505.0	505.5	498.1	364.0	358.6	349.8	351.2	345.3

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

Belgium: Females, number of invasive tumours and age-standardised incidence by primary site and incidence year, 2004-2008

Females		N					ESR					WSR				
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2008	2004	2005	2006	2007	2008
C00	Lip	19	23	19	13	15	0.2	0.3	0.2	0.1	0.2	0.1	0.2	0.2	0.1	0.1
C01	Base of tongue	15	14	23	24	26	0.3	0.2	0.3	0.4	0.4	0.2	0.2	0.2	0.3	0.3
C02	Tongue	70	69	72	53	73	1.1	1.1	1.2	0.9	1.0	0.9	0.8	0.9	0.6	0.7
C03	Gum	30	23	21	30	34	0.4	0.3	0.3	0.4	0.4	0.3	0.2	0.2	0.3	0.3
C04	Floor of mouth	45	41	30	56	30	0.7	0.7	0.5	0.9	0.5	0.5	0.5	0.4	0.7	0.3
C05	Palate	32	29	32	26	34	0.5	0.5	0.5	0.4	0.6	0.4	0.4	0.4	0.3	0.4
C06	Mouth, NOS	43	46	27	32	30	0.6	0.6	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.2
C07	Parotid gland	35	43	34	44	38	0.5	0.6	0.5	0.6	0.5	0.4	0.4	0.4	0.5	0.4
C08	Salivary glands, NOS	14	25	17	15	9	0.2	0.4	0.2	0.2	0.1	0.2	0.3	0.2	0.2	0.1
C09	Tonsil	56	54	61	65	73	0.9	0.9	1.0	1.0	1.1	0.7	0.7	0.8	0.8	0.8
C10	Oropharynx	26	21	22	33	32	0.4	0.4	0.3	0.5	0.5	0.3	0.3	0.2	0.4	0.4
C11	Nasopharynx	10	9	9	16	14	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2
C12	Pyiform sinus	16	15	24	16	21	0.3	0.2	0.4	0.3	0.3	0.2	0.2	0.3	0.2	0.2
C13	Hypopharynx	13	16	8	18	16	0.2	0.2	0.1	0.3	0.3	0.2	0.2	0.1	0.2	0.2
C14	Lip, oral cavity and pharynx, NOS	9	12	14	4	11	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.0	0.1
C15	Oesophagus	235	230	220	253	228	3.0	3.0	2.9	3.2	2.8	2.0	2.0	2.0	2.2	1.9
C16	Stomach	513	525	528	458	499	5.9	6.0	6.1	5.3	5.7	3.9	4.0	4.1	3.6	3.8
C17	Small intestine	85	86	105	110	85	1.1	1.1	1.4	1.4	1.1	0.8	0.8	1.0	1.0	0.7
C18	Colon	2,399	2,428	2,511	2,565	2,609	27.9	28.5	29.1	29.0	29.5	18.4	19.1	19.6	19.3	19.8
C19	Rectosigmoid junction	237	170	136	103	120	2.9	2.1	1.6	1.2	1.4	2.0	1.4	1.1	0.8	0.9
C20	Rectum	878	881	938	977	960	11.0	11.4	11.7	12.1	11.8	7.5	7.8	8.1	8.3	8.1
C21	Anus and anal canal	72	77	77	82	82	1.0	1.0	1.0	1.0	1.1	0.7	0.7	0.7	0.7	0.8
C22	Liver and intrahepatic bile ducts	116	169	156	140	192	1.5	2.3	2.0	1.7	2.4	1.1	1.7	1.4	1.2	1.7
C23	Gallbladder	63	60	71	67	72	0.7	0.7	0.8	0.7	0.8	0.4	0.4	0.6	0.5	0.5
C24	Biliary tract, NOS	118	102	98	117	113	1.4	1.2	1.1	1.4	1.2	1.0	0.8	0.7	0.9	0.8
C25	Pancreas	501	534	577	542	573	6.3	6.8	7.1	6.8	6.9	4.3	4.7	4.9	4.7	4.7
C26	Other ill-defined digestive organs	8	12	8	9	15	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
C30	Nasal cavity and middle ear	12	19	13	19	14	0.1	0.3	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2
C31	Accessory sinuses	17	21	13	15	24	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.1	0.2	0.2
C32	Larynx	100	84	81	74	86	1.5	1.3	1.3	1.1	1.4	1.1	0.9	0.9	0.8	1.0
C33	Trachea	3	4	5	6	2	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0
C34	Bronchus and lung	1,562	1,599	1,710	1,878	1,776	23.2	23.4	24.8	26.8	25.2	16.5	16.7	17.6	19.1	18.1
C37	Thymus	17	8	12	12	15	0.3	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2
C38	Heart, mediastinum and pleura	4	10	6	6	14	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2
C39	Respiratory system and intrathoracic organs, NOS	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	34	41	33	37	34	0.6	0.8	0.7	0.6	0.7	0.6	0.8	0.7	0.6	0.7
C41	Bone and articular cartilage, NOS	29	36	42	34	30	0.5	0.6	0.7	0.6	0.5	0.5	0.5	0.7	0.5	0.4
C43	Malignant melanoma of skin	888	971	970	981	1,147	14.5	15.7	15.4	15.4	18.0	11.7	12.6	12.4	12.2	14.4
C44	Malignant neoplasms of skin	1,173	1,268	1,248	1,470	1,560	12.7	13.8	13.1	15.2	15.8	8.1	9.1	8.5	9.9	10.3
C45	Mesothelioma	26	47	41	48	52	0.3	0.7	0.5	0.6	0.6	0.2	0.5	0.4	0.4	0.4

C46	Kaposi's sarcoma	9	8	12	4	11	0.1	0.1	0.2	0.0	0.2	0.1	0.1	0.1	0.0	0.1
C47,C49	Soft tissues	170	140	145	164	168	2.6	2.3	2.1	2.4	2.3	2.0	2.0	1.8	2.0	1.8
C48	Retroperitoneum and peritoneum	38	42	41	39	53	0.6	0.6	0.6	0.6	0.7	0.4	0.5	0.5	0.5	0.6
C50	Breast	9,442	9,430	9,526	9,722	9,697	148.7	145.5	145.8	146.3	143.6	110.1	107.5	108.0	108.4	106.0
C51	Vulva	150	168	171	173	187	1.9	2.1	2.1	2.1	2.2	1.3	1.4	1.5	1.5	1.5
C52	Vagina	53	47	49	46	35	0.7	0.6	0.6	0.6	0.4	0.5	0.4	0.4	0.4	0.2
C53	Cervix uteri	653	656	612	704	643	10.8	11.0	10.0	11.6	10.3	8.5	8.8	7.9	9.2	8.2
C54	Corpus uteri	1,412	1,370	1,340	1,394	1,450	19.6	18.8	18.6	18.8	18.9	13.7	13.1	13.0	13.2	13.1
C55	Uterus	63	56	25	14	11	0.9	0.8	0.4	0.2	0.1	0.6	0.6	0.3	0.2	0.1
C56	Ovary	918	933	928	920	870	13.5	13.1	13.1	13.0	12.0	9.8	9.5	9.5	9.5	8.7
C57	Female genital organs, NOS	28	32	33	29	50	0.4	0.4	0.5	0.4	0.7	0.3	0.3	0.4	0.3	0.5
C58	Placenta	3	3	1	5	2	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.0
C64	Kidney	530	536	532	517	541	7.5	7.4	7.2	7.0	7.2	5.5	5.4	5.2	5.1	5.3
C65	Renal pelvis	70	71	73	79	77	0.9	0.8	0.8	0.9	0.8	0.6	0.5	0.5	0.6	0.5
C66	Ureter	32	22	33	35	41	0.4	0.2	0.4	0.4	0.4	0.2	0.1	0.3	0.3	0.3
C67	Bladder	395	452	392	417	474	4.4	5.1	4.4	4.4	5.1	2.8	3.3	2.9	2.9	3.3
C68	Urinary organs, NOS	6	6	1	6	8	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.1
C69	Eye and adnexa	51	38	33	45	39	0.8	0.7	0.5	0.7	0.6	0.7	0.7	0.4	0.6	0.6
C70	Meninges	19	12	10	12	10	0.3	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1
C71	Brain	324	292	292	310	327	5.1	4.8	4.8	4.8	5.2	4.2	4.1	4.1	4.0	4.3
C72	Spinal cord, cranial nerves and CNS, NOS	21	14	13	13	9	0.4	0.3	0.3	0.2	0.2	0.5	0.3	0.3	0.2	0.2
C73	Thyroid gland	476	507	515	517	546	8.4	8.6	9.0	8.9	9.3	6.9	7.0	7.4	7.4	7.6
C74	Adrenal gland	17	20	24	23	15	0.4	0.4	0.4	0.4	0.2	0.4	0.6	0.4	0.3	0.2
C75	Endocrine glands, NOS	5	3	9	5	7	0.1	0.1	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.1
C81	Hodgkin's disease	134	124	116	112	130	2.4	2.4	2.1	2.1	2.3	2.3	2.4	2.0	2.1	2.2
C82-C85	Non-Hodgkin-lymphoma	884	838	888	933	932	12.1	11.3	11.8	12.3	12.1	8.8	8.1	8.6	9.0	8.8
C88	Malignant immunoproliferative diseases	26	27	23	26	23	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2
C90	Multiple myeloma	378	313	303	330	319	4.9	4.0	4.0	4.3	4.0	3.3	2.7	2.8	2.9	2.7
C91	Lymphoid leukaemia	327	272	243	282	262	4.9	4.0	3.7	4.2	3.6	4.2	3.4	3.3	3.5	3.0
C92	Myeloid leukaemia	266	261	233	274	257	3.8	3.8	3.2	3.9	3.4	2.9	3.0	2.5	3.1	2.6
C93	Monocytic leukaemia	5	12	11	19	22	0.1	0.2	0.2	0.3	0.4	0.1	0.2	0.1	0.3	0.3
C94-C95	Leukaemia other	20	14	10	11	11	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1
C96	Lymphoid, haematopoietic and related tissue, NOS	6	7	8	12	12	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.3
C76	Other and ill-defined sites	25	10	11	2	4	0.4	0.1	0.2	0.0	0.1	0.3	0.2	0.1	0.0	0.1
C80	Unknown primary site	543	493	460	546	608	6.5	6.0	5.4	6.7	7.2	4.4	4.1	3.7	4.6	4.9
MPD	Myeloproliferative Disorders	154	171	191	215	205	1.9	2.2	2.5	2.7	2.6	1.3	1.6	1.8	1.9	1.8
MDS	Myelodysplastic syndromes	205	207	173	193	234	2.3	2.4	2.1	2.1	2.5	1.5	1.6	1.5	1.4	1.6
Total		27,381	27,429	27,492	28,596	29,048	391.9	389.3	386.6	395.0	394.4	285.8	284.7	282.5	288.4	286.8
Total excl. non-melanoma		26,208	26,161	26,244	27,126	27,488	379.3	375.5	373.5	379.7	378.6	277.7	275.6	274.1	278.5	276.5
Total excl. non-melanoma and MDS, MPD		25,849	25,783	25,880	26,718	27,049	375.1	370.9	368.9	375.0	373.5	274.9	272.4	270.8	275.2	273.1

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

Brussels Capital Region: Males, number of invasive tumours and age-standardised incidence by primary site and incidence year, 2004-2008

Males		N					ESR					WSR				
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2008	2004	2005	2006	2007	2008
C00	Lip	0	0	0	4	5	-	-	-	0.8	0.9	-	-	-	0.5	0.5
C01	Base of tongue	6	7	10	7	4	1.3	1.7	2.2	1.6	0.9	0.9	1.3	1.7	1.2	0.7
C02	Tongue	14	16	16	17	12	3.1	3.6	3.6	3.6	2.7	2.4	2.5	2.5	2.7	2.0
C03	Gum	2	4	5	2	2	0.5	0.9	1.0	0.4	0.4	0.4	0.7	0.7	0.2	0.3
C04	Floor of mouth	17	4	13	24	11	3.9	0.7	3.0	5.1	2.2	2.8	0.6	2.2	3.8	1.6
C05	Palate	4	6	2	4	3	1.0	1.4	0.5	1.0	0.6	0.8	1.0	0.4	0.7	0.4
C06	Mouth, NOS	6	5	3	8	4	1.2	0.9	0.6	1.8	0.7	0.8	0.6	0.4	1.3	0.4
C07	Parotid gland	3	3	5	3	3	0.6	0.7	1.1	0.4	0.6	0.4	0.5	0.7	0.2	0.4
C08	Salivary glands, NOS	3	3	3	2	0	0.7	0.6	0.5	0.3	-	0.5	0.4	0.2	0.2	-
C09	Tonsil	13	20	20	24	17	2.8	4.2	4.0	5.1	3.7	2.1	3.0	2.8	3.6	2.7
C10	Oropharynx	10	12	9	9	15	2.4	2.6	1.9	2.1	3.3	1.7	1.9	1.4	1.5	2.4
C11	Nasopharynx	10	8	14	6	5	2.0	1.6	3.0	1.3	1.1	1.7	1.4	2.6	1.0	0.8
C12	Pyriform sinus	13	16	6	13	15	3.2	3.7	1.3	2.9	3.2	2.4	2.7	0.9	2.0	2.2
C13	Hypopharynx	5	5	7	4	11	1.1	1.1	1.6	0.8	2.2	0.8	0.9	1.2	0.5	1.5
C14	Lip, oral cavity and pharynx, NOS	5	3	1	1	3	1.0	0.7	0.2	0.2	0.7	0.7	0.5	0.1	0.1	0.5
C15	Oesophagus	48	44	52	48	44	10.4	9.2	11.2	10.1	8.9	7.2	6.4	7.8	7.1	6.1
C16	Stomach	76	68	74	80	63	15.1	12.7	14.3	15.5	12.1	10.4	8.4	9.5	11.1	8.4
C17	Small intestine	6	10	7	8	12	1.3	1.9	1.4	1.5	2.4	0.9	1.3	1.0	1.1	1.7
C18	Colon	206	228	206	240	228	40.7	43.9	37.5	45.2	43.1	26.9	29.3	23.9	29.6	28.5
C19	Rectosigmoid junction	22	18	16	13	18	4.4	4.0	3.3	2.5	3.6	2.9	2.8	2.1	1.6	2.5
C20	Rectum	67	77	84	96	85	13.7	14.7	16.2	18.3	16.5	9.3	9.8	11.2	12.3	11.3
C21	Anus and anal canal	5	7	11	6	8	1.0	1.3	2.0	1.3	1.5	0.7	0.8	1.3	1.0	0.9
C22	Liver and intrahepatic bile ducts	20	29	35	36	35	4.2	5.5	6.9	7.4	6.9	3.0	3.8	4.8	5.4	4.8
C23	Gallbladder	2	1	3	2	5	0.4	0.3	0.6	0.5	1.0	0.2	0.2	0.4	0.4	0.6
C24	Biliary tract, NOS	4	11	11	11	6	0.8	2.1	2.3	2.0	1.0	0.5	1.4	1.6	1.2	0.7
C25	Pancreas	51	38	39	61	63	10.1	7.2	7.5	12.1	12.1	6.9	4.8	5.2	8.3	8.2
C26	Other ill-defined digestive organs	0	1	1	0	3	-	0.2	0.2	-	0.7	-	0.2	0.2	-	0.5
C30	Nasal cavity and middle ear	1	0	0	3	2	0.2	-	-	0.6	0.4	0.1	-	-	0.4	0.3
C31	Accessory sinuses	1	3	6	3	0	0.3	0.6	1.1	0.5	-	0.2	0.4	0.7	0.4	-
C32	Larynx	62	47	51	62	51	13.8	10.2	10.7	13.0	10.6	10.2	7.3	7.6	9.2	7.6
C33	Trachea	0	1	1	2	0	-	0.3	0.2	0.4	-	-	0.2	0.2	0.3	-
C34	Bronchus and lung	410	392	363	365	371	84.4	81.7	73.3	74.4	75.2	58.2	57.1	49.9	51.2	52.2
C37	Thymus	1	2	2	1	0	0.3	0.4	0.4	0.2	-	0.2	0.2	0.3	0.2	-
C38	Heart, mediastinum and pleura	1	1	1	1	0	0.3	0.2	0.2	0.2	-	0.2	0.1	0.1	0.1	-
C39	Respiratory system and intrathoracic organs, NOS	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	5	3	2	3	5	1.1	0.7	0.4	0.6	1.1	1.0	0.8	0.4	0.4	1.1
C41	Bone and articular cartilage, NOS	7	5	3	5	3	1.3	0.9	0.7	1.0	0.6	0.9	1.0	0.6	1.0	0.5
C43	Malignant melanoma of skin	59	65	56	71	76	11.9	12.3	10.8	14.0	14.6	8.8	8.7	7.7	10.3	10.4

C44	Malignant neoplasms of skin	166	169	154	226	197	29.3	30.2	26.8	40.7	33.5	17.5	19.0	16.5	25.0	20.1
C45	Mesothelioma	6	9	9	13	6	1.1	1.7	1.9	2.2	1.3	0.7	1.1	1.2	1.4	1.0
C46	Kaposi's sarcoma	9	9	3	14	12	1.9	1.8	0.6	2.8	2.6	1.4	1.4	0.5	2.1	1.9
C47,C49	Soft tissues	16	23	26	19	16	3.3	4.6	5.0	3.8	3.1	2.5	3.7	3.7	2.9	2.5
C48	Retroperitoneum and peritoneum	1	2	4	0	3	0.2	0.4	0.8	-	0.5	0.1	0.3	0.6	-	0.3
C50	Breast	7	8	8	8	7	1.4	1.6	1.7	1.6	1.2	1.1	1.0	1.2	1.1	0.8
C60	Penis	6	11	7	7	11	0.9	2.2	1.2	1.3	2.1	0.6	1.5	0.9	0.9	1.5
C61	Prostate	604	665	604	551	629	118.8	130.4	121.2	111.8	124.8	78.9	85.3	81.6	75.8	83.3
C62	Testis	18	26	23	25	30	3.5	5.0	4.3	4.8	5.2	3.3	4.5	4.2	4.6	5.3
C63	Male genital organs, NOS	1	2	0	1	1	0.2	0.4	-	0.1	0.2	0.1	0.5	-	0.1	0.2
C64	Kidney	55	67	43	54	73	11.1	13.8	9.0	11.2	14.9	7.9	9.6	6.7	8.2	10.4
C65	Renal pelvis	7	8	7	11	14	1.4	1.6	1.6	2.5	2.9	1.0	1.1	1.2	1.8	1.9
C66	Ureter	5	5	6	6	1	1.0	0.9	1.1	1.2	0.2	0.7	0.6	0.7	0.8	0.1
C67	Bladder	137	140	120	130	127	25.8	25.4	22.7	25.4	23.2	16.1	15.8	14.5	16.7	14.8
C68	Urinary organs, NOS	0	6	1	3	2	-	1.2	0.2	0.4	0.5	-	0.7	0.1	0.3	0.3
C69	Eye and adnexa	2	6	4	2	5	0.4	1.3	0.6	0.4	1.0	0.4	1.1	0.4	0.3	0.9
C70	Meninges	0	1	0	0	0	-	0.2	-	-	-	-	0.1	-	-	-
C71	Brain	24	35	29	27	38	5.0	7.1	5.5	5.4	7.5	3.9	6.0	5.0	4.2	6.1
C72	Spinal cord, cranial nerves and CNS, NOS	6	2	2	4	0	1.3	0.4	0.4	0.8	-	0.9	0.3	0.5	0.9	-
C73	Thyroid gland	23	15	21	26	33	4.8	3.3	4.4	5.0	6.2	3.5	2.5	3.4	3.9	4.9
C74	Adrenal gland	3	1	1	1	2	0.7	0.2	0.2	0.2	0.4	1.0	0.2	0.2	0.1	0.4
C75	Endocrine glands, NOS	1	0	0	1	2	0.2	-	-	0.2	0.5	0.3	-	-	0.2	0.5
C81	Hodgkin's disease	20	21	27	19	17	4.0	4.1	5.3	3.8	3.3	3.4	3.8	4.9	3.8	3.3
C82-C85	Non-Hodgkin-lymphoma	88	93	78	93	86	18.1	17.9	15.4	17.2	16.9	13.4	12.9	11.2	12.2	12.2
C88	Malignant immunoproliferative diseases	2	2	3	0	5	0.3	0.5	0.5	-	0.8	0.2	0.3	0.3	-	0.5
C90	Multiple myeloma	35	39	30	37	26	6.6	7.9	6.2	7.5	5.1	4.1	5.3	4.4	5.1	3.4
C91	Lymphoid leukaemia	29	49	25	30	30	6.2	10.6	5.1	5.6	6.1	5.1	9.6	4.7	4.8	5.0
C92	Myeloid leukaemia	25	25	29	31	24	4.7	4.9	5.7	6.1	4.5	3.7	3.8	4.4	4.8	3.2
C93	Monocytic leukaemia	4	2	0	0	2	0.9	0.4	-	-	0.3	0.6	0.4	-	-	0.1
C94-C95	Leukaemia other	1	3	1	2	1	0.2	0.6	0.2	0.3	0.2	0.2	0.6	0.3	0.2	0.1
C96	Lymphoid, haematopoietic and related tissue, NOS	0	0	1	1	2	-	-	0.2	0.2	0.4	-	-	0.1	0.2	0.6
C76	Other and ill-defined sites	1	1	1	0	0	0.1	0.3	0.2	-	-	0.1	0.2	0.1	-	-
C80	Unknown primary site	85	57	56	59	71	16.6	11.3	10.8	11.6	13.7	11.4	7.4	7.2	8.0	9.5
MPD	Myeloproliferative Disorders	12	8	10	6	17	2.3	1.6	2.0	1.2	3.2	1.6	1.1	1.4	0.8	2.2
MDS	Myelodysplastic syndromes	26	21	11	11	19	4.8	4.0	2.2	2.1	3.3	2.9	2.6	1.6	1.5	2.0
Total		2,590	2,694	2,482	2,663	2,697	517.3	532.1	488.6	526.2	525.0	355.8	367.2	337.6	365.0	362.0
Total excl. non-melanoma		2,424	2,525	2,328	2,437	2,500	488.0	501.9	461.8	485.6	491.5	338.2	348.2	321.1	340.0	341.9
Total excl. non-melanoma and MDS, MPD		2,386	2,496	2,307	2,420	2,464	480.9	496.3	457.5	482.3	485.0	333.8	344.5	318.2	337.6	337.8

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

Brussels Capital Region: Females, number of invasive tumours and age-standardised incidence by primary site and incidence year, 2004-2008

Females		N					ESR					WSR				
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2008	2004	2005	2006	2007	2008
C00	Lip	0	0	2	1	2	-	-	0.3	0.1	0.3	-	-	0.2	0.1	0.2
C01	Base of tongue	1	1	5	0	1	0.2	0.2	0.7	-	0.1	0.2	0.1	0.5	-	0.1
C02	Tongue	11	5	12	9	9	2.0	0.8	2.4	1.7	1.3	1.5	0.5	1.8	1.4	0.9
C03	Gum	3	3	5	2	3	0.5	0.5	0.9	0.4	0.6	0.3	0.3	0.6	0.3	0.4
C04	Floor of mouth	5	1	3	5	0	0.9	0.2	0.7	1.0	-	0.7	0.2	0.5	0.8	-
C05	Palate	2	5	7	3	3	0.4	0.9	1.2	0.6	0.6	0.3	0.6	0.9	0.4	0.5
C06	Mouth, NOS	4	5	2	0	6	0.7	0.7	0.4	-	0.7	0.5	0.5	0.3	-	0.4
C07	Parotid gland	4	5	1	2	1	0.7	0.7	0.2	0.2	0.2	0.4	0.6	0.1	0.1	0.1
C08	Salivary glands, NOS	1	2	1	1	0	0.1	0.3	0.1	0.1	-	0.0	0.2	0.1	0.0	-
C09	Tonsil	6	11	6	10	7	0.9	2.2	1.1	1.8	1.3	0.6	1.6	0.8	1.3	1.0
C10	Oropharynx	2	3	2	3	6	0.1	0.5	0.4	0.4	1.3	0.1	0.4	0.3	0.2	0.9
C11	Nasopharynx	3	2	3	3	3	0.6	0.3	0.7	0.5	0.5	0.5	0.2	0.5	0.5	0.5
C12	Pyiform sinus	2	3	5	1	2	0.4	0.5	1.0	0.2	0.4	0.3	0.3	0.7	0.2	0.3
C13	Hypopharynx	1	2	1	0	1	0.1	0.3	0.2	-	0.2	0.0	0.2	0.2	-	0.2
C14	Lip, oral cavity and pharynx, NOS	2	3	0	0	3	0.4	0.5	-	-	0.6	0.2	0.3	-	-	0.4
C15	Oesophagus	28	20	16	32	32	4.8	2.9	2.6	4.7	4.1	3.4	2.0	1.9	3.2	2.9
C16	Stomach	34	40	29	40	59	3.9	5.6	3.4	5.1	9.2	2.5	4.0	2.2	3.5	6.6
C17	Small intestine	6	7	10	6	9	0.7	1.1	1.6	0.5	1.3	0.5	0.8	1.2	0.2	0.9
C18	Colon	230	260	252	218	228	27.1	31.7	30.4	28.1	27.8	17.6	21.0	20.0	18.8	18.7
C19	Rectosigmoid junction	21	9	12	5	18	3.4	1.3	1.8	0.5	2.6	2.4	0.9	1.3	0.3	1.8
C20	Rectum	75	63	83	69	57	9.3	8.7	12.4	9.1	7.7	6.4	6.0	8.8	6.2	5.2
C21	Anus and anal canal	14	12	13	11	16	2.2	1.8	1.7	1.7	2.7	1.5	1.2	1.2	1.2	2.0
C22	Liver and intrahepatic bile ducts	13	23	17	12	21	1.5	3.4	2.4	1.6	3.1	1.0	2.6	1.7	1.1	2.2
C23	Gallbladder	4	4	6	6	2	0.5	0.6	1.0	0.7	0.4	0.4	0.4	0.7	0.4	0.3
C24	Biliary tract, NOS	8	10	12	7	7	1.3	1.0	1.3	1.0	0.9	1.0	0.7	0.8	0.8	0.5
C25	Pancreas	41	35	67	39	62	5.8	5.1	10.3	5.4	8.6	4.0	3.5	7.2	3.7	6.0
C26	Other ill-defined digestive organs	1	2	0	0	0	0.1	0.1	-	-	-	0.0	0.1	-	-	-
C30	Nasal cavity and middle ear	0	0	0	3	2	-	-	-	0.5	0.3	-	-	-	0.4	0.2
C31	Accessory sinuses	2	1	1	2	0	0.4	0.1	0.2	0.4	-	0.4	0.0	0.1	0.3	-
C32	Larynx	11	11	14	6	8	1.8	2.0	2.0	1.2	1.6	1.3	1.4	1.4	0.9	1.1
C33	Trachea	1	0	0	1	0	0.2	-	-	0.1	-	0.1	-	-	0.0	-
C34	Bronchus and lung	181	168	187	193	167	28.9	28.6	30.7	31.1	27.8	20.3	20.6	22.1	21.9	19.8
C37	Thymus	3	1	0	3	2	0.4	0.2	-	0.4	0.4	0.3	0.1	-	0.2	0.3
C38	Heart, mediastinum and pleura	1	0	0	2	1	0.2	-	-	0.2	0.2	0.4	-	-	0.2	0.1
C39	Respiratory system and intrathoracic organs, NOS	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	4	4	4	8	5	0.6	0.9	0.9	1.4	0.9	0.5	1.0	1.0	1.3	1.0
C41	Bone and articular cartilage, NOS	2	6	3	4	5	0.3	1.0	0.5	0.7	0.9	0.2	0.9	0.6	0.7	0.7
C43	Malignant melanoma of skin	84	86	89	99	99	14.1	14.6	15.2	16.4	15.3	10.8	11.2	11.4	12.5	12.0
C44	Malignant neoplasms of skin	92	124	121	154	134	10.4	15.1	13.1	17.0	13.6	6.9	10.2	8.4	11.2	8.7
C45	Mesothelioma	1	3	2	5	0	0.2	0.6	0.4	0.7	-	0.1	0.4	0.3	0.5	-

C46	Kaposi's sarcoma	2	2	4	0	4	0.4	0.4	0.8	-	0.6	0.3	0.3	0.7	-	0.5
C47,C49	Soft tissues	14	19	14	16	15	2.3	3.5	2.6	2.4	2.2	1.8	3.0	2.1	2.2	1.9
C48	Retroperitoneum and peritoneum	5	1	3	6	3	0.8	0.2	0.5	1.0	0.5	0.6	0.2	0.4	0.7	0.3
C50	Breast	925	873	933	923	895	163.5	150.0	162.1	157.9	150.6	121.5	110.4	119.9	116.4	109.8
C51	Vulva	15	13	13	26	25	1.8	1.8	1.9	3.5	3.2	1.2	1.2	1.3	2.4	2.2
C52	Vagina	5	5	3	5	5	0.5	0.7	0.6	0.9	0.7	0.3	0.5	0.5	0.6	0.5
C53	Cervix uteri	62	62	85	73	72	10.8	10.9	15.0	13.6	12.2	8.3	8.6	11.7	10.6	9.5
C54	Corpus uteri	109	101	102	105	114	16.2	14.8	15.1	16.0	16.5	11.1	10.2	10.4	11.1	11.3
C55	Uterus	4	2	2	1	1	0.7	0.3	0.3	0.1	0.2	0.4	0.2	0.2	0.1	0.2
C56	Ovary	74	84	65	75	74	13.0	12.9	10.4	11.5	11.4	9.8	9.3	7.7	8.3	8.3
C57	Female genital organs, NOS	2	2	3	2	9	0.4	0.3	0.4	0.2	1.2	0.3	0.2	0.3	0.1	0.8
C58	Placenta	0	0	0	0	1	-	-	-	-	0.2	-	-	-	-	0.1
C64	Kidney	28	33	36	27	32	4.5	5.7	5.2	4.2	5.2	3.5	4.3	3.9	3.2	4.0
C65	Renal pelvis	5	6	8	9	9	1.0	0.8	1.0	1.1	1.1	0.8	0.5	0.7	0.7	0.8
C66	Ureter	3	3	1	3	6	0.2	0.2	0.2	0.4	0.7	0.1	0.1	0.1	0.3	0.5
C67	Bladder	34	46	39	37	32	4.3	6.0	4.9	4.0	4.0	2.8	3.9	3.3	2.5	2.6
C68	Urinary organs, NOS	0	1	0	2	2	-	0.2	-	0.2	0.3	-	0.2	-	0.1	0.2
C69	Eye and adnexa	6	8	1	4	3	1.0	1.7	0.2	0.7	0.6	0.8	2.0	0.3	0.5	0.6
C70	Meninges	1	0	0	0	2	0.2	-	-	-	0.2	0.1	-	-	-	0.1
C71	Brain	27	21	33	18	32	4.9	4.1	6.2	2.9	5.4	4.0	3.7	5.4	2.4	4.4
C72	Spinal cord, cranial nerves and CNS, NOS	1	2	1	0	1	0.2	0.4	0.2	-	0.1	0.1	0.3	0.2	-	0.2
C73	Thyroid gland	79	54	63	86	67	15.3	10.2	11.9	16.0	12.7	12.5	8.1	9.8	13.3	10.4
C74	Adrenal gland	1	2	4	3	2	0.2	0.4	0.8	0.5	0.4	0.2	0.5	0.9	0.4	0.3
C75	Endocrine glands, NOS	0	0	1	0	2	-	-	0.2	-	0.4	-	-	0.2	-	0.5
C81	Hodgkin's disease	17	7	9	11	16	2.7	1.3	1.7	2.1	2.9	2.4	1.3	1.6	2.1	3.0
C82-C85	Non-Hodgkin-lymphoma	84	100	81	105	94	12.3	14.4	12.7	15.1	12.4	9.5	10.4	9.8	10.8	8.9
C88	Malignant immunoproliferative diseases	1	4	2	1	1	0.2	0.5	0.3	0.1	0.2	0.2	0.3	0.2	0.0	0.2
C90	Multiple myeloma	46	31	25	31	24	6.7	4.8	3.9	4.5	2.8	4.6	3.4	2.8	3.0	1.9
C91	Lymphoid leukaemia	31	24	17	32	27	4.5	4.1	2.9	5.3	4.2	4.3	4.0	2.7	4.6	3.2
C92	Myeloid leukaemia	31	33	19	33	31	4.8	5.5	2.7	5.3	4.4	3.9	4.9	2.0	3.9	3.4
C93	Monocytic leukaemia	0	0	1	4	4	-	-	0.2	0.5	0.8	-	-	0.2	0.3	0.6
C94-C95	Leukaemia other	1	1	2	2	1	0.1	0.1	0.3	0.1	0.2	0.0	0.0	0.2	0.1	0.2
C96	Lymphoid, haematopoietic and related tissue, NOS	2	0	1	0	4	0.3	-	0.2	-	0.8	0.2	-	0.3	-	0.8
C76	Other and ill-defined sites	2	2	1	0	1	0.3	0.2	0.2	-	0.2	0.2	0.2	0.1	-	0.2
C80	Unknown primary site	66	45	62	62	77	8.1	6.1	7.8	8.3	10.2	5.6	4.1	5.3	5.7	7.0
MPD	Myeloproliferative Disorders	8	15	10	14	16	0.9	2.1	1.6	2.2	1.7	0.6	1.5	1.3	1.6	1.1
MDS	Myelodysplastic syndromes	15	17	10	14	16	1.9	1.8	1.1	1.8	1.9	1.4	1.1	0.7	1.1	1.2
Total		2,610	2,559	2,647	2,695	2,701	411.1	401.0	418.3	418.1	410.8	301.6	293.9	306.6	304.0	298.5
Total excl. non-melanoma		2,518	2,435	2,526	2,541	2,567	400.7	386.0	405.3	401.1	397.2	294.7	283.8	298.2	292.8	289.8
Total excl. non-melanoma and MDS, MPD		2,495	2,403	2,506	2,513	2,535	397.9	382.1	402.6	397.2	393.7	292.7	281.2	296.3	290.1	287.6

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

Walloon Region: Males, number of invasive tumours and age-standardised incidence by primary site and incidence year, 2004-2008

Males		N					ESR					WSR					
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2008	2004	2005	2006	2007	2008	
C00	Lip	16	17	15	12	13	0.9	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.4
C01	Base of tongue	21	28	28	32	41	1.3	1.6	1.6	1.8	2.2	0.9	1.1	1.2	1.3	1.7	
C02	Tongue	77	63	71	63	69	4.4	3.5	4.0	3.6	3.7	3.1	2.5	3.0	2.6	2.6	
C03	Gum	15	20	16	22	18	0.8	1.3	0.9	1.2	0.9	0.6	0.9	0.6	0.8	0.7	
C04	Floor of mouth	59	70	46	67	57	3.4	4.1	2.5	3.8	3.1	2.4	3.0	1.8	2.8	2.3	
C05	Palate	22	34	30	27	26	1.3	1.9	1.7	1.5	1.4	0.9	1.4	1.3	1.1	1.0	
C06	Mouth, NOS	34	19	13	20	24	2.0	1.1	0.7	1.1	1.2	1.4	0.8	0.5	0.8	0.8	
C07	Parotid gland	13	15	19	23	18	0.7	0.9	1.0	1.1	1.0	0.5	0.6	0.7	0.8	0.7	
C08	Salivary glands, NOS	8	9	0	10	3	0.4	0.5	-	0.6	0.2	0.3	0.4	-	0.4	0.1	
C09	Tonsil	68	63	43	83	78	3.9	3.6	2.5	4.6	4.3	2.9	2.6	1.8	3.4	3.3	
C10	Oropharynx	44	52	43	43	58	2.6	3.0	2.5	2.3	3.1	1.9	2.2	1.8	1.7	2.3	
C11	Nasopharynx	13	12	10	13	12	0.7	0.7	0.5	0.7	0.7	0.6	0.5	0.4	0.5	0.6	
C12	Pyrimiform sinus	57	56	68	76	64	3.3	3.1	3.8	4.3	3.5	2.5	2.2	2.8	3.2	2.6	
C13	Hypopharynx	14	15	18	27	21	0.8	0.9	1.0	1.5	1.2	0.6	0.6	0.8	1.1	0.8	
C14	Lip, oral cavity and pharynx, NOS	28	26	17	8	9	1.6	1.5	1.0	0.5	0.5	1.2	1.1	0.7	0.4	0.4	
C15	Oesophagus	215	227	219	207	231	11.8	12.3	11.9	11.1	11.9	8.3	8.7	8.4	7.8	8.4	
C16	Stomach	276	285	272	267	211	14.8	15.0	13.9	13.3	10.5	9.8	10.3	9.1	9.0	7.0	
C17	Small intestine	27	34	29	30	34	1.4	1.8	1.6	1.5	1.7	1.0	1.3	1.1	1.1	1.2	
C18	Colon	767	781	772	792	796	39.8	39.5	39.4	38.7	39.1	26.4	26.0	26.2	25.4	25.9	
C19	Rectosigmoid junction	76	68	39	45	37	3.9	3.5	2.0	2.2	1.8	2.6	2.4	1.2	1.5	1.2	
C20	Rectum	358	354	394	370	400	19.0	18.1	20.3	19.2	19.9	12.9	11.9	13.6	13.1	13.4	
C21	Anus and anal canal	14	12	18	16	12	0.7	0.7	0.9	0.8	0.7	0.4	0.5	0.7	0.6	0.4	
C22	Liver and intrahepatic bile ducts	99	105	142	149	152	5.1	5.5	7.6	7.9	7.8	3.5	3.8	5.4	5.7	5.6	
C23	Gallbladder	14	9	4	4	9	0.6	0.5	0.2	0.2	0.4	0.3	0.4	0.1	0.1	0.2	
C24	Biliary tract, NOS	44	34	31	49	41	2.5	1.7	1.6	2.5	2.1	1.8	1.1	1.0	1.7	1.5	
C25	Pancreas	190	181	215	233	165	9.9	9.4	11.2	12.1	8.3	6.7	6.5	7.6	8.3	5.7	
C26	Other ill-defined digestive organs	9	6	7	4	7	0.4	0.3	0.4	0.2	0.3	0.3	0.2	0.3	0.1	0.2	
C30	Nasal cavity and middle ear	12	5	6	11	9	0.6	0.3	0.3	0.6	0.5	0.5	0.2	0.2	0.4	0.3	
C31	Accessory sinuses	10	23	11	13	16	0.6	1.1	0.6	0.7	0.8	0.4	0.8	0.5	0.5	0.6	
C32	Larynx	220	199	168	221	223	12.6	11.0	9.2	11.7	11.8	9.1	7.8	6.6	8.3	8.4	
C33	Trachea	4	5	2	3	2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	
C34	Bronchus and lung	1,844	1,834	1,759	1,793	1,796	97.4	96.2	92.3	92.2	90.4	66.6	65.5	63.1	63.2	61.7	
C37	Thymus	4	5	6	6	3	0.2	0.3	0.3	0.3	0.1	0.2	0.2	0.2	0.3	0.1	
C38	Heart, mediastinum and pleura	2	1	3	6	2	0.1	0.0	0.2	0.4	0.1	0.1	0.0	0.2	0.3	0.0	
C39	Respiratory system and intrathoracic organs, NOS	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	
C40	Bone and articular cartilage of limbs	13	8	11	13	11	0.8	0.5	0.7	0.8	0.6	0.8	0.5	0.6	0.8	0.6	
C41	Bone and articular cartilage, NOS	12	9	10	11	6	0.7	0.6	0.5	0.6	0.3	0.6	0.7	0.4	0.5	0.4	
C43	Malignant melanoma of skin	203	198	185	219	255	11.3	10.7	10.2	11.9	13.6	8.7	7.9	7.7	9.2	10.2	

C44	Malignant neoplasms of skin	548	533	548	656	637	27.6	26.9	27.1	30.8	29.5	17.0	16.8	16.8	18.8	18.4
C45	Mesothelioma	66	60	48	48	54	3.5	3.0	2.3	2.4	2.7	2.4	2.0	1.4	1.6	1.8
C46	Kaposi's sarcoma	5	5	5	7	6	0.3	0.3	0.2	0.4	0.3	0.2	0.2	0.1	0.2	0.3
C47,C49	Soft tissues	49	53	42	52	65	2.6	2.9	2.3	2.8	3.6	1.9	2.2	1.8	2.3	2.9
C48	Retroperitoneum and peritoneum	7	3	3	6	11	0.4	0.2	0.2	0.3	0.6	0.3	0.1	0.1	0.3	0.5
C50	Breast	23	25	21	20	29	1.4	1.2	1.1	1.0	1.5	1.0	0.8	0.7	0.7	1.0
C60	Penis	22	20	16	24	18	1.2	1.1	0.8	1.3	0.9	0.8	0.8	0.6	0.9	0.6
C61	Prostate	3,201	2,922	2,731	2,457	2,385	168.5	152.8	142.5	126.2	120.9	113.0	102.6	96.6	85.9	82.0
C62	Testis	106	103	101	110	114	6.5	6.3	6.1	6.7	6.9	6.3	6.0	5.8	6.6	6.5
C63	Male genital organs, NOS	3	4	3	3	2	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1
C64	Kidney	259	256	272	261	289	14.2	13.6	14.7	13.6	15.0	10.4	9.8	10.8	9.6	10.7
C65	Renal pelvis	32	33	29	38	34	1.5	1.6	1.4	1.8	1.7	1.0	1.1	0.9	1.1	1.2
C66	Ureter	33	24	17	31	27	1.7	1.3	0.8	1.5	1.3	1.2	0.9	0.6	0.9	0.8
C67	Bladder	570	512	459	506	514	29.4	26.0	23.0	24.9	24.6	19.0	17.0	14.9	16.2	15.9
C68	Urinary organs, NOS	4	12	11	10	9	0.2	0.5	0.6	0.4	0.5	0.1	0.4	0.4	0.3	0.3
C69	Eye and adnexa	7	13	16	16	12	0.4	0.9	0.8	0.9	0.7	0.4	1.0	0.7	0.7	0.7
C70	Meninges	4	4	1	0	2	0.2	0.2	0.1	-	0.1	0.2	0.2	0.0	-	0.1
C71	Brain	142	135	129	128	132	8.2	7.6	7.1	7.1	7.4	7.0	6.3	5.8	5.6	6.4
C72	Spinal cord, cranial nerves and CNS, NOS	12	0	4	3	3	0.7	-	0.3	0.2	0.2	0.6	-	0.3	0.3	0.2
C73	Thyroid gland	69	87	75	79	86	3.9	5.1	4.3	4.4	4.7	3.1	4.1	3.3	3.5	3.7
C74	Adrenal gland	5	5	3	10	7	0.3	0.3	0.2	0.7	0.5	0.4	0.4	0.1	0.9	0.6
C75	Endocrine glands, NOS	0	1	4	0	1	-	0.1	0.2	-	0.1	-	0.1	0.2	-	0.0
C81	Hodgkin's disease	59	52	61	60	66	3.6	3.2	3.6	3.4	3.8	3.3	3.0	3.3	3.1	3.3
C82-C85	Non-Hodgkin-lymphoma	344	350	306	345	351	18.5	18.7	16.2	18.2	18.2	13.4	13.4	11.8	13.5	13.6
C88	Malignant immunoproliferative diseases	12	8	7	10	10	0.6	0.4	0.4	0.5	0.5	0.4	0.3	0.3	0.4	0.4
C90	Multiple myeloma	103	98	118	123	85	5.2	5.1	6.0	6.4	4.2	3.5	3.4	4.0	4.3	2.8
C91	Lymphoid leukaemia	111	109	105	95	119	6.4	6.0	5.7	5.2	6.2	5.7	5.1	4.5	4.4	5.1
C92	Myeloid leukaemia	85	105	78	115	98	4.6	5.8	4.3	6.2	5.0	3.5	4.5	3.3	4.6	3.6
C93	Monocytic leukaemia	2	1	6	7	3	0.1	0.1	0.3	0.3	0.2	0.1	0.0	0.3	0.2	0.1
C94-C95	Leukaemia other	6	8	7	9	5	0.3	0.5	0.3	0.4	0.2	0.2	0.3	0.2	0.3	0.2
C96	Lymphoid, haematopoietic and related tissue, NOS	6	2	4	1	4	0.4	0.1	0.3	0.1	0.2	0.4	0.2	0.4	0.1	0.2
C76	Other and ill-defined sites	2	7	10	2	0	0.1	0.4	0.6	0.1	-	0.1	0.3	0.5	0.0	-
C80	Unknown primary site	234	223	228	204	227	12.4	11.7	11.5	10.3	11.6	8.4	8.0	7.7	7.1	7.9
MPD	Myeloproliferative Disorders	34	33	35	42	52	1.9	1.6	1.9	2.0	2.6	1.4	1.1	1.4	1.3	1.9
MDS	Myelodysplastic syndromes	80	59	54	41	74	4.2	2.8	2.5	1.9	3.4	2.8	1.7	1.6	1.2	2.1
Total		11,147	10,747	10,297	10,507	10,460	593.9	565.9	539.7	540.9	530.5	411.1	391.5	373.9	376.7	369.3
Total excl. non-melanoma		10,599	10,214	9,749	9,851	9,823	566.2	539.0	512.6	510.0	501.0	394.0	374.7	357.1	357.9	350.9
Total excl. non-melanoma and MDS, MPD		10,485	10,122	9,660	9,768	9,697	560.1	534.6	508.2	506.1	495.0	389.8	371.8	354.1	355.4	346.9

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

Walloon Region: Females, number of invasive tumours and age-standardised incidence by primary site and incidence year, 2004-2008

Females		N					ESR					WSR				
		2004	2005	2006	2007	2008	2004	2005	2006	2007	2008	2004	2005	2006	2007	2008
C00	Lip	4	9	7	6	1	0.1	0.3	0.3	0.2	0.1	0.1	0.2	0.2	0.1	0.0
C01	Base of tongue	5	6	8	13	10	0.3	0.4	0.4	0.7	0.5	0.2	0.3	0.3	0.5	0.4
C02	Tongue	28	21	26	23	23	1.3	1.0	1.3	1.1	1.0	1.0	0.7	1.0	0.9	0.7
C03	Gum	15	11	8	13	15	0.7	0.4	0.4	0.5	0.7	0.5	0.3	0.3	0.4	0.5
C04	Floor of mouth	11	11	7	22	16	0.6	0.6	0.4	1.1	0.7	0.4	0.4	0.3	0.8	0.5
C05	Palate	13	8	12	7	14	0.7	0.5	0.6	0.4	0.7	0.6	0.4	0.4	0.3	0.5
C06	Mouth, NOS	17	12	9	12	7	0.7	0.5	0.4	0.5	0.3	0.5	0.4	0.3	0.4	0.2
C07	Parotid gland	14	14	15	22	13	0.6	0.6	0.6	1.0	0.6	0.5	0.4	0.5	0.8	0.5
C08	Salivary glands, NOS	8	3	6	3	4	0.4	0.2	0.3	0.1	0.2	0.3	0.2	0.2	0.1	0.1
C09	Tonsil	29	22	22	36	36	1.5	1.1	1.2	1.8	1.7	1.1	0.9	0.8	1.3	1.2
C10	Oropharynx	11	14	15	17	13	0.5	0.7	0.7	0.8	0.6	0.3	0.5	0.5	0.6	0.5
C11	Nasopharynx	3	4	1	4	5	0.1	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.2	0.2
C12	Pyiform sinus	6	5	12	8	9	0.3	0.3	0.7	0.4	0.4	0.2	0.2	0.5	0.3	0.3
C13	Hypopharynx	6	9	4	5	12	0.3	0.5	0.2	0.3	0.6	0.2	0.3	0.2	0.2	0.5
C14	Lip, oral cavity and pharynx, NOS	5	9	8	2	4	0.2	0.5	0.4	0.1	0.2	0.2	0.3	0.3	0.1	0.2
C15	Oesophagus	84	80	73	82	81	3.4	3.3	3.1	3.4	3.4	2.3	2.3	2.2	2.3	2.4
C16	Stomach	151	146	164	143	152	5.7	5.2	6.0	5.2	5.4	3.9	3.5	4.1	3.6	3.6
C17	Small intestine	35	32	37	34	30	1.4	1.3	1.7	1.3	1.2	1.0	0.9	1.3	0.9	0.8
C18	Colon	779	772	785	791	779	27.9	28.2	27.6	27.4	26.6	18.6	19.0	18.7	18.3	17.8
C19	Rectosigmoid junction	76	55	45	33	29	3.0	2.0	1.6	1.3	1.1	2.0	1.4	1.0	0.9	0.7
C20	Rectum	278	311	271	310	293	10.8	12.6	9.8	11.8	11.1	7.4	8.7	6.6	8.2	7.5
C21	Anus and anal canal	29	28	30	29	27	1.3	1.1	1.2	1.1	1.3	1.0	0.8	0.8	0.7	0.9
C22	Liver and intrahepatic bile ducts	28	54	49	46	66	1.1	2.4	1.8	1.7	2.5	0.8	1.8	1.2	1.2	1.7
C23	Gallbladder	20	13	21	15	22	0.6	0.5	0.8	0.6	0.7	0.4	0.3	0.5	0.4	0.5
C24	Biliary tract, NOS	33	28	14	41	32	1.2	1.0	0.6	1.5	1.0	0.8	0.7	0.4	1.0	0.6
C25	Pancreas	174	187	205	185	196	6.9	7.5	7.7	7.3	7.3	4.8	5.3	5.2	5.1	5.0
C26	Other ill-defined digestive organs	5	7	6	6	6	0.2	0.3	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.2
C30	Nasal cavity and middle ear	5	3	6	2	7	0.2	0.2	0.4	0.1	0.3	0.1	0.1	0.3	0.0	0.2
C31	Accessory sinuses	7	9	4	7	4	0.3	0.4	0.2	0.4	0.2	0.2	0.3	0.2	0.3	0.2
C32	Larynx	44	39	39	22	40	2.1	1.9	1.9	1.1	2.0	1.5	1.4	1.3	0.8	1.5
C33	Trachea	1	1	0	2	1	0.1	0.0	-	0.0	0.1	0.0	0.0	-	0.0	0.0
C34	Bronchus and lung	551	566	637	690	652	26.0	26.5	29.0	31.5	29.2	18.8	19.2	20.9	22.8	21.1
C37	Thymus	6	2	4	5	5	0.3	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2
C38	Heart, mediastinum and pleura	0	6	3	0	6	-	0.3	0.2	-	0.3	-	0.3	0.1	-	0.2
C39	Respiratory system and intrathoracic organs, NOS	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	9	7	9	7	12	0.5	0.4	0.5	0.4	0.7	0.5	0.4	0.5	0.3	0.8
C41	Bone and articular cartilage, NOS	13	9	15	9	10	0.8	0.5	0.8	0.5	0.5	0.7	0.5	0.7	0.4	0.5
C43	Malignant melanoma of skin	310	327	282	311	369	15.9	16.7	13.9	15.5	18.2	13.2	13.5	11.5	12.5	14.6
C44	Malignant neoplasms of skin	387	414	358	459	479	12.1	13.9	11.2	14.4	14.7	7.6	9.1	7.1	9.3	9.6
C45	Mesothelioma	6	10	15	11	14	0.3	0.5	0.6	0.5	0.5	0.2	0.3	0.4	0.3	0.4

C46	Kaposi's sarcoma	3	4	4	1	3	0.1	0.2	0.2	0.0	0.1	0.1	0.1	0.1	0.0	0.1
C47,C49	Soft tissues	56	28	47	50	48	2.6	1.3	2.2	2.2	2.1	2.2	1.1	1.9	1.8	1.7
C48	Retroperitoneum and peritoneum	7	16	18	14	17	0.3	0.7	0.8	0.7	0.6	0.3	0.6	0.6	0.5	0.5
C50	Breast	3,182	3,056	3,076	3,105	3,274	155.4	145.7	146.8	145.3	149.5	115.1	107.8	109.2	108.0	110.4
C51	Vulva	50	53	56	67	50	1.9	2.0	2.1	2.4	1.7	1.3	1.4	1.4	1.6	1.2
C52	Vagina	21	14	19	15	11	0.8	0.6	0.7	0.6	0.3	0.5	0.4	0.4	0.5	0.2
C53	Cervix uteri	219	189	167	229	211	11.2	9.8	8.5	11.7	10.7	8.9	7.8	6.7	9.2	8.6
C54	Corpus uteri	448	438	404	431	428	19.1	18.8	17.3	17.7	17.3	13.4	13.2	12.2	12.3	12.0
C55	Uterus	37	26	7	7	2	1.6	1.1	0.3	0.3	0.1	1.1	0.8	0.2	0.2	0.1
C56	Ovary	274	288	280	299	263	12.3	12.6	12.4	12.9	11.6	8.9	9.2	8.9	9.5	8.6
C57	Female genital organs, NOS	10	11	16	5	19	0.5	0.4	0.7	0.2	0.8	0.4	0.3	0.5	0.2	0.5
C58	Placenta	1	2	0	1	0	0.1	0.1	-	0.1	-	0.0	0.1	-	0.0	-
C64	Kidney	150	168	161	143	159	6.8	7.4	6.6	5.9	6.9	5.1	5.6	4.8	4.3	5.2
C65	Renal pelvis	21	21	22	26	22	0.7	0.6	0.8	0.9	0.7	0.5	0.4	0.5	0.6	0.4
C66	Ureter	12	7	14	4	8	0.5	0.2	0.6	0.1	0.3	0.4	0.1	0.4	0.0	0.2
C67	Bladder	116	135	99	124	154	4.0	4.6	3.8	3.9	5.1	2.6	3.0	2.6	2.5	3.3
C68	Urinary organs, NOS	2	1	1	0	0	0.0	0.0	0.0	-	-	0.0	0.0	0.0	-	-
C69	Eye and adnexa	16	9	17	11	10	0.8	0.5	0.9	0.6	0.5	0.8	0.5	0.7	0.5	0.4
C70	Meninges	6	5	4	3	2	0.3	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1
C71	Brain	92	108	101	100	100	4.7	5.6	4.8	4.8	5.2	4.1	4.9	3.8	4.1	4.5
C72	Spinal cord, cranial nerves and CNS, NOS	9	4	3	5	1	0.4	0.3	0.2	0.3	0.1	0.4	0.3	0.2	0.3	0.0
C73	Thyroid gland	228	222	230	222	256	12.3	12.0	12.5	12.2	13.6	10.0	9.8	10.3	10.1	11.0
C74	Adrenal gland	4	10	9	9	2	0.2	0.7	0.5	0.4	0.1	0.2	0.8	0.5	0.4	0.1
C75	Endocrine glands, NOS	1	0	1	3	2	0.0	-	0.1	0.2	0.1	0.0	-	0.0	0.2	0.2
C81	Hodgkin's disease	41	39	37	44	42	2.2	2.4	1.9	2.4	2.4	2.1	2.4	1.8	2.5	2.4
C82-C85	Non-Hodgkin-lymphoma	310	260	290	315	313	13.2	11.1	11.7	13.0	13.1	9.5	8.1	8.2	9.5	9.7
C88	Malignant immunoproliferative diseases	9	3	7	13	4	0.4	0.1	0.3	0.5	0.2	0.3	0.1	0.2	0.4	0.1
C90	Multiple myeloma	113	82	90	90	78	4.7	3.2	3.5	3.7	3.0	3.2	2.2	2.5	2.5	2.1
C91	Lymphoid leukaemia	80	64	59	67	75	3.8	3.1	2.7	2.9	3.3	3.4	2.6	2.4	2.3	2.9
C92	Myeloid leukaemia	75	71	81	85	79	3.4	3.2	3.5	3.9	3.2	2.7	2.5	2.7	3.2	2.5
C93	Monocytic leukaemia	1	4	1	2	4	0.0	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.1
C94-C95	Leukaemia other	10	3	2	3	3	0.3	0.2	0.1	0.2	0.1	0.2	0.1	0.0	0.1	0.1
C96	Lymphoid, haematopoietic and related tissue, NOS	2	2	3	5	4	0.1	0.1	0.1	0.2	0.3	0.1	0.2	0.1	0.2	0.3
C76	Other and ill-defined sites	7	5	3	0	0	0.3	0.2	0.1	-	-	0.2	0.3	0.1	-	-
C80	Unknown primary site	200	186	169	207	241	7.4	7.3	6.5	8.0	9.2	5.0	5.1	4.6	5.6	6.3
MPD	Myeloproliferative Disorders	38	36	48	40	53	1.5	1.4	2.2	1.5	1.9	1.0	1.0	1.6	1.1	1.3
MDS	Myelodysplastic syndromes	63	53	68	34	62	2.2	2.1	2.8	1.1	2.1	1.4	1.4	2.0	0.7	1.4
Total		9,120	8,887	8,846	9,212	9,494	406.5	394.4	386.7	397.4	403.9	298.0	290.3	283.3	291.4	295.6
Total excl. non-melanoma		8,733	8,473	8,488	8,753	9,015	394.4	380.5	375.5	383.0	389.2	290.4	281.2	276.2	282.2	286.0
Total excl. non-melanoma and MDS, MPD		8,632	8,384	8,372	8,679	8,900	390.7	377.0	370.5	380.4	385.3	288.0	278.7	272.6	280.3	283.4

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)



Belgian Cancer Registry