

© 2014 Belgian Cancer Registry
Stichting Kankerregister – Fondation Registre du Cancer –
Stiftung Krebsregister

Editorial team:

David Jegou, Viki Schillemans, Geert Silversmit, Nancy Van Damme,
Julie Francart, Katia Emmerechts, Liesbet Van Eycken

Staff at the Belgian Cancer Registry:

Nancy Van Damme, David Jegou, Cindy De Gendt, Jessica Vandeven, Viki Schillemans, Harlinde De Schutter, Jordan Delbar, Jérôme Xicluna, Pieter Vande Putte, Geert Silversmit, Tamara Vandendael, Kim Vande Looek, Marijke Vanspauwen, Joke Werbrouck, Sarah De Clercq, Mia Slabbaert, Martine Verstrecken, Greet Pieters, Linda Thibaut, Frédéric Calay, Marie-José Hoovelts, Sophie Petit, Emilie Vandeghinste, Christel Vervoort, Annelies Goossens, Linda Picalausa, Sofie Pardon, Jeroen Eeckhaut, Eva Van der Stock, Araceli Diez-Fraile, Annemie Haelens, Caroline Androge, Lynn Huyck, Sarah Pringels, Hélène Lequeux, Harm Vermeylen, Isabel De Brabander, Kris Henau, Karen Vos, Amandine Vercauteren, Julie Francart, Katia Emmerechts, Liesbet Van Eycken

Responsible editor:

Liesbet Van Eycken, Koningstraat 215, 1210 Brussel

Design:

Echo Design, www.echodesign.be

D/2014/11.846/1

Use of data:

The information in this publication may be used freely provided source and reference are correctly cited.

Recommended reference:

Cancer Prevalence in Belgium 2010, Belgian Cancer Registry, Brussels 2014

Additional information can be requested by contacting:

Tel. 0032-2-250 10 10

Fax 0032-2-250 10 11

Email: info@kankerregister.org info@registreducancer.org

With the financial support of:



Acknowledgements:

We would like to thank all physicians, pathologists and hospital data managers for their active involvement in the cancer registration work.

Cancer prevalence in Belgium

2010

Belgian Cancer Registry



Table of contents

1 INTRODUCTION	17
The Belgian Cancer Registry	17
Background to the report	17
Objectives of the report	17
2 DATA SOURCES	18
Data collection	18
Belgian population	18
Study population	18
3 METHODS	19
4 SUMMARY OF FINDINGS	21
All cancers	21
Cancer type	21
Comparison by sex	21
Comparison by age group	22
Conclusions	24

5 RESULTS BY CANCER TYPES**25**

All cancers (ICD-10: C00-C43; C45-C97)	25
Head and Neck (ICD-10: C00-C14; C30-C32)	30
Head and Neck – Larynx only (ICD-10: C32)	35
Oesophagus (ICD-10: C15)	40
Stomach (ICD-10: C16)	44
Colorectal (ICD-10: C18-C20)	48
Liver (ICD-10: C22)	53
Pancreas (ICD-10: C25)	57
Lung (ICD-10: C34)	61
Bone and Soft-tissue tumours (ICD-10: C40-C41; C47; C49)	66
Melanoma of skin (ICD-10: C43)	70
Female Breast (ICD-10: C50)	74
Cervix uteri (ICD-10: C53)	77
Corpus uteri (ICD-10: C54)	80
Ovary (ICD-10: C56)	83
Prostate (ICD-10: C61)	86
Testis (ICD-10: C62)	89
Kidney (ICD-10: C64)	92
Bladder (ICD-10: C67)	96
Brain (ICD-10: C71)	101
Thyroid gland (ICD-10: C73)	105
Hodgkin's lymphoma (ICD-10: C81)	109
Non-Hodgkin lymphoma (ICD-10: C82-C86)	113
Multiple myeloma (ICD-10: C90)	117
Leukaemia (ICD-10: C91-C95)	121

List of tables

ALL CANCERS (ICD-10: C00-C43; C45-C97) 25

TABLE 1 - Prevalence for all persons by time since diagnosis on 31 st December 2010	25
TABLE 2 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	25
TABLE 3 - Prevalence for males by age group and time since diagnosis on 31 st December 2010	27
TABLE 4 - Prevalence for females by age group and time since diagnosis on 31 st December 2010	27
TABLE 5 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	28
TABLE 6 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	28
TABLE 6a - Brussels-Capital Region	28
TABLE 6b - Flemish Region	29
TABLE 6c - Walloon Region	29

HEAD AND NECK (ICD-10: C00-C14; C30-C32) 30

TABLE 7 - Prevalence for all persons by time since diagnosis on 31 st December 2010	30
TABLE 8 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	30
TABLE 9 - Prevalence for males by age group and time since diagnosis on 31 st December 2010	32
TABLE 10 - Prevalence for females by age group and time since diagnosis on 31 st December 2010	32
TABLE 11 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	33
TABLE 12 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	33
TABLE 12a - Brussels-Capital Region	33
TABLE 12b - Flemish Region	34
TABLE 12c - Walloon Region	34

HEAD AND NECK – LARYNX ONLY (ICD-10: C32) 35

TABLE 13 - Prevalence for all persons by time since diagnosis on 31 st December 2010	35
TABLE 14 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	35
TABLE 15 - Prevalence for males by age group and time since diagnosis on 31 st December 2010	37

TABLE 16 - Prevalence for females by age group and time since diagnosis on 31 st December 2010	37
TABLE 17 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	38
TABLE 18 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	38
TABLE 18a - Brussels-Capital Region	38
TABLE 18b - Flemish Region	39
TABLE 18c - Walloon Region	39

OESOPHAGUS (ICD-10: C15) 40

TABLE 19 - Prevalence for all persons by time since diagnosis on 31 st December 2010	40
TABLE 20 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	40
TABLE 21 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	42
TABLE 22 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	42
TABLE 22a - Brussels-Capital Region	42
TABLE 22b - Flemish Region	43
TABLE 22c - Walloon Region	43

STOMACH (ICD-10: C16) 44

TABLE 23 - Prevalence for all persons by time since diagnosis on 31 st December 2010	44
TABLE 24 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	44
TABLE 25 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	46
TABLE 26 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	46
TABLE 26a - Brussels-Capital Region	46
TABLE 26b - Flemish Region	47
TABLE 26c - Walloon Region	47

COLORECTAL (ICD-10: C18-C20) 48

TABLE 27 - Prevalence for all persons by time since diagnosis on 31 st December 2010	48
TABLE 28 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	48
TABLE 29 - Prevalence for males by age group and time since diagnosis on 31 st December 2010	50
TABLE 30 - Prevalence for females by age group and time since diagnosis on 31 st December 2010	50
TABLE 31 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	51
TABLE 32 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	51

TABLE 32a - Brussels-Capital Region	51
TABLE 32b - Flemish Region	52
TABLE 32c - Walloon Region	52

LIVER (ICD-10: C22) 53

TABLE 33 - Prevalence for all persons by time since diagnosis on 31 st December 2010	53
TABLE 34 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	53
TABLE 35 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	55
TABLE 36 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	55
TABLE 36a - Brussels-Capital Region	55
TABLE 36b - Flemish Region	56
TABLE 36c - Walloon Region	56

PANCREAS (ICD-10: C25) 57

TABLE 37 - Prevalence for all persons by time since diagnosis on 31 st December 2010	57
TABLE 38 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	57
TABLE 39 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	59
TABLE 40 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	59
TABLE 40a - Brussels-Capital Region	59
TABLE 40b - Flemish Region	60
TABLE 40c - Walloon Region	60

LUNG (ICD-10: C34) 61

TABLE 41 - Prevalence for all persons by time since diagnosis on 31 st December 2010	61
TABLE 42 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	61
TABLE 43 - Prevalence for males by age group and time since diagnosis on 31 st December 2010	63
TABLE 44 - Prevalence for females by age group and time since diagnosis on 31 st December 2010	63
TABLE 45 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	64
TABLE 46 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	64
TABLE 46a - Brussels-Capital Region	64
TABLE 46b - Flemish Region	65
TABLE 46c - Walloon Region	65

BONE AND SOFT-TISSUE TUMOURS (ICD-10: C40-C41; C47; C49) 66

TABLE 47 - Prevalence for all persons by time since diagnosis on 31 st December 2010	66
TABLE 48 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	66
TABLE 49 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	68
TABLE 50 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	68
TABLE 50a - Brussels-Capital Region	68
TABLE 50b - Flemish Region	69
TABLE 50c - Walloon Region	69

MELANOMA OF SKIN (ICD-10: C43) 70

TABLE 51 - Prevalence for all persons by time since diagnosis on 31 st December 2010	70
TABLE 52 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	70
TABLE 53 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	72
TABLE 54 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	72
TABLE 54a - Brussels-Capital Region	72
TABLE 54b - Flemish Region	73
TABLE 54c - Walloon Region	73

FEMALE BREAST (ICD-10: C50) 74

TABLE 55 - Prevalence for all persons by time since diagnosis on 31 st December 2010	74
TABLE 56 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	74
TABLE 57 - Prevalence for all persons by region and time since diagnosis on 31 st December 2010	76
TABLE 57a - Brussels-Capital Region	76
TABLE 57b - Flemish Region	76
TABLE 57c - Walloon Region	76

CERVIX UTERI (ICD-10: C53) 77

TABLE 58 - Prevalence for all persons by time since diagnosis on 31 st December 2010	77
TABLE 59 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	77
TABLE 60 - Prevalence for all persons by region and time since diagnosis on 31 st December 2010	79
TABLE 60a - Brussels-Capital Region	79
TABLE 60b - Flemish Region	79
TABLE 60c - Walloon Region	79

CORPUS UTERI (ICD-10: C54) 80

TABLE 61 - Prevalence for all persons by time since diagnosis on 31 st December 2010	80
TABLE 62 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	80
TABLE 63 - Prevalence for all persons by region and time since diagnosis on 31 st December 2010	82
TABLE 63a - Brussels-Capital Region	82
TABLE 63b - Flemish Region	82
TABLE 63c - Walloon Region	82

OVARY (ICD-10: C56) 83

TABLE 64 - Prevalence for all persons by time since diagnosis on 31 st December 2010	83
TABLE 65 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	83
TABLE 66 - Prevalence for all persons by region and time since diagnosis on 31 st December 2010	85
TABLE 66a - Brussels-Capital Region	85
TABLE 66b - Flemish Region	85
TABLE 66c - Walloon Region	85

PROSTATE (ICD-10: C61) 86

TABLE 67 - Prevalence for all persons by time since diagnosis on 31 st December 2010	86
TABLE 68 - Prevalence by age group and time since diagnosis on 31 st December 2010	86
TABLE 69 - Prevalence for all persons by region and time since diagnosis on 31 st December 2010	88
TABLE 69a - Brussels-Capital Region	88
TABLE 69b - Flemish Region	88
TABLE 69c - Walloon Region	88

TESTIS (ICD-10: C62) 89

TABLE 70 - Prevalence for all persons by time since diagnosis on 31 st December 2010	89
TABLE 71 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	89
TABLE 72 - Prevalence for all persons by region and time since diagnosis on 31 st December 2010	91
TABLE 72a - Brussels-Capital Region	91
TABLE 72b - Flemish Region	91
TABLE 72c - Walloon Region	91

KIDNEY (ICD-10: C64) 92

TABLE 73 - Prevalence for all persons by time since diagnosis on 31 st December 2010	92
TABLE 74 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	92
TABLE 75 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	94
TABLE 76 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	94
TABLE 76a - Brussels-Capital Region	94
TABLE 76b - Flemish Region	95
TABLE 76c - Walloon Region	95

BLADDER (ICD-10: C67) 96

TABLE 77 - Prevalence for all persons by time since diagnosis on 31 st December 2010	96
TABLE 78 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	96
TABLE 79 - Prevalence for males by age group and time since diagnosis on 31 st December 2010	98
TABLE 80 - Prevalence for females by age group and time since diagnosis on 31 st December 2010	98
TABLE 81 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	99
TABLE 82 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	99
TABLE 82a - Brussels-Capital Region	99
TABLE 82b - Flemish Region	100
TABLE 82c - Walloon Region	100

BRAIN (ICD-10: C71) 101

TABLE 83 - Prevalence for all persons by time since diagnosis on 31 st December 2010	101
TABLE 84 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	101
TABLE 85 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	103
TABLE 86 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	103
TABLE 86a - Brussels-Capital Region	103
TABLE 86b - Flemish Region	104
TABLE 86c - Walloon Region	104

THYROID GLAND (ICD-10: C73) 105

TABLE 87 - Prevalence for all persons by time since diagnosis on 31 st December 2010	105
TABLE 88 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	105

TABLE 89 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	107
TABLE 90 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	107
TABLE 90a - Brussels-Capital Region	107
TABLE 90b - Flemish Region	108
TABLE 90c - Walloon Region	108

HODGKIN'S LYMPHOMA (ICD-10: C81) 109

TABLE 91 - Prevalence for all persons by time since diagnosis on 31 st December 2010	109
TABLE 92 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	109
TABLE 93 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	111
TABLE 94 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	111
TABLE 94a - Brussels-Capital Region	111
TABLE 94b - Flemish Region	112
TABLE 94c - Walloon Region	112

NON-HODGKIN LYMPHOMA (ICD-10: C82-C86) 113

TABLE 95 - Prevalence for all persons by time since diagnosis on 31 st December 2010	113
TABLE 96 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	113
TABLE 97 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	115
TABLE 98 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	115
TABLE 98a - Brussels-Capital Region	115
TABLE 98b - Flemish Region	116
TABLE 98c - Walloon Region	116

MULTIPLE MYELOMA (ICD-10: C90) 117

TABLE 99 - Prevalence for all persons by time since diagnosis on 31 st December 2010	117
TABLE 100 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	117
TABLE 101 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	119
TABLE 102 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	119
TABLE 102a - Brussels-Capital Region	119
TABLE 102b - Flemish Region	120
TABLE 102c - Walloon Region	120

LEUKAEMIA (ICD-10: C91-C95)	121
TABLE 103 - Prevalence for all persons by time since diagnosis on 31 st December 2010	121
TABLE 104 - Prevalence for all persons by age group and time since diagnosis on 31 st December 2010	121
TABLE 105 - Prevalence for all persons by sex and time since diagnosis on 31 st December 2010	123
TABLE 106 - Prevalence for all persons by region, sex and time since diagnosis on 31 st December 2010	123
TABLE 106a - Brussels-Capital Region	123
TABLE 106b - Flemish Region	124
TABLE 106c - Walloon Region	124

List of figures

1 INTRODUCTION	17
2 DATA SOURCES	18
Figure 1 - Regions of Belgium	18
3 METHODS	19
Figure 2 - General selection flowchart for 'all cancers' analysis	20
4 SUMMARY OF FINDINGS	21
Figure 3 - Ten most 5-year prevalent cancer types in Belgium (31/12/2010)	21
Figure 4 - Percentage of 5-year prevalent cancer cases for males in Belgium (31/12/2010)	22
Figure 5 - Percentage of 5-year prevalent cancer cases for females in Belgium (31/12/2010)	22
Figure 6 - Five most 5-year prevalent cancer types by age group in Belgium (31/12/2010)	23
5 RESULTS BY CANCER TYPES	25
All cancers (ICD-10: C00-C43; C45-C97)	25
Figure 7 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	26
Head and Neck (ICD-10: C00-C14; C30-C32)	30
Figure 8 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	31
Head and Neck – Larynx only (ICD-10: C32)	35
Figure 9 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	36
Oesophagus (ICD-10: C15)	40
Figure 10 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	41

Stomach (ICD-10: C16)	44
Figure 11 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	45
Colorectal (ICD-10: C18-C20)	48
Figure 12 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	49
Liver (ICD-10: C22)	53
Figure 13 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	54
Pancreas (ICD-10: C25)	57
Figure 14 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	58
Lung (ICD-10: C34)	61
Figure 15 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	62
Bone and Soft-tissue tumours (ICD-10: C40-C41; C47; C49)	66
Figure 16 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	67
Melanoma of skin (ICD-10: C43)	70
Figure 17 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	71
Female Breast (ICD-10: C50)	74
Figure 18 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	75
Cervix uteri (ICD-10: C53)	77
Figure 19 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	78
Corpus uteri (ICD-10: C54)	80
Figure 20 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	81
Ovary (ICD-10: C56)	83
Figure 21 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	84
Prostate (ICD-10: C61)	86
Figure 22 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	87
Testis (ICD-10: C62)	89
Figure 23 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	90

Kidney (ICD-10: C64)	92
Figure 24 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	93
Bladder (ICD-10: C67)	96
Figure 25 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	97
Brain (ICD-10: C71)	101
Figure 26 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	102
Thyroid gland (ICD-10: C73)	105
Figure 27 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	106
Hodgkin's lymphoma (ICD-10: C81)	109
Figure 28 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	110
Non-Hodgkin lymphoma (ICD-10: C82-C86)	113
Figure 29 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	114
Multiple myeloma (ICD-10: C90)	117
Figure 30 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	118
Leukaemia (ICD-10: C91-C95)	121
Figure 31 - Prevalence (ASW) per 100,000 for all persons by age group and time since diagnosis on 31 st December 2010	122

1 Introduction

THE BELGIAN CANCER REGISTRY

New legislation initiatives introduced in 2003, followed by the creation of a new Belgian Cancer Registry in 2005 by all Belgian public health authorities, resulted in a breakthrough for Belgian cancer registration. The history of the Belgian Cancer Registry has been described in detail in a previous publication, "Cancer Incidence in Belgium 2004-2005" [1].

Since its creation, the Belgian Cancer Registry has been actively involved in qualitative and quantitative improvements of cancer registration in Belgium. Besides data completeness, maintaining a high standard of data quality appears to be a major keystone for reporting reliable incidence, mortality, prevalence and survival data.

As a result of these efforts, data on cancer incidence and survival in Belgium have been published in the past few years:

- Cancer incidence in Belgium, 2008, Belgian Cancer Registry. Brussels, 2011 [2]
- Cancer survival in Belgium, 2004-2008, Belgian Cancer Registry. Brussels, 2012 [3]
- Cancer Incidence in Belgium, 2010, special issue Cancer in Children and Adolescents, Brussels, 2013 [4]

These publications, as well as Belgian cancer incidence data for 2011, are available on the Belgian Cancer Registry website [5].

BACKGROUND TO THE REPORT

Cancer survivors are defined as those persons living with a diagnosis of cancer from some point in their past. This definition assumes that cancer is an irreversible disease and diagnosed individuals remain cancer cases until death [6]. Cancer prevalence is expressed as the number or proportion of cancer survivors in a population at a given point in time. Prevalence is one of the most important indicators of cancer burden in a population [7], and prevalence statistics are particularly relevant for those responsible for the planning of health services [8, 9].

Cancer prevalence is a function of both cancer incidence and cancer survival. Cancers with a high incidence and a high survival have a high prevalence (e.g. melanoma), while cancers with a high incidence and a low survival have a low prevalence (e.g. lung cancer) [10]. This report provides estimates of cancer prevalence in Belgium at the end of 2010.

OBJECTIVES OF THE REPORT

The objectives of this report are:

- To provide up-to-date prevalence estimates for the most common cancers in Belgium
- To describe cancer prevalence variations by sex, age and region

2 Data sources

DATA COLLECTION


The legislation makes cancer registration compulsory for oncological care programs (clinical network) and for pathological anatomy laboratories (pathology network) [11, 12]. Since 2004, data from all three Belgian regions have been available (Flemish region, Brussels-Capital region and Walloon region). A complete description of data registration and data collection related to hospitals and pathology laboratories was published in 'Cancer Incidence in Belgium, 2008' [2].

BELGIAN POPULATION

Belgium comprises an area of 30,528 km² (Figure 1). On January 1st 2011, Belgium had a population of 11,057,095 inhabitants including 5,399,366 males and 5,657,729 females. The Flemish Region had a population of 6,307,184 inhabitants, the Walloon Region 3,605,668 inhabitants, and the Brussels-Capital Region 1,144,243 inhabitants [13].

17% of the population is 65 years of age or older, and 2.2% is 85 years of age or older. Life expectancy at birth in 2011 is 83.8 years in females and 77.7 years in males. According to the Directorate-General for Statistics and Economic Information [13], the percentage of over 65-year-olds will continue to rise to 26% in 2060.

FIGURE 1 - REGIONS OF BELGIUM



STUDY POPULATION

This report is based on data from the Belgian Cancer Registry. It includes people living in Belgium who were diagnosed with at least one invasive cancer in the period from 1st January 2004 to 31st December 2010 and who were still alive at the end of 2010 (index date). The vital status was retrieved from the Crossroads Bank for Social Security (BCSS) based on the patient's Social Security Identification Number (SSIN). Patients without an SSIN were excluded from the analyses. Moreover, a small part of the records (0.3%) is excluded because of missing follow-up information at the index

date (Figure 2). The exclusion of such cases from calculations may result in a small underestimation of cancer prevalence.

Additionally, only the first primary cancer of each patient was taken into account in the 'All cancer' analysis. However, persons with more than one invasive cancer were included as prevalent cases in each cancer type. For example, a person with a primary bladder cancer and a primary prostate cancer was counted once for prevalence of all cancers, but contributed separately to the prevalence of bladder cancer and the prevalence of prostate cancer.

3 Methods

This report estimates the 1, 5, 10, 15 and 20-year prevalence with an index date of 31st December 2010. At the time of the study, the cancer registry data provided prevalence information for up to 7 years for Belgium. The observed prevalence, defined as the number of patients alive at the index date for N-year prevalence, was calculated for 1 and 5-year prevalence. The 10, 15 and 20-year prevalence was extrapolated using the statistical method described below.

Statistical methods: To extend the limited-duration estimates to 10, 15, and 20-year prevalence estimates, a negative binomial regression model with log-link function was constructed for each cancer type, sex, and 5-year age group [14]. These estimated cases were added to the 7-year observed prevalence. Negative binomial regression can be considered as a generalisation of Poisson regression, since it has the same mean structure as a Poisson regression and has an extra parameter to model the over-dispersion (i.e. the variance greater than the mean). The prevalence count on the index date was the response variable, and the predictor variable was the number of years since diagnosis.

We also included an offset term in all models, defined as the log of the number of people in a given age group who could contribute to the

prevalence count, taking into account the fact that the number of years since diagnosis cannot exceed age on the index date. The suitability of fit of each model was evaluated with the Pearson Chi-Square parameter. The PROC GENMOD procedure in SAS software V9.3 was used to perform the analyses (SAS institute Inc, Cary, NC, USA).

Prevalence counts at 10, 15 and 20 years were estimated separately for each subgroup (gender, age, region). Therefore, the overall results are not strictly equal to the sum of the subgroup results.

Estimated prevalence counts were converted to proportions. Crude proportions are expressed per 100,000 inhabitants in 2010; the prevalence has been age-standardised to the World Standard population (ASW).

Interpreting N-year prevalence: Each of the different measures of prevalence has a specific interpretation. Short-term prevalence (1-year and 5-year prevalence) is relevant to plan the provision of treatment of persons with active cancers and/or with a high risk of recurrence; mid-term prevalence (10-year prevalence) may be used to assess the requirements for further consultation (follow-up) with cancer specialists; and long-term prevalence (up to 15-year prevalence) is applicable for

planning ongoing support such as disability and counselling services.

1-year prevalence is defined as the number/fraction of persons likely to be still undergoing primary treatment for their primary cancer and/or suffering from its side-effects.

5-year prevalence includes all patients in the 1-year prevalence set and those who are still undergoing treatment for their cancer and/or side-effects, and/or requiring close monitoring because they are at high risk of recurrence [15].

10-year prevalence includes the patients in the 1-year and 5-year prevalence and those who can be considered as 'cured' (or insusceptible) of their disease and in whom the probability of recurrence is low.


15-year and 20-year prevalence includes patients in all of the above categories and those who will make minor cancer-related demands on health services.

These overall definitions must be treated with caution as the interpretation will vary depending on the specific cancer type. Although there are multiple prevalence measures presented in this report, the main result focuses on 5-year observed prevalence. The choice of 5-year prevalence is due to the fact that it appears to

be the most relevant indicator of approximate active prevalence (even if in reality this varies for different cancers).

In some circumstances, the statistical models used in this study could not provide a reliable estimate. These results are marked with an asterisk (*).

FIGURE 2 - GENERAL SELECTION FLOWCHART FOR 'ALL CANCERS' ANALYSIS



4 Summary of findings

ALL CANCERS

It was estimated that on 31st December 2010, there were 428,349 people living in Belgium who had been diagnosed with at least one type of invasive cancer in the past 20 years. This represented 3.9% of the Belgian population in 2010. Of these people, 182,462 (1.7% of all Belgians) had been diagnosed with cancer within the past 5 years.

CANCER TYPE

The cancer types with the highest 5-year prevalence in Belgium at the end of 2010 were female breast cancer (43,984 cases), prostate cancer (38,490 cases), and colorectal cancer

(26,846 cases) (Figure 3). These three cancer types accounted for 56.2% of all 5-year cancer prevalence, with female breast cancer alone accounting for 22.8%.

Note that although lung cancer had the fourth-highest 5-year prevalence, its ranking in terms of 20-year prevalence was much lower due to poor survival (7th).


COMPARISON BY SEX

It was estimated that on 31st December 2010, there were 206,395 males (3.8% of male Belgians) and 223,921 females (4.0% of female Belgians) living in Belgium who had been diagnosed with at least one type of

invasive cancer in the past 20 years. Of these, 90,862 males and 91,600 females had been diagnosed within the past 5 years.

For males, the three primary cancers with the highest 5-year prevalence in Belgium were prostate cancer, colorectal cancer, and lung cancer. About 62% of males living in Belgium who had been diagnosed with cancer in the previous 5 years had been diagnosed with at least one of these three cancer types (Figure 4).

FIGURE 3 - TEN MOST 5-YEAR PREVALENT CANCER TYPES IN BELGIUM (31/12/2010)




For females, the two primary cancers with the highest 5-year prevalence in Belgium were breast cancer and colorectal cancer. Around 58% of females living in Belgium who had

been diagnosed with cancer in the previous 5 years had been diagnosed with at least one of these two cancer types (Figure 5).


Excluding the gender-specific cancers, males generally had a higher cancer prevalence than females. These gender-specific differences generally reflect the incidence differences between sexes [1, 4] but are somewhat reduced due to poorer survival in males than in females [3]. These differences were most pronounced for head and neck cancers, oesophageal cancer, liver cancer, lung cancer, and bladder cancer, which were all between 2 and 4 times more prevalent among males than females. The only exception was thyroid cancer, which was around two times more prevalent among females than males.

FIGURE 4 - PERCENTAGE OF 5-YEAR PREVALENT CANCER CASES FOR MALES IN BELGIUM (31/12/2010)*



*The sum of percentages is higher than 100% because persons with more than one cancer are included as a prevalent case in each type of cancer.

FIGURE 5 - PERCENTAGE OF 5-YEAR PREVALENT CANCER CASES FOR FEMALES IN BELGIUM (31/12/2010)*



*The sum of percentages is higher than 100% because persons with more than one cancer are included as a prevalent case in each type of cancer.

COMPARISON BY AGE GROUP

Cancer is most prevalent in the oldest age group, with a total of 211,632 persons aged 70 years and older and living in Belgium who had been diagnosed with cancer in the 20 years prior to 31st December 2010. This represents 15.1% of the population in that age group. A total of 173,210 persons (6.6%) were diagnosed with primary invasive cancer in the 50-69 age group, 36,713 persons (1.2%) in the 30-49 age group, and 6,793 persons (0.2%) aged between 0 and 29 years during the past 20 years. Persons of 70 years and older living in Belgium at 31st December 2010 were 75 times more likely to have been diagnosed with primary invasive cancer than persons aged between 0 and 29 years.

The 5-year cancer prevalence shows a similar age-dependence (Figure 6). 79,778 persons (5.7%) aged 70 years and older and living in Belgium had been diagnosed with cancer in

the 5 years prior to 31st December 2010, 79,437 persons (3.0%) aged between 50 and 69 years, 19,614 persons (0.6%) aged between 30 and 49 years, and 3,633 persons (0.09%) aged between 0 and 29 years. Persons of 70 years and older living in Belgium at 31st December 2010 were 63 times more likely to have been diagnosed with primary invasive cancer during the previous 5 years than persons aged between 0 and 29 years.

Female breast cancer had the highest prevalence in the age groups 30-49 years and 50-69 years, and was the third most prevalent cancer for persons older than 70 years but still the most prevalent cancer for females. The

number of prevalent cases of prostate cancer increased dramatically after 50 years. Prostate cancer was the second and the first most prevalent cancer for 50-69 years and 70 years and older age groups, respectively. Colorectal and lung cancer have a high prevalence within the two oldest age groups.

The most prevalent cancers in the youngest age group were completely different compared with the oldest age group. These age-specific differences in prevalence generally reflect age-specific differences in incidence [1, 4]. For example, testis cancer was the only cancer type where the 5-year prevalence was higher for persons aged

0-29 years compared with the 5-year prevalence in the 70 years and older age group. Leukaemia was the highest prevalent cancer with 479 cases in the youngest age group compared with 7,087 cases and 22,304 cases for female breast cancer in the 30-49 years and 50-69 years age group. The most prevalent cancer type within a specific age group was prostate cancer with 22,555 cases in the 70 years and older age group.

FIGURE 6 - FIVE MOST 5-YEAR PREVALENT CANCER TYPES BY AGE GROUP IN BELGIUM (31/12/2010)



CONCLUSIONS

These results illustrate the impact of cancer burden in Belgium. Nearly 1 in 25 persons living in Belgium on 31st December 2010 have been diagnosed with an invasive cancer during the past 20 years. This proportion was much higher among older people in the population, rising to 1 in 6 for those aged 70 years and older.

For males, the cancer with the highest 5-year prevalence was prostate cancer with 363.9/100,000 (ASW); 42.6% of males with an invasive cancer living in Belgium at 31st December 2010 have been diagnosed with a prostate cancer during the past 5 years.

For females, the cancer with the highest 5-year prevalence was breast cancer with 452.6/100,000 (ASW);

48.0% of females with an invasive cancer living in Belgium at 31st December 2010 have been diagnosed with a breast cancer during the past 5 years.

The combination of increasing incidence, a gain in survival and ageing of the population (besides other factors), will increase the number of people living with at least one invasive cancer in the future. This report supports the expert opinion that cancer will be considered more and more as a major chronic disease [17].

5 Results by cancer types

ALL CANCERS (ICD-10: C00-C43; C45-C97)

TABLE 1 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	46,741	182,462	299,929	376,150	428,349
Number per 100,000 (Crude)	428.0	1,670.9	2,746.5	3,444.5	3,922.5
Number per 100,000 (ASW)	236.9	916.0	1,470.9	1,812.5	2,029.7

Source: Belgian Cancer Registry



TABLE 2 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	951	3,633	5,550	6,433	6,793
	Number per 100,000 (Crude)	24.6	93.9	143.5	166.3	175.6
	Number per 100,000 (ASW)	22.7	85.7	131.1	151.1	158.8
30-49 Years	Number of cases	5,194	19,614	29,513	34,366	36,713
	Number per 100,000 (Crude)	169.2	639.1	961.7	1,119.8	1,196.3
	Number per 100,000 (ASW)	165.1	622.8	937.0	1,091.1	1,165.6
50-69 Years	Number of cases	20,791	79,437	126,000	154,687	173,210
	Number per 100,000 (Crude)	804.3	3,073.2	4,874.6	5,984.4	6,701.0
	Number per 100,000 (ASW)	804.3	3,075.8	4,879.9	5,994.2	6,712.6
70+ Years	Number of cases	19,805	79,778	138,866	180,664	211,632
	Number per 100,000 (Crude)	1,416.2	5,704.5	9,929.6	12,918.4	15,132.8
	Number per 100,000 (ASW)	1,398.0	5,660.9	9,796.4	12,672.7	14,674.7

Source: Belgian Cancer Registry






ALL CANCERS (ICD-10: C00-C43; C45-C97)

(CONTINUED)

FIGURE 7 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





ALL CANCERS (ICD-10: C00-C43; C45-C97)

(CONTINUED)

TABLE 3 - PREVALENCE FOR MALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	451	1,833	2,891	3,447	3,717
	Number per 100,000 (Crude)	23.0	93.3	147.2	175.6	189.3
	Number per 100,000 (ASW)	21.5	86.2	135.5	160.3	171.7
30-49 Years	Number of cases	1,604	5,741	8,609	10,003	10,688
	Number per 100,000 (Crude)	103.3	369.8	554.6	644.4	688.5
	Number per 100,000 (ASW)	100.9	362.5	544.9	634.5	678.8
50-69 Years	Number of cases	10,859	38,927	57,916	68,031	73,704
	Number per 100,000 (Crude)	850.4	3,048.3	4,535.3	5,327.4	5,771.6
	Number per 100,000 (ASW)	857.3	3,079.5	4,589.7	5,398.6	5,852.3
70+ Years	Number of cases	10,918	44,361	77,669	100,748	118,286
	Number per 100,000 (Crude)	1,936.2	7,866.9	13,773.7	17,866.5	20,976.7
	Number per 100,000 (ASW)	1,896.3	7,731.6	13,422.0	17,350.5	20,191.7

Source: Belgian Cancer Registry



TABLE 4 - PREVALENCE FOR FEMALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	500	1,800	2,641	2,990	3,113
	Number per 100,000 (Crude)	26.3	94.5	138.7	157.0	163.5
	Number per 100,000 (ASW)	24.0	85.0	125.3	141.4	146.7
30-49 Years	Number of cases	3,590	13,873	20,936	24,487	26,259
	Number per 100,000 (Crude)	236.7	914.8	1,380.6	1,614.7	1,731.5
	Number per 100,000 (ASW)	230.9	889.5	1,340.9	1,566.8	1,679.1
50-69 Years	Number of cases	9,932	40,510	68,451	88,498	103,680
	Number per 100,000 (Crude)	759.4	3,097.5	5,233.9	6,766.7	7,927.6
	Number per 100,000 (ASW)	756.7	3,088.7	5,216.1	6,743.8	7,897.1
70+ Years	Number of cases	8,887	35,417	60,708	78,380	90,869
	Number per 100,000 (Crude)	1,064.8	4,243.6	7,273.9	9,391.3	10,887.7
	Number per 100,000 (ASW)	1,042.0	4,175.0	7,177.3	9,238.6	10,615.2

Source: Belgian Cancer Registry





ALL CANCERS (ICD-10: C00-C43; C45-C97)

(CONTINUED)

TABLE 5 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	23,832	90,862	147,084	182,230	206,395
	Number per 100,000 (Crude)	444.9	1,696.1	2,745.7	3,401.7	3,852.8
	Number per 100,000 (ASW)	249.2	937.3	1,477.9	1,799.8	2,003.1
Females	Number of cases	22,909	91,600	152,737	194,355	223,921
	Number per 100,000 (Crude)	411.8	1,646.5	2,745.4	3,493.5	4,025.0
	Number per 100,000 (ASW)	231.6	922.3	1,513.6	1,903.8	2,173.3

Source: Belgian Cancer Registry ###

TABLE 6 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 6A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	1,806	6,536	10,496	12,906	14,604
	Number per 100,000 (Crude)	337.8	1,222.6	1,963.4	2,414.1	2,731.9
	Number per 100,000 (ASW)	241.4	861.6	1,348.6	1,630.1	1,812.9
Females	Number of cases	2,107	8,365	14,032	18,007	20,948
	Number per 100,000 (Crude)	369.8	1,468.2	2,462.9	3,160.6	3,676.8
	Number per 100,000 (ASW)	239.0	948.8	1,570.4	2,000.2	2,319.2
Overall	Number of cases	3,913	14,901	24,584	31,035	35,649
	Number per 100,000 (Crude)	354.3	1,349.3	2,226.2	2,810.3	3,228.1
	Number per 100,000 (ASW)	236.2	891.9	1,438.5	1,784.2	2,016.9

Source: Belgian Cancer Registry ###



ALL CANCERS (ICD-10: C00-C43; C45-C97)

(CONTINUED)

TABLE 6 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 6B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	14,611	56,932	91,060	111,540	126,002
	Number per 100,000 (Crude)	471.4	1,836.8	2,937.9	3,598.6	4,065.2
	Number per 100,000 (ASW)	246.0	943.9	1,465.2	1,754.6	1,934.3
Females	Number of cases	13,271	53,384	89,773	115,033	133,205
	Number per 100,000 (Crude)	417.3	1,678.7	2,823.0	3,617.3	4,188.7
	Number per 100,000 (ASW)	225.8	906.1	1,493.8	1,883.0	2,148.5
Overall	Number of cases	27,882	110,316	180,833	226,207	257,520
	Number per 100,000 (Crude)	444.0	1,756.8	2,879.8	3,602.4	4,101.0
	Number per 100,000 (ASW)	232.8	912.1	1,456.9	1,784.9	1,986.6

Source: Belgian Cancer Registry



TABLE 6 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 6C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	7,415	27,394	45,530	57,594	66,496
	Number per 100,000 (Crude)	434.3	1,604.5	2,666.8	3,373.4	3,894.8
	Number per 100,000 (ASW)	257.3	942.2	1,524.7	1,897.8	2,152.9
Females	Number of cases	7,531	29,851	50,331	64,673	75,423
	Number per 100,000 (Crude)	417.3	1,654.1	2,788.9	3,583.6	4,179.3
	Number per 100,000 (ASW)	241.0	948.3	1,571.3	1,993.7	2,301.5
Overall	Number of cases	14,946	57,245	95,802	121,817	140,726
	Number per 100,000 (Crude)	425.6	1,630.0	2,727.9	3,468.6	4,007.0
	Number per 100,000 (ASW)	245.3	931.5	1,520.8	1,901.8	2,162.3

Source: Belgian Cancer Registry





HEAD AND NECK (ICD-10: C00-C14; C30-C32)

TABLE 7 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	2,100	7,735	11,838	14,125	15,520
Number per 100,000 (Crude)	19.2	70.8	108.4	129.4	142.1
Number per 100,000 (ASW)	11.4	41.5	62.4	73.7	80.3

Source: Belgian Cancer Registry

TABLE 8 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	28	83	112	127	133
	Number per 100,000 (Crude)	0.7	2.1	2.9	3.3	3.4
	Number per 100,000 (ASW)	0.7	1.9	2.6	2.9	3.1
30-49 Years	Number of cases	185	610	828	903	931
	Number per 100,000 (Crude)	6.0	19.9	27.0	29.4	30.3
	Number per 100,000 (ASW)	5.8	19.2	26.1	28.5	29.4
50-69 Years	Number of cases	1,277	4,662	6,973	8,207	8,953
	Number per 100,000 (Crude)	49.4	180.4	269.8	317.5	346.4
	Number per 100,000 (ASW)	49.2	179.7	268.9	316.7	345.7
70+ Years	Number of cases	610	2,380	3,926	4,889	5,503
	Number per 100,000 (Crude)	43.6	170.2	280.7	349.6	393.5
	Number per 100,000 (ASW)	43.9	178.0	292.3	363.0	405.8


Source: Belgian Cancer Registry



HEAD AND NECK (ICD-10: C00-C14; C30-C32)

(CONTINUED)

FIGURE 8 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010



HEAD AND NECK (ICD-10: C00-C14; C30-C32)

(CONTINUED)

TABLE 9 - PREVALENCE FOR MALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	12	40	73	140	147
	Number per 100,000 (Crude)	0.6	2.0	3.7	7.1	7.5
	Number per 100,000 (ASW)	0.6	1.8	3.5	6.9	7.2
30-49 Years	Number of cases	134	427	545	581	594
	Number per 100,000 (Crude)	8.6	27.5	35.1	37.4	38.3
	Number per 100,000 (ASW)	8.2	26.3	33.7	36.0	36.9
50-69 Years	Number of cases	966	3,523	5,293	6,264	6,873
	Number per 100,000 (Crude)	75.6	275.9	414.5	490.6	538.2
	Number per 100,000 (ASW)	75.6	276.1	415.4	492.3	540.5
70+ Years	Number of cases	454	1,785	2,939	3,671	4,161
	Number per 100,000 (Crude)	80.5	316.5	521.2	651.0	738.0
	Number per 100,000 (ASW)	79.9	321.3	528.2	661.6	749.1

Source: Belgian Cancer Registry

###

TABLE 10 - PREVALENCE FOR FEMALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	16	43	63	73	78
	Number per 100,000 (Crude)	0.8	2.3	3.3	3.9	4.1
	Number per 100,000 (ASW)	0.7	2.0	2.9	3.4	3.6
30-49 Years	Number of cases	51	183	291	352	393
	Number per 100,000 (Crude)	3.4	12.1	19.2	23.2	25.9
	Number per 100,000 (ASW)	3.3	11.8	18.8	22.8	25.4
50-69 Years	Number of cases	311	1,139	1,681	1,948	2,093
	Number per 100,000 (Crude)	23.8	87.1	128.5	148.9	160.0
	Number per 100,000 (ASW)	23.7	86.4	127.5	147.7	158.7
70+ Years	Number of cases	156	595	992	1,245	1,407
	Number per 100,000 (Crude)	18.7	71.3	118.9	149.2	168.6
	Number per 100,000 (ASW)	17.7	72.3	121.3	151.6	169.9

Source: Belgian Cancer Registry

###



HEAD AND NECK (ICD-10: C00-C14; C30-C32)

(CONTINUED)

TABLE 11 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	1,566	5,775	8,851	10,656	11,775
	Number per 100,000 (Crude)	29.2	107.8	165.2	198.9	219.8
	Number per 100,000 (ASW)	17.6	64.4	97.6	117.7	129.3
Females	Number of cases	534	1,960	3,027	3,619	3,971
	Number per 100,000 (Crude)	9.6	35.2	54.4	65.1	71.4
	Number per 100,000 (ASW)	5.7	20.7	31.4	37.1	40.3

Source: Belgian Cancer Registry



TABLE 12 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 12A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	133	475	729	887	996
	Number per 100,000 (Crude)	24.9	88.9	136.3	166.0	186.3
	Number per 100,000 (ASW)	19.3	67.0	102.9	125.7	141.3
Females	Number of cases	57	201	316	399	462
	Number per 100,000 (Crude)	10.0	35.3	55.5	70.0	81.1
	Number per 100,000 (ASW)	7.4	24.6	38.6	49.1	57.3
Overall	Number of cases	190	676	1,035	1,254	1,398
	Number per 100,000 (Crude)	17.2	61.2	93.7	113.6	126.6
	Number per 100,000 (ASW)	12.9	43.8	66.6	80.5	89.6

Source: Belgian Cancer Registry



HEAD AND NECK (ICD-10: C00-C14; C30-C32)

(CONTINUED)

TABLE 12 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 12B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	862	3,206	4,939	5,986	6,645
	Number per 100,000 (Crude)	27.8	103.4	159.3	193.1	214.4
	Number per 100,000 (ASW)	15.7	57.5	87.0	103.8	113.7
Females	Number of cases	271	979	1,499	1,812	1,990
	Number per 100,000 (Crude)	8.5	30.8	47.1	57.0	62.6
	Number per 100,000 (ASW)	4.8	17.1	25.5	30.4	33.0
Overall	Number of cases	1,133	4,185	6,438	7,782	8,594
	Number per 100,000 (Crude)	18.0	66.6	102.5	123.9	136.9
	Number per 100,000 (ASW)	10.1	36.6	55.1	65.3	71.0

Source: Belgian Cancer Registry

###

TABLE 12 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 12C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	567	2,077	3,133	3,715	4,098
	Number per 100,000 (Crude)	33.2	121.7	183.5	217.6	240.0
	Number per 100,000 (ASW)	20.8	76.1	113.4	133.9	146.9
Females	Number of cases	205	774	1,207	1,458	1,616
	Number per 100,000 (Crude)	11.4	42.9	66.9	80.8	89.5
	Number per 100,000 (ASW)	6.8	25.9	39.9	48.2	53.2
Overall	Number of cases	772	2,851	4,340	5,179	5,722
	Number per 100,000 (Crude)	22.0	81.2	123.6	147.5	162.9
	Number per 100,000 (ASW)	13.4	49.6	74.1	87.6	96.0

Source: Belgian Cancer Registry

###



HEAD AND NECK – LARYNX ONLY (ICD-10: C32)

TABLE 13 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	559	2,257	3,670	4,616	5,288
Number per 100,000 (Crude)	5.1	20.7	33.6	42.3	48.4
Number per 100,000 (ASW)	2.9	11.4	18.3	23.0	26.3

Source: Belgian Cancer Registry

TABLE 14 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	0	4	10	21	33
	Number per 100,000 (Crude)	0.0	0.1	0.3	0.5	0.9
	Number per 100,000 (ASW)	0.0	0.1	0.2	0.4	0.7
30-49 Years	Number of cases	29	84	124	152	173
	Number per 100,000 (Crude)	0.9	2.7	4.1	5.0	5.6
	Number per 100,000 (ASW)	0.9	2.6	3.9	4.8	5.5
50-69 Years	Number of cases	332	1,300	2,044	2,521	2,865
	Number per 100,000 (Crude)	12.8	50.3	79.1	97.5	110.8
	Number per 100,000 (ASW)	12.8	50.3	79.0	97.5	110.9
70+ Years	Number of cases	198	869	1,492	1,921	2,217
	Number per 100,000 (Crude)	14.2	62.1	106.7	137.4	158.5
	Number per 100,000 (ASW)	14.7	66.4	114.5	148.7	171.8


Source: Belgian Cancer Registry



HEAD AND NECK – LARYNX ONLY (ICD-10: C32)

(CONTINUED)

FIGURE 9 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





HEAD AND NECK – LARYNX ONLY (ICD-10: C32)

(CONTINUED)

TABLE 15 - PREVALENCE FOR MALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	0	1	4	9	14
	Number per 100,000 (Crude)	0.0	0.1	0.2	0.5	0.7
	Number per 100,000 (ASW)	0.0	0.0	0.2	0.4	0.6
30-49 Years	Number of cases	23	66	91	108	121
	Number per 100,000 (Crude)	1.5	4.3	5.9	6.9	7.8
	Number per 100,000 (ASW)	1.4	4.0	5.6	6.7	7.6
50-69 Years	Number of cases	277	1,106	1,749	2,183	2,511
	Number per 100,000 (Crude)	21.7	86.6	137.0	170.9	196.7
	Number per 100,000 (ASW)	21.8	87.3	138.1	172.5	198.5
70+ Years	Number of cases	184	789	1,344	1,722	1,983
	Number per 100,000 (Crude)	32.6	139.9	238.3	305.3	351.6
	Number per 100,000 (ASW)	32.4	142.5	243.5	314.6	363.3

Source: Belgian Cancer Registry



TABLE 16 - PREVALENCE FOR FEMALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	0	3	6	12	19
	Number per 100,000 (Crude)	0.0	0.2	0.3	0.6	1.0
	Number per 100,000 (ASW)	0.0	0.2	0.3	0.5	0.8
30-49 Years	Number of cases	6	18	37	53	66
	Number per 100,000 (Crude)	0.4	1.2	2.4	3.5	4.3
	Number per 100,000 (ASW)	0.4	1.1	2.4	3.4	4.3
50-69 Years	Number of cases	55	194	296	348	379
	Number per 100,000 (Crude)	4.2	14.8	22.6	26.6	28.9
	Number per 100,000 (ASW)	4.2	14.8	22.5	26.3	28.6
70+ Years	Number of cases	14	80	145	195	232
	Number per 100,000 (Crude)	1.7	9.6	17.4	23.3	27.8
	Number per 100,000 (ASW)	1.9	10.4	19.7	27.2	32.9

Source: Belgian Cancer Registry





HEAD AND NECK – LARYNX ONLY (ICD-10: C32)

(CONTINUED)

TABLE 17 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	484	1,962	3,188	4,021	4,629
	Number per 100,000 (Crude)	9.0	36.6	59.5	75.1	86.4
	Number per 100,000 (ASW)	5.1	20.7	33.3	42.0	48.5
Females	Number of cases	75	295	485	607	695
	Number per 100,000 (Crude)	1.3	5.3	8.7	10.9	12.5
	Number per 100,000 (ASW)	0.8	3.1	5.1	6.4	7.4

Source: Belgian Cancer Registry ###

TABLE 18 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 18A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	31	149	255	339	408
	Number per 100,000 (Crude)	5.8	27.9	47.7	63.4	76.2
	Number per 100,000 (ASW)	4.5	20.4	34.8	45.8	54.6
Females	Number of cases	11	31	71	*	*
	Number per 100,000 (Crude)	1.9	5.4	12.5	*	*
	Number per 100,000 (ASW)	1.5	3.8	8.6	*	*
Overall	Number of cases	42	180	306	405	486
	Number per 100,000 (Crude)	3.8	16.3	27.7	36.7	44.0
	Number per 100,000 (ASW)	2.9	11.2	18.9	24.6	29.1

Source: Belgian Cancer Registry ###



HEAD AND NECK – LARYNX ONLY (ICD-10: C32)

(CONTINUED)

TABLE 18 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 18B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	275	1,135	1,881	2,346	2,699
	Number per 100,000 (Crude)	8.9	36.6	60.7	75.7	87.1
	Number per 100,000 (ASW)	4.6	19.0	30.8	37.7	42.6
Females	Number of cases	35	142	225	300	368
	Number per 100,000 (Crude)	1.1	4.5	7.1	9.4	11.6
	Number per 100,000 (ASW)	0.6	2.4	3.7	5.1	6.5
Overall	Number of cases	310	1,277	2,106	2,634	3,035
	Number per 100,000 (Crude)	4.9	20.3	33.5	42.0	48.3
	Number per 100,000 (ASW)	2.5	10.3	16.6	20.4	23.1

Source: Belgian Cancer Registry



TABLE 18 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 18C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	178	678	1,079	1,348	1,541
	Number per 100,000 (Crude)	10.4	39.7	63.2	78.9	90.3
	Number per 100,000 (ASW)	6.4	23.9	37.5	46.8	53.6
Females	Number of cases	29	122	218	*	*
	Number per 100,000 (Crude)	1.6	6.8	12.1	*	*
	Number per 100,000 (ASW)	1.0	4.3	7.3	*	*
Overall	Number of cases	207	800	1,289	1,614	1,846
	Number per 100,000 (Crude)	5.9	22.8	36.7	45.9	52.6
	Number per 100,000 (ASW)	3.5	13.4	21.1	26.2	29.8

Source: Belgian Cancer Registry





OESOPHAGUS (ICD-10: C15)

TABLE 19 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	634	1,680	2,166	2,313	2,373
Number per 100,000 (Crude)	5.8	15.4	19.8	21.2	21.7
Number per 100,000 (ASW)	3.1	8.4	10.7	11.5	11.9

Source: Belgian Cancer Registry

TABLE 20 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	0	1	4	9	15
	Number per 100,000 (Crude)	0.0	0.0	0.1	0.2	0.4
	Number per 100,000 (ASW)	0.0	0.0	0.1	0.2	0.3
30-49 Years	Number of cases	28	71	94	113	132
	Number per 100,000 (Crude)	0.9	2.3	3.1	3.7	4.3
	Number per 100,000 (ASW)	0.9	2.2	3.0	3.6	4.3
50-69 Years	Number of cases	350	945	1,177	1,237	1,255
	Number per 100,000 (Crude)	13.5	36.6	45.5	47.9	48.5
	Number per 100,000 (ASW)	13.5	36.4	45.4	47.8	48.5
70+ Years	Number of cases	256	663	892	954	972
	Number per 100,000 (Crude)	18.3	47.4	63.8	68.2	69.5
	Number per 100,000 (ASW)	19.1	50.1	67.7	72.6	74.0


Source: Belgian Cancer Registry



OESOPHAGUS (ICD-10: C15)

(CONTINUED)

FIGURE 10 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





OESOPHAGUS (ICD-10: C15)

(CONTINUED)

TABLE 21 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	471	1,258	1,620	1,731	1,774
	Number per 100,000 (Crude)	8.8	23.5	30.2	32.3	33.1
	Number per 100,000 (ASW)	5.0	13.5	17.3	18.6	19.2
Females	Number of cases	163	422	558	612	638
	Number per 100,000 (Crude)	2.9	7.6	10.0	11.0	11.5
	Number per 100,000 (ASW)	1.4	3.7	4.9	5.5	5.8



Source: Belgian Cancer Registry 

TABLE 22 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 22A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	26	74	111	*	*
	Number per 100,000 (Crude)	4.9	13.8	20.8	*	*
	Number per 100,000 (ASW)	3.4	10.1	15.1	*	*
Females	Number of cases	14	32	*	*	*
	Number per 100,000 (Crude)	2.5	5.6	*	*	*
	Number per 100,000 (ASW)	1.6	3.2	*	*	*
Overall	Number of cases	40	106	*	*	*
	Number per 100,000 (Crude)	3.6	9.6	*	*	*
	Number per 100,000 (ASW)	2.4	6.3	*	*	*

Source: Belgian Cancer Registry 



OESOPHAGUS (ICD-10: C15)

(CONTINUED)

TABLE 22 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 22B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	285	769	1,060	1,189	1,260
	Number per 100,000 (Crude)	9.2	24.8	34.2	38.3	40.7
	Number per 100,000 (ASW)	5.0	13.3	18.1	20.1	21.5
Females	Number of cases	82	236	318	383	424
	Number per 100,000 (Crude)	2.6	7.4	10.0	12.1	13.3
	Number per 100,000 (ASW)	1.1	3.4	4.6	5.5	6.2
Overall	Number of cases	367	1,005	1,378	1,549	1,627
	Number per 100,000 (Crude)	5.8	16.0	21.9	24.7	25.9
	Number per 100,000 (ASW)	3.0	8.2	11.0	12.3	12.9

Source: Belgian Cancer Registry



TABLE 22 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 22C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	160	415	545	*	*
	Number per 100,000 (Crude)	9.4	24.3	31.9	*	*
	Number per 100,000 (ASW)	5.5	14.6	19.5	*	*
Females	Number of cases	67	154	205	235	254
	Number per 100,000 (Crude)	3.7	8.5	11.4	13.0	14.1
	Number per 100,000 (ASW)	1.9	4.4	5.6	6.4	6.9
Overall	Number of cases	227	569	728	792	826
	Number per 100,000 (Crude)	6.5	16.2	20.7	22.6	23.5
	Number per 100,000 (ASW)	3.6	9.2	11.8	12.9	13.5

Source: Belgian Cancer Registry





STOMACH (ICD-10: C16)

TABLE 23 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	1,015	2,813	3,924	4,340	4,511
Number per 100,000 (Crude)	9.3	25.8	35.9	39.7	41.3
Number per 100,000 (ASW)	4.4	12.3	16.9	18.7	19.5

Source: Belgian Cancer Registry

TABLE 24 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	2	14	26	44	57
	Number per 100,000 (Crude)	0.1	0.4	0.7	1.1	1.5
	Number per 100,000 (ASW)	0.0	0.3	0.6	1.0	1.3
30-49 Years	Number of cases	70	238	328	363	377
	Number per 100,000 (Crude)	2.3	7.8	10.7	11.8	12.3
	Number per 100,000 (ASW)	2.2	7.5	10.3	11.4	11.8
50-69 Years	Number of cases	378	982	1,313	1,410	1,443
	Number per 100,000 (Crude)	14.6	38.0	50.8	54.6	55.8
	Number per 100,000 (ASW)	14.6	38.0	50.8	54.6	55.8
70+ Years	Number of cases	565	1,579	2,257	2,522	2,634
	Number per 100,000 (Crude)	40.4	112.9	161.4	180.4	188.3
	Number per 100,000 (ASW)	37.8	105.1	149.8	167.0	173.8


Source: Belgian Cancer Registry



STOMACH (ICD-10: C16)

(CONTINUED)

FIGURE 11 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010



STOMACH (ICD-10: C16)

(CONTINUED)

TABLE 25 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	632	1,697	2,336	2,569	2,669
	Number per 100,000 (Crude)	11.8	31.7	43.6	48.0	49.8
	Number per 100,000 (ASW)	6.2	16.4	22.6	25.0	26.2
Females	Number of cases	383	1,116	1,592	1,792	1,884
	Number per 100,000 (Crude)	6.9	20.1	28.6	32.2	33.9
	Number per 100,000 (ASW)	2.9	8.8	12.3	13.9	14.7

Source: Belgian Cancer Registry

###

TABLE 26 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 26A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	46	134	231	*	*
	Number per 100,000 (Crude)	8.6	25.1	43.2	*	*
	Number per 100,000 (ASW)	5.6	17.3	30.9	*	*
Females	Number of cases	34	111	170	*	*
	Number per 100,000 (Crude)	6.0	19.5	29.8	*	*
	Number per 100,000 (ASW)	2.9	10.1	16.5	*	*
Overall	Number of cases	80	245	339	391	426
	Number per 100,000 (Crude)	7.2	22.2	30.7	35.4	38.5
	Number per 100,000 (ASW)	4.1	13.3	19.2	23.1	25.6

Source: Belgian Cancer Registry

###



STOMACH (ICD-10: C16)

(CONTINUED)

TABLE 26 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 26B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	410	1,091	1,521	1,717	1,809
	Number per 100,000 (Crude)	13.2	35.2	49.1	55.4	58.4
	Number per 100,000 (ASW)	6.4	16.7	23.1	25.9	27.4
Females	Number of cases	235	678	1,033	1,252	1,395
	Number per 100,000 (Crude)	7.4	21.3	32.5	39.4	43.9
	Number per 100,000 (ASW)	3.0	8.9	12.8	15.5	17.4
Overall	Number of cases	645	1,769	2,554	2,954	3,160
	Number per 100,000 (Crude)	10.3	28.2	40.7	47.0	50.3
	Number per 100,000 (ASW)	4.6	12.5	17.5	20.0	21.3

Source: Belgian Cancer Registry



TABLE 26 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 26C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	176	472	706	822	895
	Number per 100,000 (Crude)	10.3	27.6	41.3	48.1	52.4
	Number per 100,000 (ASW)	5.8	15.4	23.1	27.5	30.5
Females	Number of cases	114	327	484	581	645
	Number per 100,000 (Crude)	6.3	18.1	26.8	32.2	35.7
	Number per 100,000 (ASW)	2.8	8.3	12.7	16.0	18.5
Overall	Number of cases	290	799	1,176	1,363	1,471
	Number per 100,000 (Crude)	8.3	22.8	33.5	38.8	41.9
	Number per 100,000 (ASW)	4.2	11.5	17.1	20.2	22.2

Source: Belgian Cancer Registry





COLORECTAL (ICD-10: C18-C20)

TABLE 27 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	7,043	26,846	41,362	49,875	55,358
Number per 100,000 (Crude)	64.5	245.8	378.8	456.7	506.9
Number per 100,000 (ASW)	30.3	112.7	167.9	197.2	213.9

Source: Belgian Cancer Registry

TABLE 28 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	60	209	308	369	406
	Number per 100,000 (Crude)	1.6	5.4	8.0	9.5	10.5
	Number per 100,000 (ASW)	1.4	4.6	6.8	8.2	9.0
30-49 Years	Number of cases	344	1,176	1,604	1,765	1,826
	Number per 100,000 (Crude)	11.2	38.3	52.3	57.5	59.5
	Number per 100,000 (ASW)	10.8	37.0	50.4	55.5	57.4
50-69 Years	Number of cases	2,603	9,386	13,477	15,367	16,270
	Number per 100,000 (Crude)	100.7	363.1	521.4	594.5	629.4
	Number per 100,000 (ASW)	100.8	363.9	522.8	596.4	631.5
70+ Years	Number of cases	4,036	16,075	25,972	32,375	36,856
	Number per 100,000 (Crude)	288.6	1,149.4	1,857.1	2,315.0	2,635.4
	Number per 100,000 (ASW)	269.9	1,074.4	1,708.1	2,098.1	2,351.7


Source: Belgian Cancer Registry



COLORECTAL (ICD-10: C18-C20)

(CONTINUED)

FIGURE 12 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010



COLORECTAL (ICD-10: C18-C20)

(CONTINUED)

TABLE 29 - PREVALENCE FOR MALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	28	84	124	145	157
	Number per 100,000 (Crude)	1.4	4.3	6.3	7.4	8.0
	Number per 100,000 (ASW)	1.2	3.6	5.4	6.4	6.9
30-49 Years	Number of cases	174	583	806	894	931
	Number per 100,000 (Crude)	11.2	37.6	51.9	57.6	59.9
	Number per 100,000 (ASW)	10.8	36.2	50.0	55.5	57.8
50-69 Years	Number of cases	1,583	5,536	7,796	8,768	9,205
	Number per 100,000 (Crude)	124.0	433.5	610.5	686.6	720.8
	Number per 100,000 (ASW)	125.2	438.6	618.3	695.9	730.7
70+ Years	Number of cases	2,079	8,305	13,197	16,104	18,048
	Number per 100,000 (Crude)	368.7	1,472.8	2,340.3	2,855.8	3,200.7
	Number per 100,000 (ASW)	348.0	1,401.3	2,205.9	2,683.4	2,992.4

Source: Belgian Cancer Registry

###

TABLE 30 - PREVALENCE FOR FEMALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	32	125	185	225	251
	Number per 100,000 (Crude)	1.7	6.6	9.7	11.8	13.2
	Number per 100,000 (ASW)	1.5	5.6	8.3	10.1	11.3
30-49 Years	Number of cases	170	593	806	890	924
	Number per 100,000 (Crude)	11.2	39.1	53.1	58.7	60.9
	Number per 100,000 (ASW)	10.8	37.8	51.3	56.7	58.9
50-69 Years	Number of cases	1,020	3,850	5,689	6,629	7,120
	Number per 100,000 (Crude)	78.0	294.4	435.0	506.9	544.4
	Number per 100,000 (ASW)	77.5	292.8	432.6	504.3	541.7
70+ Years	Number of cases	1,957	7,770	12,724	16,123	18,571
	Number per 100,000 (Crude)	234.5	931.0	1,524.6	1,931.8	2,225.1
	Number per 100,000 (ASW)	215.9	847.0	1,359.7	1,684.7	1,898.1

Source: Belgian Cancer Registry

###



COLORECTAL (ICD-10: C18-C20)

(CONTINUED)

TABLE 31 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	3,864	14,508	21,923	25,911	28,341
	Number per 100,000 (Crude)	72.1	270.8	409.2	483.7	529.1
	Number per 100,000 (ASW)	37.2	137.0	202.2	235.6	254.3
Females	Number of cases	3,179	12,338	19,404	23,867	26,867
	Number per 100,000 (Crude)	57.1	221.8	348.8	429.0	482.9
	Number per 100,000 (ASW)	24.5	92.9	140.6	167.4	183.1

Source: Belgian Cancer Registry



TABLE 32 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 32A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	302	982	1,535	1,861	2,080
	Number per 100,000 (Crude)	56.5	183.7	287.1	348.2	389.2
	Number per 100,000 (ASW)	38.2	119.7	183.4	219.3	242.0
Females	Number of cases	260	983	1,630	2,128	2,510
	Number per 100,000 (Crude)	45.6	172.5	286.2	373.5	440.5
	Number per 100,000 (ASW)	23.4	81.5	133.1	171.3	199.2
Overall	Number of cases	562	1,965	3,150	3,932	4,472
	Number per 100,000 (Crude)	50.9	177.9	285.2	356.1	404.9
	Number per 100,000 (ASW)	29.7	97.6	152.6	185.9	207.0

Source: Belgian Cancer Registry





COLORECTAL (ICD-10: C18-C20)

(CONTINUED)

TABLE 32 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 32B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	2,460	9,447	14,311	17,049	18,738
	Number per 100,000 (Crude)	79.4	304.8	461.7	550.0	604.5
	Number per 100,000 (ASW)	38.3	143.7	212.4	248.3	268.5
Females	Number of cases	2,009	7,713	11,977	14,445	16,001
	Number per 100,000 (Crude)	63.2	242.5	376.6	454.2	503.2
	Number per 100,000 (ASW)	26.1	99.0	147.1	172.7	186.9
Overall	Number of cases	4,469	17,160	26,288	31,478	34,688
	Number per 100,000 (Crude)	71.2	273.3	418.6	501.3	552.4
	Number per 100,000 (ASW)	31.7	119.4	176.6	206.4	222.5

Source: Belgian Cancer Registry



TABLE 32 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 32C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	1,095	4,044	6,121	7,239	7,927
	Number per 100,000 (Crude)	64.1	236.9	358.6	424.0	464.3
	Number per 100,000 (ASW)	34.8	127.0	187.9	219.7	238.1
Females	Number of cases	906	3,617	5,891	7,407	8,507
	Number per 100,000 (Crude)	50.2	200.4	326.4	410.5	471.4
	Number per 100,000 (ASW)	21.8	84.5	134.1	165.1	186.3
Overall	Number of cases	2,001	7,661	12,001	14,608	16,365
	Number per 100,000 (Crude)	57.0	218.1	341.7	415.9	466.0
	Number per 100,000 (ASW)	27.6	103.2	157.0	187.3	206.3

Source: Belgian Cancer Registry





LIVER (ICD-10: C22)

TABLE 33 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	435	1,081	1,284	1,330	1,343
Number per 100,000 (Crude)	4.0	9.9	11.8	12.2	12.3
Number per 100,000 (ASW)	2.2	5.6	6.8	7.1	7.2

Source: Belgian Cancer Registry

TABLE 34 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	7	23	37	48	54
	Number per 100,000 (Crude)	0.2	0.6	1.0	1.2	1.4
	Number per 100,000 (ASW)	0.2	0.6	1.0	1.2	1.3
30-49 Years	Number of cases	25	67	79	82	83
	Number per 100,000 (Crude)	0.8	2.2	2.6	2.7	2.7
	Number per 100,000 (ASW)	0.8	2.1	2.5	2.6	2.7
50-69 Years	Number of cases	214	543	652	672	676
	Number per 100,000 (Crude)	8.3	21.0	25.2	26.0	26.2
	Number per 100,000 (ASW)	8.3	21.1	25.3	26.1	26.3
70+ Years	Number of cases	189	448	516	528	530
	Number per 100,000 (Crude)	13.5	32.0	36.9	37.7	37.9
	Number per 100,000 (ASW)	14.1	34.1	39.7	40.7	40.9


Source: Belgian Cancer Registry



LIVER (ICD-10: C22)

(CONTINUED)

FIGURE 13 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





LIVER (ICD-10: C22)

(CONTINUED)

TABLE 35 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	310	762	895	932	946
	Number per 100,000 (Crude)	5.8	14.2	16.7	17.4	17.7
	Number per 100,000 (ASW)	3.3	8.4	10.0	10.6	10.9
Females	Number of cases	125	319	416	457	479
	Number per 100,000 (Crude)	2.2	5.7	7.5	8.2	8.6
	Number per 100,000 (ASW)	1.1	3.1	4.3	5.0	5.4

Source: Belgian Cancer Registry



TABLE 36 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 36A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	32	84	*	*	*
	Number per 100,000 (Crude)	6.0	15.7	*	*	*
	Number per 100,000 (ASW)	4.2	11.7	*	*	*
Females	Number of cases	16	39	*	*	*
	Number per 100,000 (Crude)	2.8	6.8	*	*	*
	Number per 100,000 (ASW)	1.6	4.2	*	*	*
Overall	Number of cases	48	123	*	*	*
	Number per 100,000 (Crude)	4.3	11.1	*	*	*
	Number per 100,000 (ASW)	2.9	7.6	*	*	*

Source: Belgian Cancer Registry





LIVER (ICD-10: C22)

(CONTINUED)

TABLE 36 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 36B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	168	390	473	521	552
	Number per 100,000 (Crude)	5.4	12.6	15.3	16.8	17.8
	Number per 100,000 (ASW)	3.0	6.9	8.6	9.7	10.6
Females	Number of cases	63	171	220	262	*
	Number per 100,000 (Crude)	2.0	5.4	6.9	8.2	*
	Number per 100,000 (ASW)	1.0	3.0	3.9	5.0	*
Overall	Number of cases	231	561	693	755	787
	Number per 100,000 (Crude)	3.7	8.9	11.0	12.0	12.5
	Number per 100,000 (ASW)	1.9	4.9	6.2	6.9	7.4

Source: Belgian Cancer Registry



TABLE 36 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 36C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	110	288	358	399	430
	Number per 100,000 (Crude)	6.4	16.9	21.0	23.4	25.2
	Number per 100,000 (ASW)	3.8	10.3	13.2	15.3	17.1
Females	Number of cases	46	109	169	*	*
	Number per 100,000 (Crude)	2.5	6.0	9.4	*	*
	Number per 100,000 (ASW)	1.3	3.0	5.6	*	*
Overall	Number of cases	156	397	501	553	588
	Number per 100,000 (Crude)	4.4	11.3	14.3	15.8	16.7
	Number per 100,000 (ASW)	2.4	6.4	8.6	10.0	11.1

Source: Belgian Cancer Registry





PANCREAS (ICD-10: C25)

TABLE 37 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	863	1,611	1,842	1,881	1,896
Number per 100,000 (Crude)	7.9	14.8	16.9	17.2	17.4
Number per 100,000 (ASW)	3.9	7.7	8.9	9.2	9.3

Source: Belgian Cancer Registry

TABLE 38 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	4	9	14	22	30
	Number per 100,000 (Crude)	0.1	0.2	0.4	0.6	0.8
	Number per 100,000 (ASW)	0.1	0.2	0.3	0.5	0.6
30-49 Years	Number of cases	57	122	151	160	163
	Number per 100,000 (Crude)	1.9	4.0	4.9	5.2	5.3
	Number per 100,000 (ASW)	1.8	3.9	4.8	5.1	5.2
50-69 Years	Number of cases	355	728	819	829	830
	Number per 100,000 (Crude)	13.7	28.2	31.7	32.1	32.1
	Number per 100,000 (ASW)	13.7	28.2	31.7	32.1	32.2
70+ Years	Number of cases	447	752	858	870	872
	Number per 100,000 (Crude)	32.0	53.8	61.3	62.2	62.4
	Number per 100,000 (ASW)	31.8	55.0	62.7	63.6	63.7


Source: Belgian Cancer Registry



PANCREAS (ICD-10: C25)

(CONTINUED)

FIGURE 14 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





PANCREAS (ICD-10: C25)

(CONTINUED)

TABLE 39 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	444	833	977	1,045	1,103
	Number per 100,000 (Crude)	8.3	15.5	18.2	19.5	20.6
	Number per 100,000 (ASW)	4.5	8.6	10.3	11.5	12.5
Females	Number of cases	419	778	897	929	948
	Number per 100,000 (Crude)	7.5	14.0	16.1	16.7	17.0
	Number per 100,000 (ASW)	3.5	7.0	8.2	8.7	9.1

Source: Belgian Cancer Registry



TABLE 40 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 40A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	36	69	85	*	*
	Number per 100,000 (Crude)	6.7	12.9	15.9	*	*
	Number per 100,000 (ASW)	4.5	9.1	11.2	*	*
Females	Number of cases	40	69	92	*	*
	Number per 100,000 (Crude)	7.0	12.1	16.2	*	*
	Number per 100,000 (ASW)	3.5	6.6	10.0	*	*
Overall	Number of cases	76	138	164	190	215
	Number per 100,000 (Crude)	6.9	12.5	14.8	17.2	19.5
	Number per 100,000 (ASW)	3.9	7.7	9.5	11.5	13.5

Source: Belgian Cancer Registry



PANCREAS (ICD-10: C25)

(CONTINUED)

TABLE 40 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 40B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	248	471	568	626	680
	Number per 100,000 (Crude)	8.0	15.2	18.3	20.2	21.9
	Number per 100,000 (ASW)	4.1	8.0	9.6	10.9	12.6
Females	Number of cases	241	443	542	587	617
	Number per 100,000 (Crude)	7.6	13.9	17.0	18.5	19.4
	Number per 100,000 (ASW)	3.4	6.6	8.0	8.9	9.8
Overall	Number of cases	489	914	1,110	1,183	1,217
	Number per 100,000 (Crude)	7.8	14.6	17.7	18.8	19.4
	Number per 100,000 (ASW)	3.7	7.2	8.8	9.4	9.8

Source: Belgian Cancer Registry

TABLE 40 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 40C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	160	293	358	401	436
	Number per 100,000 (Crude)	9.4	17.2	20.9	23.5	25.5
	Number per 100,000 (ASW)	5.3	9.9	12.4	14.5	16.4
Females	Number of cases	138	266	319	346	369
	Number per 100,000 (Crude)	7.6	14.7	17.7	19.2	20.5
	Number per 100,000 (ASW)	3.7	7.9	10.1	11.7	13.2
Overall	Number of cases	298	559	644	663	674
	Number per 100,000 (Crude)	8.5	15.9	18.3	18.9	19.2
	Number per 100,000 (ASW)	4.4	8.8	10.2	10.7	11.0

Source: Belgian Cancer Registry





LUNG (ICD-10: C34)

TABLE 41 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	4,954	11,641	14,298	14,867	15,014
Number per 100,000 (Crude)	45.4	106.6	130.9	136.1	137.5
Number per 100,000 (ASW)	23.7	55.9	68.1	70.8	71.5

Source: Belgian Cancer Registry

TABLE 42 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	5	24	40	58	76
	Number per 100,000 (Crude)	0.1	0.6	1.0	1.5	2.0
	Number per 100,000 (ASW)	0.1	0.5	0.9	1.3	1.6
30-49 Years	Number of cases	214	502	589	602	604
	Number per 100,000 (Crude)	7.0	16.4	19.2	19.6	19.7
	Number per 100,000 (ASW)	6.7	15.6	18.4	18.8	18.9
50-69 Years	Number of cases	2,485	5,832	7,000	7,234	7,287
	Number per 100,000 (Crude)	96.1	225.6	270.8	279.9	281.9
	Number per 100,000 (ASW)	96.0	225.3	270.5	279.5	281.6
70+ Years	Number of cases	2,250	5,283	6,668	6,972	7,047
	Number per 100,000 (Crude)	160.9	377.8	476.8	498.5	503.9
	Number per 100,000 (ASW)	168.0	394.9	498.0	520.6	526.0


Source: Belgian Cancer Registry



LUNG (ICD-10: C34)

(CONTINUED)

FIGURE 15 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





LUNG (ICD-10: C34)

(CONTINUED)

TABLE 43 - PREVALENCE FOR MALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	3	10	19	28	35
	Number per 100,000 (Crude)	0.2	0.5	1.0	1.4	1.8
	Number per 100,000 (ASW)	0.1	0.4	0.8	1.2	1.5
30-49 Years	Number of cases	104	238	281	288	289
	Number per 100,000 (Crude)	6.7	15.3	18.1	18.5	18.6
	Number per 100,000 (ASW)	6.4	14.7	17.3	17.7	17.8
50-69 Years	Number of cases	1,620	3,772	4,571	4,735	4,773
	Number per 100,000 (Crude)	126.9	295.4	357.9	370.8	373.8
	Number per 100,000 (ASW)	127.9	298.1	361.3	374.3	377.4
70+ Years	Number of cases	1,718	3,928	4,942	5,158	5,212
	Number per 100,000 (Crude)	304.7	696.6	876.4	914.8	924.3
	Number per 100,000 (ASW)	302.6	689.6	868.1	906.8	916.2

Source: Belgian Cancer Registry



TABLE 44 - PREVALENCE FOR FEMALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	2	14	23	36	47
	Number per 100,000 (Crude)	0.1	0.7	1.2	1.9	2.5
	Number per 100,000 (ASW)	0.1	0.6	1.0	1.6	2.1
30-49 Years	Number of cases	110	264	311	321	323
	Number per 100,000 (Crude)	7.3	17.4	20.5	21.2	21.3
	Number per 100,000 (ASW)	6.9	16.6	19.7	20.3	20.5
50-69 Years	Number of cases	865	2,060	2,423	2,487	2,500
	Number per 100,000 (Crude)	66.1	157.5	185.2	190.1	191.1
	Number per 100,000 (ASW)	65.6	156.2	183.8	188.7	189.7
70+ Years	Number of cases	532	1,355	1,718	1,799	1,819
	Number per 100,000 (Crude)	63.7	162.4	205.8	215.6	218.0
	Number per 100,000 (ASW)	69.6	177.6	224.4	234.8	237.2

Source: Belgian Cancer Registry





LUNG (ICD-10: C34)

(CONTINUED)

TABLE 45 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	3,445	7,948	9,813	10,209	10,309
	Number per 100,000 (Crude)	64.3	148.4	183.2	190.6	192.4
	Number per 100,000 (ASW)	34.2	79.0	97.1	101.1	102.2
Females	Number of cases	1,509	3,693	4,474	4,642	4,689
	Number per 100,000 (Crude)	27.1	66.4	80.4	83.4	84.3
	Number per 100,000 (ASW)	15.0	36.4	43.7	45.3	45.9

Source: Belgian Cancer Registry

TABLE 46 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 46A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	264	554	708	754	779
	Number per 100,000 (Crude)	49.4	103.6	132.3	141.0	145.7
	Number per 100,000 (ASW)	35.6	73.6	94.6	101.6	105.6
Females	Number of cases	127	339	466	544	603
	Number per 100,000 (Crude)	22.3	59.5	81.8	95.5	105.8
	Number per 100,000 (ASW)	14.4	38.6	52.5	60.7	66.9
Overall	Number of cases	391	893	1,154	1,239	1,282
	Number per 100,000 (Crude)	35.4	80.9	104.5	112.2	116.1
	Number per 100,000 (ASW)	23.7	53.6	69.5	75.1	78.1

Source: Belgian Cancer Registry



LUNG (ICD-10: C34)

(CONTINUED)

TABLE 46 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 46B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	2,060	4,738	6,068	6,651	6,853
	Number per 100,000 (Crude)	66.5	152.9	195.8	214.6	221.1
	Number per 100,000 (ASW)	32.3	74.7	94.5	102.9	105.7
Females	Number of cases	826	1,954	2,458	2,648	2,706
	Number per 100,000 (Crude)	26.0	61.4	77.3	83.3	85.1
	Number per 100,000 (ASW)	13.8	31.9	39.5	42.7	43.9
Overall	Number of cases	2,886	6,692	8,526	9,298	9,549
	Number per 100,000 (Crude)	46.0	106.6	135.8	148.1	152.1
	Number per 100,000 (ASW)	22.3	51.7	64.9	70.4	72.1

Source: Belgian Cancer Registry



TABLE 46 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 46C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	1,117	2,638	3,288	3,454	3,515
	Number per 100,000 (Crude)	65.4	154.5	192.6	202.3	205.9
	Number per 100,000 (ASW)	37.2	88.0	110.1	116.3	119.0
Females	Number of cases	555	1,393	1,655	1,723	1,757
	Number per 100,000 (Crude)	30.8	77.2	91.7	95.5	97.4
	Number per 100,000 (ASW)	17.4	44.0	52.4	55.3	57.3
Overall	Number of cases	1,672	4,031	4,934	5,148	5,220
	Number per 100,000 (Crude)	47.6	114.8	140.5	146.6	148.6
	Number per 100,000 (ASW)	26.3	63.8	78.0	81.8	83.3

Source: Belgian Cancer Registry





BONE AND SOFT-TISSUE TUMOURS (ICD-10: C40-C41; C47; C49)

TABLE 47 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	391	1,648	2,848	3,732	4,452
Number per 100,000 (Crude)	3.6	15.1	26.1	34.2	40.8
Number per 100,000 (ASW)	2.6	10.8	18.5	24.1	28.6

Source: Belgian Cancer Registry

TABLE 48 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010


Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	55	254	433	554	665
	Number per 100,000 (Crude)	1.4	6.6	11.2	14.3	17.2
	Number per 100,000 (ASW)	1.4	6.2	10.4	13.1	15.5
30-49 Years	Number of cases	84	328	551	693	785
	Number per 100,000 (Crude)	2.7	10.7	18.0	22.6	25.6
	Number per 100,000 (ASW)	2.7	10.6	17.8	22.5	25.5
50-69 Years	Number of cases	124	536	984	1,366	1,702
	Number per 100,000 (Crude)	4.8	20.7	38.1	52.8	65.9
	Number per 100,000 (ASW)	4.8	20.8	38.2	53.0	66.1
70+ Years	Number of cases	128	530	879	1,120	1,300
	Number per 100,000 (Crude)	9.2	37.9	62.9	80.1	93.0
	Number per 100,000 (ASW)	9.0	36.0	58.0	72.0	81.7

Source: Belgian Cancer Registry



BONE AND SOFT-TISSUE TUMOURS (ICD-10: C40-C41; C47; C49) (CONTINUED)

FIGURE 16 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010



BONE AND SOFT-TISSUE TUMOURS (ICD-10: C40-C41; C47; C49) (CONTINUED)

TABLE 49 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	209	893	1,508	1,940	2,290
	Number per 100,000 (Crude)	3.9	16.7	28.1	36.2	42.8
	Number per 100,000 (ASW)	2.9	12.3	20.7	26.8	31.7
Females	Number of cases	182	755	1,317	1,741	2,109
	Number per 100,000 (Crude)	3.3	13.6	23.7	31.3	37.9
	Number per 100,000 (ASW)	2.2	9.4	16.5	21.7	26.4

Source: Belgian Cancer Registry

###

TABLE 50 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 50A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	26	92	171	*	*
	Number per 100,000 (Crude)	4.9	17.2	31.9	*	*
	Number per 100,000 (ASW)	4.7	14.7	28.1	*	*
Females	Number of cases	16	66	145	*	*
	Number per 100,000 (Crude)	2.8	11.6	25.4	*	*
	Number per 100,000 (ASW)	2.3	9.5	20.4	*	*
Overall	Number of cases	42	158	286	381	464
	Number per 100,000 (Crude)	3.8	14.3	25.9	34.5	42.0
	Number per 100,000 (ASW)	3.5	11.9	21.1	27.8	33.8

Source: Belgian Cancer Registry

###



BONE AND SOFT-TISSUE TUMOURS (ICD-10: C40-C41; C47; C49) (CONTINUED)

TABLE 50 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 50B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	110	509	882	1,162	1,396
	Number per 100,000 (Crude)	3.5	16.4	28.5	37.5	45.1
	Number per 100,000 (ASW)	2.6	12.0	20.6	27.0	32.3
Females	Number of cases	100	430	783	1,060	1,279
	Number per 100,000 (Crude)	3.1	13.5	24.6	33.3	40.2
	Number per 100,000 (ASW)	2.2	9.4	17.4	23.5	28.4
Overall	Number of cases	210	939	1,665	2,206	2,633
	Number per 100,000 (Crude)	3.3	15.0	26.5	35.1	41.9
	Number per 100,000 (ASW)	2.4	10.7	18.9	24.8	29.6

Source: Belgian Cancer Registry



TABLE 50 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 50C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	52	233	395	518	626
	Number per 100,000 (Crude)	3.0	13.6	23.1	30.3	36.7
	Number per 100,000 (ASW)	2.5	10.8	18.0	23.6	28.5
Females	Number of cases	53	214	359	481	587
	Number per 100,000 (Crude)	2.9	11.9	19.9	26.7	32.5
	Number per 100,000 (ASW)	1.9	8.4	14.8	20.1	24.9
Overall	Number of cases	105	447	735	942	1,101
	Number per 100,000 (Crude)	3.0	12.7	20.9	26.8	31.3
	Number per 100,000 (ASW)	2.2	9.6	15.6	20.0	23.3

Source: Belgian Cancer Registry





MELANOMA OF SKIN (ICD-10: C43)

TABLE 51 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	1,992	8,068	12,940	15,966	17,893
Number per 100,000 (Crude)	18.2	73.9	118.5	146.2	163.8
Number per 100,000 (ASW)	12.2	47.8	75.7	92.6	103.1

Source: Belgian Cancer Registry

TABLE 52 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	137	398	530	582	603
	Number per 100,000 (Crude)	3.5	10.3	13.7	15.1	15.6
	Number per 100,000 (ASW)	2.9	8.5	11.2	12.4	12.8
30-49 Years	Number of cases	592	2,301	3,658	4,429	4,868
	Number per 100,000 (Crude)	19.3	75.0	119.2	144.3	158.6
	Number per 100,000 (ASW)	19.1	74.0	117.6	142.2	156.2
50-69 Years	Number of cases	719	3,053	4,949	6,192	7,033
	Number per 100,000 (Crude)	27.8	118.1	191.4	239.5	272.1
	Number per 100,000 (ASW)	27.8	118.2	191.7	240.0	272.6
70+ Years	Number of cases	544	2,316	3,803	4,763	5,388
	Number per 100,000 (Crude)	38.9	165.6	272.0	340.5	385.3
	Number per 100,000 (ASW)	37.8	159.1	263.0	329.0	370.2


Source: Belgian Cancer Registry



MELANOMA OF SKIN (ICD-10: C43)

(CONTINUED)

FIGURE 17 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





MELANOMA OF SKIN (ICD-10: C43)

(CONTINUED)

TABLE 53 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	810	3,099	4,822	5,838	6,460
	Number per 100,000 (Crude)	15.1	57.8	90.0	109.0	120.6
	Number per 100,000 (ASW)	9.8	36.5	56.4	68.1	75.0
Females	Number of cases	1,182	4,969	8,123	10,163	11,517
	Number per 100,000 (Crude)	21.2	89.3	146.0	182.7	207.0
	Number per 100,000 (ASW)	14.7	59.4	95.7	118.6	133.5

Source: Belgian Cancer Registry ###

TABLE 54 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 54A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	68	292	476	599	689
	Number per 100,000 (Crude)	12.7	54.6	89.1	112.0	129.0
	Number per 100,000 (ASW)	9.6	39.1	63.7	80.6	93.3
Females	Number of cases	91	439	732	969	1,172
	Number per 100,000 (Crude)	16.0	77.1	128.6	170.0	205.6
	Number per 100,000 (ASW)	10.8	50.4	84.2	112.0	136.3
Overall	Number of cases	159	731	1,219	1,593	1,892
	Number per 100,000 (Crude)	14.4	66.2	110.4	144.3	171.4
	Number per 100,000 (ASW)	10.2	44.4	73.6	95.8	113.2

Source: Belgian Cancer Registry ###



MELANOMA OF SKIN (ICD-10: C43)

(CONTINUED)

TABLE 54 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 54B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	386	1,589	2,516	3,127	3,502
	Number per 100,000 (Crude)	12.5	51.3	81.2	100.9	113.0
	Number per 100,000 (ASW)	7.9	31.9	49.9	61.3	68.1
Females	Number of cases	605	2,727	4,443	5,593	6,364
	Number per 100,000 (Crude)	19.0	85.8	139.7	175.9	200.1
	Number per 100,000 (ASW)	12.8	56.1	89.9	111.4	125.2
Overall	Number of cases	991	4,316	6,959	8,710	9,836
	Number per 100,000 (Crude)	15.8	68.7	110.8	138.7	156.6
	Number per 100,000 (ASW)	10.3	43.9	69.7	86.0	95.9

Source: Belgian Cancer Registry



TABLE 54 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 54C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	308	1,062	1,565	1,819	1,959
	Number per 100,000 (Crude)	18.0	62.2	91.6	106.5	114.8
	Number per 100,000 (ASW)	12.4	41.1	59.4	68.4	72.9
Females	Number of cases	444	1,642	2,722	3,416	3,893
	Number per 100,000 (Crude)	24.6	91.0	150.8	189.3	215.7
	Number per 100,000 (ASW)	18.3	64.5	104.2	128.5	144.4
Overall	Number of cases	752	2,704	4,276	5,188	5,756
	Number per 100,000 (Crude)	21.4	77.0	121.7	147.7	163.9
	Number per 100,000 (ASW)	15.3	52.6	81.2	97.0	106.1

Source: Belgian Cancer Registry





FEMALE BREAST (ICD-10: C50)

TABLE 55 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	9,843	43,984	78,083	106,358	131,078
Number per 100,000 (Crude)	176.9	790.6	1,403.5	1,911.8	2,356.1
Number per 100,000 (ASW)	103.2	452.6	787.9	1,062.6	1,302.6

Source: Belgian Cancer Registry

TABLE 56 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	34	87	100	103	104
	Number per 100,000 (Crude)	1.8	4.6	5.2	5.4	5.4
	Number per 100,000 (ASW)	1.4	3.6	4.1	4.2	4.3
30-49 Years	Number of cases	1,854	7,087	10,224	11,698	12,400
	Number per 100,000 (Crude)	122.3	467.3	674.2	771.4	817.6
	Number per 100,000 (ASW)	118.3	449.8	647.1	739.1	782.6
50-69 Years	Number of cases	4,835	22,304	40,763	57,055	72,325
	Number per 100,000 (Crude)	369.7	1,705.4	3,116.9	4,362.6	5,530.1
	Number per 100,000 (ASW)	369.1	1,702.7	3,106.8	4,344.5	5,498.9
70+ Years	Number of cases	3,120	14,506	26,996	37,502	46,249
	Number per 100,000 (Crude)	373.8	1,738.1	3,234.5	4,493.4	5,541.4
	Number per 100,000 (ASW)	374.2	1,755.1	3,329.4	4,693.0	5,813.0


Source: Belgian Cancer Registry



FEMALE BREAST (ICD-10: C50)

(CONTINUED)

FIGURE 18 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





FEMALE BREAST (ICD-10: C50)

(CONTINUED)

TABLE 57 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 57A - BRUSSELS-CAPITAL REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	907	4,043	7,343	10,243	12,930
Number per 100,000 (Crude)	159.2	709.6	1,288.9	1,797.8	2,269.4
Number per 100,000 (ASW)	107.7	473.9	844.0	1,167.3	1,466.1

Source: Belgian Cancer Registry

###

TABLE 57 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 57B - FLEMISH REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	5,614	25,199	44,597	58,692	70,707
Number per 100,000 (Crude)	176.5	792.4	1,402.4	1,845.6	2,223.4
Number per 100,000 (ASW)	99.6	439.0	757.7	977.1	1,159.8

Source: Belgian Cancer Registry

###

TABLE 57 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 57C - WALLOON REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	3,245	14,410	25,701	35,010	43,264
Number per 100,000 (Crude)	179.8	798.5	1,424.1	1,940.0	2,397.3
Number per 100,000 (ASW)	106.3	462.6	808.1	1,090.3	1,340.0

Source: Belgian Cancer Registry

###



CERVIX UTERI (ICD-10: C53)

TABLE 58 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	550	2,386	4,291	5,851	7,196
Number per 100,000 (Crude)	9.9	42.9	77.1	105.2	129.3
Number per 100,000 (ASW)	6.9	30.3	54.6	74.7	92.1

Source: Belgian Cancer Registry

TABLE 59 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	14	43	57	73	87
	Number per 100,000 (Crude)	0.7	2.3	3.0	3.8	4.6
	Number per 100,000 (ASW)	0.6	1.8	2.4	3.1	3.8
30-49 Years	Number of cases	237	1,049	1,875	2,527	3,054
	Number per 100,000 (Crude)	15.6	69.2	123.7	166.7	201.4
	Number per 100,000 (ASW)	15.4	68.0	120.9	162.4	195.6
50-69 Years	Number of cases	195	909	1,706	2,412	3,082
	Number per 100,000 (Crude)	14.9	69.5	130.4	184.4	235.7
	Number per 100,000 (ASW)	14.9	69.8	131.0	185.3	236.8
70+ Years	Number of cases	104	385	653	839	972
	Number per 100,000 (Crude)	12.5	46.1	78.3	100.5	116.4
	Number per 100,000 (ASW)	11.8	46.2	82.1	108.9	128.5


Source: Belgian Cancer Registry



CERVIX UTERI (ICD-10: C53)

(CONTINUED)

FIGURE 19 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





CERVIX UTERI (ICD-10: C53)

(CONTINUED)

TABLE 60 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 60A - BRUSSELS-CAPITAL REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	51	253	433	*	*
Number per 100,000 (Crude)	9.0	44.4	75.9	*	*
Number per 100,000 (ASW)	6.5	34.5	59.4	*	*

Source: Belgian Cancer Registry

TABLE 60 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 60B - FLEMISH REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	294	1,327	2,450	3,428	4,222
Number per 100,000 (Crude)	9.2	41.7	77.0	107.8	132.8
Number per 100,000 (ASW)	6.4	29.3	53.0	73.1	89.5

Source: Belgian Cancer Registry

TABLE 60 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 60C - WALLOON REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	191	754	1,317	1,742	2,081
Number per 100,000 (Crude)	10.6	41.8	73.0	96.5	115.3
Number per 100,000 (ASW)	7.5	29.7	52.4	70.1	84.3

Source: Belgian Cancer Registry



CORPUS UTERI (ICD-10: C54)

TABLE 61 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	1,331	5,728	9,800	12,789	15,052
Number per 100,000 (Crude)	23.9	103.0	176.2	229.9	270.6
Number per 100,000 (ASW)	11.4	48.7	80.8	103.9	120.9

Source: Belgian Cancer Registry

TABLE 62 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	0	1	4	9	15
	Number per 100,000 (Crude)	0.0	0.1	0.2	0.5	0.8
	Number per 100,000 (ASW)	0.0	0.0	0.2	0.4	0.6
30-49 Years	Number of cases	57	208	288	321	334
	Number per 100,000 (Crude)	3.8	13.7	19.0	21.1	22.1
	Number per 100,000 (ASW)	3.6	13.1	18.2	20.2	21.1
50-69 Years	Number of cases	587	2,505	4,060	5,175	6,005
	Number per 100,000 (Crude)	44.9	191.5	310.4	395.7	459.1
	Number per 100,000 (ASW)	44.7	190.3	308.3	393.2	456.4
70+ Years	Number of cases	687	3,014	5,449	7,285	8,698
	Number per 100,000 (Crude)	82.3	361.1	652.9	872.8	1,042.2
	Number per 100,000 (ASW)	85.4	376.2	675.8	899.1	1,060.6


Source: Belgian Cancer Registry



CORPUS UTERI (ICD-10: C54)

(CONTINUED)

FIGURE 20 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





CORPUS UTERI (ICD-10: C54)

(CONTINUED)

TABLE 63 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 63A - BRUSSELS-CAPITAL REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	113	435	688	849	954
Number per 100,000 (Crude)	19.8	76.4	120.8	149.0	167.5
Number per 100,000 (ASW)	11.0	42.1	65.0	79.4	89.1

Source: Belgian Cancer Registry

TABLE 63 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 63B - FLEMISH REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	776	3,533	6,090	7,934	9,314
Number per 100,000 (Crude)	24.4	111.1	191.5	249.5	292.9
Number per 100,000 (ASW)	11.4	50.9	84.1	106.2	121.8

Source: Belgian Cancer Registry

TABLE 63 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 63C - WALLOON REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	442	1,760	3,081	4,059	4,798
Number per 100,000 (Crude)	24.5	97.5	170.7	224.9	265.9
Number per 100,000 (ASW)	11.5	46.1	79.2	104.2	123.2

Source: Belgian Cancer Registry



OVARY (ICD-10: C56)

TABLE 64 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	709	2,594	4,003	4,790	5,259
Number per 100,000 (Crude)	12.7	46.6	72.0	86.1	94.5
Number per 100,000 (ASW)	7.1	26.4	40.7	49.1	54.2

Source: Belgian Cancer Registry

TABLE 65 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	13	57	85	108	121
	Number per 100,000 (Crude)	0.7	3.0	4.5	5.7	6.4
	Number per 100,000 (ASW)	0.6	2.5	3.8	4.8	5.4
30-49 Years	Number of cases	70	294	452	544	602
	Number per 100,000 (Crude)	4.6	19.4	29.8	35.9	39.7
	Number per 100,000 (ASW)	4.5	18.9	29.2	35.3	39.3
50-69 Years	Number of cases	353	1,270	1,985	2,407	2,675
	Number per 100,000 (Crude)	27.0	97.1	151.8	184.1	204.5
	Number per 100,000 (ASW)	26.9	96.6	151.1	183.3	203.7
70+ Years	Number of cases	273	973	1,481	1,731	1,860
	Number per 100,000 (Crude)	32.7	116.6	177.4	207.4	222.9
	Number per 100,000 (ASW)	35.0	124.0	186.0	215.1	228.8


Source: Belgian Cancer Registry



OVARY (ICD-10: C56)

(CONTINUED)

FIGURE 21 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





OVARY (ICD-10: C56)

(CONTINUED)

TABLE 66 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 66A - BRUSSELS-CAPITAL REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	66	221	356	451	516
Number per 100,000 (Crude)	11.6	38.8	62.5	79.1	90.6
Number per 100,000 (ASW)	7.4	25.0	41.7	55.3	64.7
<i>Source: Belgian Cancer Registry</i>					###

TABLE 66 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 66B - FLEMISH REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	374	1,407	2,300	3,047	3,563
Number per 100,000 (Crude)	11.8	44.2	72.3	95.8	112.0
Number per 100,000 (ASW)	6.4	24.6	39.6	52.2	60.7
<i>Source: Belgian Cancer Registry</i>					###

TABLE 66 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 66C - WALLOON REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	228	819	1,264	1,528	1,695
Number per 100,000 (Crude)	12.6	45.4	70.1	84.6	93.9
Number per 100,000 (ASW)	7.2	25.9	40.5	49.4	55.0
<i>Source: Belgian Cancer Registry</i>					###



PROSTATE (ICD-10: C61)

TABLE 67 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	8,394	38,690	67,914	*	*
Number per 100,000 (Crude)	156.7	722.2	1,267.8	*	*
Number per 100,000 (ASW)	81.3	363.9	622.2	*	*

Source: Belgian Cancer Registry

TABLE 68 - PREVALENCE BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	0	0	0	*	*
	Number per 100,000 (Crude)	0.0	0.0	0.0	*	*
	Number per 100,000 (ASW)	0.0	0.0	0.0	*	*
30-49 Years	Number of cases	70	203	226	*	*
	Number per 100,000 (Crude)	4.5	13.1	14.6	*	*
	Number per 100,000 (ASW)	4.2	12.3	13.7	*	*
50-69 Years	Number of cases	3,864	15,932	25,024	*	*
	Number per 100,000 (Crude)	302.6	1,247.6	1,959.6	*	*
	Number per 100,000 (ASW)	306.7	1,266.7	1,995.8	*	*
70+ Years	Number of cases	4,460	22,555	42,664	*	*
	Number per 100,000 (Crude)	790.9	3,999.9	7,566.0	*	*
	Number per 100,000 (ASW)	779.6	3,957.0	7,490.2	*	*


Source: Belgian Cancer Registry



PROSTATE (ICD-10: C61)

(CONTINUED)

FIGURE 22 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





PROSTATE (ICD-10: C61)

(CONTINUED)

TABLE 69 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 69A - BRUSSELS-CAPITAL REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	495	2,346	4,133	*	*
Number per 100,000 (Crude)	92.6	438.8	773.1	*	*
Number per 100,000 (ASW)	61.8	290.0	494.8	*	*

Source: Belgian Cancer Registry



TABLE 69 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 69B - FLEMISH REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	5,047	24,067	41,351	51,033	*
Number per 100,000 (Crude)	162.8	776.5	1,334.1	1,646.5	*
Number per 100,000 (ASW)	79.1	365.0	595.7	712.2	*

Source: Belgian Cancer Registry



TABLE 69 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 69C - WALLOON REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	2,416	10,750	19,786	*	*
Number per 100,000 (Crude)	141.5	629.7	1,158.9	*	*
Number per 100,000 (ASW)	78.4	337.9	609.9	*	*

Source: Belgian Cancer Registry





TESTIS (ICD-10: C62)

TABLE 70 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	306	1,435	2,547	3,437	4,214
Number per 100,000 (Crude)	5.7	26.8	47.6	64.2	78.7
Number per 100,000 (ASW)	5.4	24.8	42.8	56.6	68.3

Source: Belgian Cancer Registry

TABLE 71 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	93	364	524	592	628
	Number per 100,000 (Crude)	4.7	18.5	26.7	30.1	32.0
	Number per 100,000 (ASW)	4.0	15.4	22.4	25.2	26.7
30-49 Years	Number of cases	169	886	1,637	2,282	2,843
	Number per 100,000 (Crude)	10.9	57.1	105.4	147.0	183.1
	Number per 100,000 (ASW)	11.2	58.3	107.3	149.3	185.6
50-69 Years	Number of cases	35	160	329	483	645
	Number per 100,000 (Crude)	2.7	12.5	25.8	37.8	50.5
	Number per 100,000 (ASW)	2.7	12.5	25.7	37.7	50.4
70+ Years	Number of cases	9	25	58	81	99
	Number per 100,000 (Crude)	1.6	4.4	10.4	14.3	17.6
	Number per 100,000 (ASW)	1.6	4.4	10.5	14.6	18.0


Source: Belgian Cancer Registry



TESTIS (ICD-10: C62)

(CONTINUED)

FIGURE 23 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





TESTIS (ICD-10: C62)

(CONTINUED)

TABLE 72 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 72A - BRUSSELS-CAPITAL REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	30	120	224	*	*
Number per 100,000 (Crude)	5.6	22.4	41.9	*	*
Number per 100,000 (ASW)	4.6	18.4	33.7	*	*

Source: Belgian Cancer Registry

TABLE 72 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 72B - FLEMISH REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	152	779	1,368	1,809	2,140
Number per 100,000 (Crude)	4.9	25.1	44.1	58.4	69.1
Number per 100,000 (ASW)	4.9	24.5	40.8	52.4	61.0

Source: Belgian Cancer Registry

TABLE 72 - PREVALENCE FOR ALL PERSONS BY REGION AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 72C - WALLOON REGION

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	121	525	950	1,292	*
Number per 100,000 (Crude)	7.1	30.8	55.6	75.7	*
Number per 100,000 (ASW)	6.7	28.0	49.5	66.1	*

Source: Belgian Cancer Registry



KIDNEY (ICD-10: C64)

TABLE 73 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	1,325	5,387	8,676	10,634	11,906
Number per 100,000 (Crude)	12.1	49.3	79.4	97.4	109.0
Number per 100,000 (ASW)	6.6	26.6	42.0	50.5	55.7

Source: Belgian Cancer Registry

TABLE 74 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	18	97	165	177	184
	Number per 100,000 (Crude)	0.5	2.5	4.3	4.6	4.8
	Number per 100,000 (ASW)	0.5	2.6	4.5	4.8	4.9
30-49 Years	Number of cases	114	442	648	743	789
	Number per 100,000 (Crude)	3.7	14.4	21.1	24.2	25.7
	Number per 100,000 (ASW)	3.6	13.9	20.4	23.3	24.7
50-69 Years	Number of cases	614	2,359	3,651	4,405	4,871
	Number per 100,000 (Crude)	23.8	91.3	141.3	170.4	188.4
	Number per 100,000 (ASW)	23.8	91.4	141.5	170.7	188.6
70+ Years	Number of cases	579	2,489	4,211	5,308	6,062
	Number per 100,000 (Crude)	41.4	178.0	301.1	379.6	433.5
	Number per 100,000 (ASW)	41.4	178.8	298.6	373.3	421.2


Source: Belgian Cancer Registry



KIDNEY (ICD-10: C64)

(CONTINUED)

FIGURE 24 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





KIDNEY (ICD-10: C64)

(CONTINUED)

TABLE 75 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	838	3,363	5,387	6,680	7,592
	Number per 100,000 (Crude)	15.6	62.8	100.6	124.7	141.7
	Number per 100,000 (ASW)	9.1	35.8	56.0	68.0	76.0
Females	Number of cases	487	2,024	3,330	4,140	4,702
	Number per 100,000 (Crude)	8.8	36.4	59.9	74.4	84.5
	Number per 100,000 (ASW)	4.4	18.3	29.8	36.8	41.6

Source: Belgian Cancer Registry ###

TABLE 76 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 76A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	64	225	386	*	*
	Number per 100,000 (Crude)	12.0	42.1	72.2	*	*
	Number per 100,000 (ASW)	8.9	31.1	53.8	*	*
Females	Number of cases	34	128	226	*	*
	Number per 100,000 (Crude)	6.0	22.5	39.7	*	*
	Number per 100,000 (ASW)	3.1	13.6	25.1	*	*
Overall	Number of cases	98	353	584	723	818
	Number per 100,000 (Crude)	8.9	32.0	52.8	65.4	74.1
	Number per 100,000 (ASW)	5.8	21.6	35.9	44.1	49.7

Source: Belgian Cancer Registry ###



KIDNEY (ICD-10: C64)

(CONTINUED)

TABLE 76 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 76B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	462	1,755	2,795	3,475	3,937
	Number per 100,000 (Crude)	14.9	56.6	90.2	112.1	127.0
	Number per 100,000 (ASW)	8.2	30.8	48.4	59.2	65.9
Females	Number of cases	291	1,154	1,889	2,378	2,711
	Number per 100,000 (Crude)	9.2	36.3	59.4	74.8	85.2
	Number per 100,000 (ASW)	4.4	17.7	28.5	35.5	40.0
Overall	Number of cases	753	2,909	4,684	5,848	6,635
	Number per 100,000 (Crude)	12.0	46.3	74.6	93.1	105.7
	Number per 100,000 (ASW)	6.2	24.0	38.0	46.5	51.6

Source: Belgian Cancer Registry



TABLE 76 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 76C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	225	1,019	1,697	2,177	2,545
	Number per 100,000 (Crude)	13.2	59.7	99.4	127.5	149.1
	Number per 100,000 (ASW)	8.1	36.1	59.4	75.6	87.4
Females	Number of cases	126	584	1,015	1,334	1,574
	Number per 100,000 (Crude)	7.0	32.4	56.3	73.9	87.2
	Number per 100,000 (ASW)	3.9	16.9	30.1	41.3	48.7
Overall	Number of cases	351	1,603	2,740	*	*
	Number per 100,000 (Crude)	10.0	45.6	78.0	*	*
	Number per 100,000 (ASW)	5.8	25.8	44.1	*	*

Source: Belgian Cancer Registry





BLADDER (ICD-10: C67)

TABLE 77 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	1,868	6,372	9,387	10,820	11,559
Number per 100,000 (Crude)	17.1	58.4	86.0	99.1	105.8
Number per 100,000 (ASW)	7.4	25.0	36.2	41.3	43.8

Source: Belgian Cancer Registry

TABLE 78 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	1	6	11	16	22
	Number per 100,000 (Crude)	0.0	0.2	0.3	0.4	0.6
	Number per 100,000 (ASW)	0.0	0.2	0.3	0.4	0.5
30-49 Years	Number of cases	45	123	160	172	176
	Number per 100,000 (Crude)	1.5	4.0	5.2	5.6	5.7
	Number per 100,000 (ASW)	1.4	3.8	5.0	5.4	5.5
50-69 Years	Number of cases	606	2,041	2,899	3,274	3,444
	Number per 100,000 (Crude)	23.4	79.0	112.2	126.7	133.2
	Number per 100,000 (ASW)	23.5	79.2	112.5	127.1	133.7
70+ Years	Number of cases	1,216	4,202	6,317	7,358	7,917
	Number per 100,000 (Crude)	87.0	300.5	451.7	526.2	566.1
	Number per 100,000 (ASW)	82.6	281.8	420.5	486.3	519.2


Source: Belgian Cancer Registry



BLADDER (ICD-10: C67)

(CONTINUED)

FIGURE 25 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010



BLADDER (ICD-10: C67)

(CONTINUED)

TABLE 79 - PREVALENCE FOR MALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	0	3	8	13	19
	Number per 100,000 (Crude)	0.0	0.2	0.4	0.7	1.0
	Number per 100,000 (ASW)	0.0	0.2	0.4	0.6	0.9
30-49 Years	Number of cases	35	93	126	138	142
	Number per 100,000 (Crude)	2.3	6.0	8.1	8.9	9.1
	Number per 100,000 (ASW)	2.2	5.7	7.8	8.5	8.8
50-69 Years	Number of cases	501	1,703	2,437	2,767	2,923
	Number per 100,000 (Crude)	39.2	133.4	190.8	216.6	228.9
	Number per 100,000 (ASW)	39.8	135.3	193.6	219.9	232.4
70+ Years	Number of cases	960	3,353	5,044	5,900	6,386
	Number per 100,000 (Crude)	170.2	594.6	894.6	1,046.3	1,132.4
	Number per 100,000 (ASW)	162.3	562.5	843.3	986.2	1,065.0

Source: Belgian Cancer Registry

###

TABLE 80 - PREVALENCE FOR FEMALES BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Age group						
0-29 Years	Number of cases	1	3	3	3	3
	Number per 100,000 (Crude)	0.1	0.2	0.2	0.2	0.2
	Number per 100,000 (ASW)	0.1	0.2	0.2	0.2	0.2
30-49 Years	Number of cases	10	30	40	45	47
	Number per 100,000 (Crude)	0.7	2.0	2.6	3.0	3.1
	Number per 100,000 (ASW)	0.6	1.9	2.6	2.9	3.1
50-69 Years	Number of cases	105	338	465	517	539
	Number per 100,000 (Crude)	8.0	25.8	35.6	39.5	41.2
	Number per 100,000 (ASW)	8.0	25.6	35.3	39.3	40.9
70+ Years	Number of cases	256	849	1,277	1,483	1,590
	Number per 100,000 (Crude)	30.7	101.7	153.0	177.7	190.5
	Number per 100,000 (ASW)	28.4	90.6	136.4	157.3	167.2

Source: Belgian Cancer Registry

###



BLADDER (ICD-10: C67)

(CONTINUED)

TABLE 81 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	1,496	5,152	7,615	8,818	9,470
	Number per 100,000 (Crude)	27.9	96.2	142.2	164.6	176.8
	Number per 100,000 (ASW)	13.4	45.6	66.8	77.0	82.4
Females	Number of cases	372	1,220	1,785	2,048	2,179
	Number per 100,000 (Crude)	6.7	21.9	32.1	36.8	39.2
	Number per 100,000 (ASW)	2.6	8.3	11.8	13.4	14.1

Source: Belgian Cancer Registry



TABLE 82 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 82A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	111	353	567	719	*
	Number per 100,000 (Crude)	20.8	66.0	106.1	134.4	*
	Number per 100,000 (ASW)	13.9	42.1	63.3	77.3	*
Females	Number of cases	34	91	145	187	*
	Number per 100,000 (Crude)	6.0	16.0	25.4	32.9	*
	Number per 100,000 (ASW)	2.4	6.5	10.6	14.2	*
Overall	Number of cases	145	444	699	865	997
	Number per 100,000 (Crude)	13.1	40.2	63.3	78.3	90.3
	Number per 100,000 (ASW)	7.5	21.8	32.0	38.1	42.6

Source: Belgian Cancer Registry





BLADDER (ICD-10: C67)

(CONTINUED)

TABLE 82 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 82B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	794	2,823	4,314	5,255	5,857
	Number per 100,000 (Crude)	25.6	91.1	139.2	169.5	189.0
	Number per 100,000 (ASW)	11.5	40.5	60.3	72.6	79.8
Females	Number of cases	204	679	1,051	1,291	1,442
	Number per 100,000 (Crude)	6.4	21.4	33.0	40.6	45.3
	Number per 100,000 (ASW)	2.5	8.0	11.9	14.3	15.8
Overall	Number of cases	998	3,502	5,365	6,538	7,273
	Number per 100,000 (Crude)	15.9	55.8	85.4	104.1	115.8
	Number per 100,000 (ASW)	6.6	22.8	33.9	40.5	44.3

Source: Belgian Cancer Registry



TABLE 82 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 82C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	449	1,523	2,304	2,711	2,953
	Number per 100,000 (Crude)	26.3	89.2	134.9	158.8	173.0
	Number per 100,000 (ASW)	13.6	45.6	69.9	83.2	91.7
Females	Number of cases	102	359	511	586	627
	Number per 100,000 (Crude)	5.7	19.9	28.3	32.5	34.8
	Number per 100,000 (ASW)	2.2	7.5	10.8	12.8	14.0
Overall	Number of cases	551	1,882	2,799	3,245	3,482
	Number per 100,000 (Crude)	15.7	53.6	79.7	92.4	99.1
	Number per 100,000 (ASW)	7.1	24.2	36.5	42.8	46.4

Source: Belgian Cancer Registry





BRAIN (ICD-10: C71)

TABLE 83 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	547	1,465	2,091	2,397	2,587
Number per 100,000 (Crude)	5.0	13.4	19.2	22.0	23.7
Number per 100,000 (ASW)	3.7	11.3	16.5	19.1	20.7

Source: Belgian Cancer Registry

TABLE 84 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	72	279	428	500	536
	Number per 100,000 (Crude)	1.9	7.2	11.1	12.9	13.9
	Number per 100,000 (ASW)	1.9	6.9	10.6	12.2	13.1
30-49 Years	Number of cases	116	440	714	900	1,038
	Number per 100,000 (Crude)	3.8	14.3	23.3	29.3	33.8
	Number per 100,000 (ASW)	3.8	14.3	23.1	28.9	33.2
50-69 Years	Number of cases	225	520	686	727	740
	Number per 100,000 (Crude)	8.7	20.1	26.5	28.1	28.6
	Number per 100,000 (ASW)	8.7	20.1	26.5	28.2	28.7
70+ Years	Number of cases	134	226	263	270	273
	Number per 100,000 (Crude)	9.6	16.2	18.8	19.3	19.5
	Number per 100,000 (ASW)	10.3	17.8	20.5	20.9	21.1


Source: Belgian Cancer Registry



BRAIN (ICD-10: C71)

(CONTINUED)

FIGURE 26 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





BRAIN (ICD-10: C71)

(CONTINUED)

TABLE 85 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	328	825	1,158	1,302	1,378
	Number per 100,000 (Crude)	6.1	15.4	21.6	24.3	25.7
	Number per 100,000 (ASW)	4.6	12.7	18.5	21.0	22.4
Females	Number of cases	219	640	922	1,066	1,158
	Number per 100,000 (Crude)	3.9	11.5	16.6	19.2	20.8
	Number per 100,000 (ASW)	3.0	9.9	14.4	16.8	18.3

Source: Belgian Cancer Registry



TABLE 86 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 86A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	28	72	*	*	*
	Number per 100,000 (Crude)	5.2	13.5	*	*	*
	Number per 100,000 (ASW)	4.4	11.9	*	*	*
Females	Number of cases	19	58	*	*	*
	Number per 100,000 (Crude)	3.3	10.2	*	*	*
	Number per 100,000 (ASW)	3.4	9.8	*	*	*
Overall	Number of cases	47	130	199	*	*
	Number per 100,000 (Crude)	4.3	11.8	18.0	*	*
	Number per 100,000 (ASW)	3.8	10.7	16.5	*	*

Source: Belgian Cancer Registry





BRAIN (ICD-10: C71)

(CONTINUED)

TABLE 86 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 86B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	172	470	681	855	962
	Number per 100,000 (Crude)	5.5	15.2	22.0	27.6	31.0
	Number per 100,000 (ASW)	4.0	12.1	18.4	23.6	26.7
Females	Number of cases	121	352	539	686	790
	Number per 100,000 (Crude)	3.8	11.1	16.9	21.6	24.8
	Number per 100,000 (ASW)	2.6	9.1	14.2	18.6	21.6
Overall	Number of cases	293	822	1,220	1,517	1,679
	Number per 100,000 (Crude)	4.7	13.1	19.4	24.2	26.7
	Number per 100,000 (ASW)	3.3	10.6	16.3	20.8	23.3

Source: Belgian Cancer Registry



TABLE 86 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 86C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	114	261	410	491	544
	Number per 100,000 (Crude)	6.7	15.3	24.0	28.8	31.9
	Number per 100,000 (ASW)	5.3	13.4	21.8	26.4	29.3
Females	Number of cases	68	209	334	416	478
	Number per 100,000 (Crude)	3.8	11.6	18.5	23.1	26.5
	Number per 100,000 (ASW)	3.1	10.7	17.3	21.8	25.3
Overall	Number of cases	182	470	728	873	974
	Number per 100,000 (Crude)	5.2	13.4	20.7	24.9	27.7
	Number per 100,000 (ASW)	4.2	12.0	19.1	23.3	26.3

Source: Belgian Cancer Registry





THYROID GLAND (ICD-10: C73)

TABLE 87 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	815	3,556	5,980	7,692	8,978
Number per 100,000 (Crude)	7.5	32.6	54.8	70.4	82.2
Number per 100,000 (ASW)	5.4	23.6	38.8	49.5	57.4

Source: Belgian Cancer Registry

TABLE 88 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	61	230	297	326	337
	Number per 100,000 (Crude)	1.6	5.9	7.7	8.4	8.7
	Number per 100,000 (ASW)	1.3	4.9	6.4	7.0	7.2
30-49 Years	Number of cases	283	1,232	2,014	2,517	2,838
	Number per 100,000 (Crude)	9.2	40.1	65.6	82.0	92.5
	Number per 100,000 (ASW)	9.1	39.6	64.7	80.7	90.8
50-69 Years	Number of cases	351	1,565	2,739	3,664	4,440
	Number per 100,000 (Crude)	13.6	60.5	106.0	141.7	171.8
	Number per 100,000 (ASW)	13.5	60.5	105.9	141.9	172.1
70+ Years	Number of cases	120	529	930	1,186	1,363
	Number per 100,000 (Crude)	8.6	37.8	66.5	84.8	97.5
	Number per 100,000 (ASW)	8.7	40.0	69.5	88.3	100.6


Source: Belgian Cancer Registry



THYROID GLAND (ICD-10: C73)

(CONTINUED)

FIGURE 27 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





THYROID GLAND (ICD-10: C73)

(CONTINUED)

TABLE 89 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	185	893	1,464	1,850	2,132
	Number per 100,000 (Crude)	3.5	16.7	27.3	34.5	39.8
	Number per 100,000 (ASW)	2.4	11.6	19.0	24.1	27.7
Females	Number of cases	630	2,663	4,543	5,924	6,992
	Number per 100,000 (Crude)	11.3	47.9	81.7	106.5	125.7
	Number per 100,000 (ASW)	8.5	35.4	59.1	76.0	88.6

Source: Belgian Cancer Registry



TABLE 90 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 90A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	29	122	207	280	*
	Number per 100,000 (Crude)	5.4	22.8	38.7	52.4	*
	Number per 100,000 (ASW)	4.5	17.8	30.6	42.4	*
Females	Number of cases	85	372	640	855	*
	Number per 100,000 (Crude)	14.9	65.3	112.3	150.1	*
	Number per 100,000 (ASW)	11.6	52.3	89.6	121.2	*
Overall	Number of cases	114	494	816	1,041	1,214
	Number per 100,000 (Crude)	10.3	44.7	73.9	94.3	109.9
	Number per 100,000 (ASW)	8.0	35.2	58.1	74.8	87.5

Source: Belgian Cancer Registry





THYROID GLAND (ICD-10: C73)

(CONTINUED)

TABLE 90 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 90B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	66	324	509	639	729
	Number per 100,000 (Crude)	2.1	10.5	16.4	20.6	23.5
	Number per 100,000 (ASW)	1.5	7.2	11.1	13.8	15.7
Females	Number of cases	258	1,016	1,651	2,032	2,284
	Number per 100,000 (Crude)	8.1	31.9	51.9	63.9	71.8
	Number per 100,000 (ASW)	5.9	23.5	37.2	44.9	49.8
Overall	Number of cases	324	1,340	2,160	2,659	2,980
	Number per 100,000 (Crude)	5.2	21.3	34.4	42.3	47.5
	Number per 100,000 (ASW)	3.7	15.3	24.1	29.2	32.4

Source: Belgian Cancer Registry



TABLE 90 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 90C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	77	403	709	946	1,141
	Number per 100,000 (Crude)	4.5	23.6	41.5	55.4	66.8
	Number per 100,000 (ASW)	3.1	17.0	29.9	40.3	48.8
Females	Number of cases	268	1,208	2,087	2,735	3,250
	Number per 100,000 (Crude)	14.9	66.9	115.6	151.6	180.1
	Number per 100,000 (ASW)	11.6	50.0	84.1	109.0	128.2
Overall	Number of cases	345	1,611	2,791	3,661	4,359
	Number per 100,000 (Crude)	9.8	45.9	79.5	104.3	124.1
	Number per 100,000 (ASW)	7.4	33.7	57.1	74.0	86.8

Source: Belgian Cancer Registry





HODGKIN'S LYMPHOMA (ICD-10: C81)

TABLE 91 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	294	1,272	2,280	3,093	3,794
Number per 100,000 (Crude)	2.7	11.6	20.9	28.3	34.7
Number per 100,000 (ASW)	2.4	10.7	19.1	25.8	31.5

Source: Belgian Cancer Registry

TABLE 92 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	94	409	689	884	1,032
	Number per 100,000 (Crude)	2.4	10.6	17.8	22.9	26.7
	Number per 100,000 (ASW)	2.1	8.9	15.0	19.2	22.2
30-49 Years	Number of cases	97	444	877	1,278	1,654
	Number per 100,000 (Crude)	3.2	14.5	28.6	41.6	53.9
	Number per 100,000 (ASW)	3.2	14.6	29.0	42.3	54.8
50-69 Years	Number of cases	64	288	501	663	800
	Number per 100,000 (Crude)	2.5	11.1	19.4	25.6	31.0
	Number per 100,000 (ASW)	2.5	11.1	19.3	25.6	30.9
70+ Years	Number of cases	39	131	213	268	308
	Number per 100,000 (Crude)	2.8	9.4	15.2	19.2	22.0
	Number per 100,000 (ASW)	2.7	9.1	15.5	20.2	23.7


Source: Belgian Cancer Registry



HODGKIN'S LYMPHOMA (ICD-10: C81)

(CONTINUED)

FIGURE 28 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





HODGKIN'S LYMPHOMA (ICD-10: C81)

(CONTINUED)

TABLE 93 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	151	730	1,313	1,791	2,214
	Number per 100,000 (Crude)	2.8	13.6	24.5	33.4	41.3
	Number per 100,000 (ASW)	2.4	11.9	21.6	29.8	37.0
Females	Number of cases	143	542	949	1,255	1,521
	Number per 100,000 (Crude)	2.6	9.7	17.1	22.6	27.3
	Number per 100,000 (ASW)	2.5	9.5	16.3	21.2	25.2

Source: Belgian Cancer Registry



TABLE 94 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 94A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	25	96	*	*	*
	Number per 100,000 (Crude)	4.7	18.0	*	*	*
	Number per 100,000 (ASW)	3.8	15.8	*	*	*
Females	Number of cases	13	49	*	*	*
	Number per 100,000 (Crude)	2.3	8.6	*	*	*
	Number per 100,000 (ASW)	1.9	8.1	*	*	*
Overall	Number of cases	38	145	261	359	447
	Number per 100,000 (Crude)	3.4	13.1	23.6	32.5	40.5
	Number per 100,000 (ASW)	2.9	11.9	20.9	28.4	34.8

Source: Belgian Cancer Registry



HODGKIN'S LYMPHOMA (ICD-10: C81)

(CONTINUED)

TABLE 94 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 94B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	71	369	690	936	1,138
	Number per 100,000 (Crude)	2.3	11.9	22.3	30.2	36.7
	Number per 100,000 (ASW)	2.0	10.6	19.8	26.8	32.5
Females	Number of cases	76	297	572	796	1,006
	Number per 100,000 (Crude)	2.4	9.3	18.0	25.0	31.6
	Number per 100,000 (ASW)	2.4	9.2	17.0	23.0	28.5
Overall	Number of cases	147	666	1,262	1,732	2,146
	Number per 100,000 (Crude)	2.3	10.6	20.1	27.6	34.2
	Number per 100,000 (ASW)	2.2	9.9	18.4	24.8	30.3

Source: Belgian Cancer Registry

###

TABLE 94 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 94C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	45	246	439	600	751
	Number per 100,000 (Crude)	2.6	14.4	25.7	35.2	44.0
	Number per 100,000 (ASW)	2.3	12.6	22.7	31.0	38.6
Females	Number of cases	51	186	309	397	461
	Number per 100,000 (Crude)	2.8	10.3	17.1	22.0	25.5
	Number per 100,000 (ASW)	2.9	10.4	17.1	21.6	24.8
Overall	Number of cases	96	432	749	1,009	1,245
	Number per 100,000 (Crude)	2.7	12.3	21.3	28.7	35.4
	Number per 100,000 (ASW)	2.6	11.5	20.0	27.0	33.4

Source: Belgian Cancer Registry

###



NON-HODGKIN LYMPHOMA (ICD-10: C82-C86)

TABLE 95 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	1,683	6,558	10,580	13,197	14,996
Number per 100,000 (Crude)	15.4	60.1	96.9	120.9	137.3
Number per 100,000 (ASW)	8.5	33.5	53.9	67.4	76.6

Source: Belgian Cancer Registry

TABLE 96 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	54	265	442	585	697
	Number per 100,000 (Crude)	1.4	6.9	11.4	15.1	18.0
	Number per 100,000 (ASW)	1.3	6.2	10.2	13.4	15.8
30-49 Years	Number of cases	233	819	1,276	1,521	1,652
	Number per 100,000 (Crude)	7.6	26.7	41.6	49.6	53.8
	Number per 100,000 (ASW)	7.4	26.1	40.7	48.5	52.6
50-69 Years	Number of cases	621	2,488	4,035	5,108	5,912
	Number per 100,000 (Crude)	24.0	96.3	156.1	197.6	228.7
	Number per 100,000 (ASW)	24.1	96.4	156.3	197.8	228.9
70+ Years	Number of cases	775	2,986	4,828	5,984	6,735
	Number per 100,000 (Crude)	55.4	213.5	345.2	427.9	481.6
	Number per 100,000 (ASW)	53.7	208.8	336.6	415.1	463.1


Source: Belgian Cancer Registry



NON-HODGKIN LYMPHOMA (ICD-10: C82-C86)

(CONTINUED)

FIGURE 29 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





NON-HODGKIN LYMPHOMA (ICD-10: C82-C86)

(CONTINUED)

TABLE 97 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	878	3,444	5,547	6,959	7,999
	Number per 100,000 (Crude)	16.4	64.3	103.5	129.9	149.3
	Number per 100,000 (ASW)	9.8	38.5	62.3	78.6	90.7
Females	Number of cases	805	3,114	5,025	6,238	7,041
	Number per 100,000 (Crude)	14.5	56.0	90.3	112.1	126.6
	Number per 100,000 (ASW)	7.4	29.0	46.5	57.8	65.3

Source: Belgian Cancer Registry



TABLE 98 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 98A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	73	265	467	620	754
	Number per 100,000 (Crude)	13.7	49.6	87.3	116.0	141.1
	Number per 100,000 (ASW)	9.8	35.6	63.1	84.3	103.2
Females	Number of cases	83	289	480	609	702
	Number per 100,000 (Crude)	14.6	50.7	84.2	107.0	123.3
	Number per 100,000 (ASW)	9.0	30.7	52.1	67.6	78.5
Overall	Number of cases	156	554	931	1,180	1,373
	Number per 100,000 (Crude)	14.1	50.2	84.3	106.9	124.4
	Number per 100,000 (ASW)	9.4	32.9	55.5	71.1	83.5

Source: Belgian Cancer Registry



NON-HODGKIN LYMPHOMA (ICD-10: C82-C86)

(CONTINUED)

TABLE 98 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 98B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	464	1,898	3,001	3,708	4,157
	Number per 100,000 (Crude)	15.0	61.2	96.8	119.6	134.1
	Number per 100,000 (ASW)	8.6	35.3	56.4	70.0	78.9
Females	Number of cases	430	1,687	2,679	3,355	3,784
	Number per 100,000 (Crude)	13.5	53.0	84.2	105.5	119.0
	Number per 100,000 (ASW)	6.8	26.7	42.0	53.0	60.1
Overall	Number of cases	894	3,585	5,680	7,051	7,906
	Number per 100,000 (Crude)	14.2	57.1	90.5	112.3	125.9
	Number per 100,000 (ASW)	7.7	30.9	49.0	61.1	68.8

Source: Belgian Cancer Registry

###

TABLE 98 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 98C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	286	1,090	1,810	2,309	2,704
	Number per 100,000 (Crude)	16.8	63.8	106.0	135.3	158.4
	Number per 100,000 (ASW)	10.5	40.2	66.6	85.4	100.4
Females	Number of cases	249	1,003	1,681	2,176	2,557
	Number per 100,000 (Crude)	13.8	55.6	93.1	120.6	141.7
	Number per 100,000 (ASW)	7.1	29.2	49.3	64.3	75.9
Overall	Number of cases	535	2,093	3,491	4,477	5,238
	Number per 100,000 (Crude)	15.2	59.6	99.4	127.5	149.2
	Number per 100,000 (ASW)	8.7	34.3	57.2	73.4	85.9

Source: Belgian Cancer Registry

###



MULTIPLE MYELOMA (ICD-10: C90)

TABLE 99 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	652	2,493	3,608	4,211	4,582
Number per 100,000 (Crude)	6.0	22.8	33.0	38.6	42.0
Number per 100,000 (ASW)	2.9	11.2	16.3	19.3	21.4

Source: Belgian Cancer Registry

TABLE 100 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	1	1	4	9	15
	Number per 100,000 (Crude)	0.0	0.0	0.1	0.2	0.4
	Number per 100,000 (ASW)	0.0	0.0	0.1	0.2	0.3
30-49 Years	Number of cases	36	124	194	247	286
	Number per 100,000 (Crude)	1.2	4.0	6.3	8.1	9.3
	Number per 100,000 (ASW)	1.1	3.9	6.1	7.8	9.1
50-69 Years	Number of cases	255	1,048	1,531	1,841	2,061
	Number per 100,000 (Crude)	9.9	40.5	59.2	71.2	79.8
	Number per 100,000 (ASW)	9.9	40.6	59.4	71.5	80.0
70+ Years	Number of cases	360	1,320	1,880	2,113	2,220
	Number per 100,000 (Crude)	25.7	94.4	134.4	151.1	158.7
	Number per 100,000 (ASW)	25.5	93.4	132.1	148.1	155.0


Source: Belgian Cancer Registry



MULTIPLE MYELOMA (ICD-10: C90)

(CONTINUED)

FIGURE 30 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





MULTIPLE MYELOMA (ICD-10: C90)

(CONTINUED)

TABLE 101 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	356	1,347	1,923	2,231	2,421
	Number per 100,000 (Crude)	6.6	25.1	35.9	41.7	45.2
	Number per 100,000 (ASW)	3.5	13.3	18.9	22.1	24.1
Females	Number of cases	296	1,146	1,685	1,987	2,185
	Number per 100,000 (Crude)	5.3	20.6	30.3	35.7	39.3
	Number per 100,000 (ASW)	2.4	9.4	14.1	17.2	19.3

Source: Belgian Cancer Registry



TABLE 102 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 102A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	36	113	174	*	*
	Number per 100,000 (Crude)	6.7	21.1	32.6	*	*
	Number per 100,000 (ASW)	4.6	14.0	21.8	*	*
Females	Number of cases	28	106	178	*	*
	Number per 100,000 (Crude)	4.9	18.6	31.3	*	*
	Number per 100,000 (ASW)	2.7	10.4	18.8	*	*
Overall	Number of cases	64	219	342	*	*
	Number per 100,000 (Crude)	5.8	19.8	30.9	*	*
	Number per 100,000 (ASW)	3.5	11.9	19.2	*	*

Source: Belgian Cancer Registry



MULTIPLE MYELOMA (ICD-10: C90)

(CONTINUED)

TABLE 102 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 102B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	195	774	1,055	1,195	1,272
	Number per 100,000 (Crude)	6.3	25.0	34.0	38.5	41.0
	Number per 100,000 (ASW)	3.2	12.7	17.0	19.4	20.8
Females	Number of cases	172	657	937	1,078	1,151
	Number per 100,000 (Crude)	5.4	20.7	29.5	33.9	36.2
	Number per 100,000 (ASW)	2.4	9.2	13.1	15.1	16.3
Overall	Number of cases	367	1,431	1,992	2,256	2,380
	Number per 100,000 (Crude)	5.8	22.8	31.7	35.9	37.9
	Number per 100,000 (ASW)	2.8	10.8	14.9	16.9	17.9

Source: Belgian Cancer Registry

###

TABLE 102 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 102C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	99	361	542	668	*
	Number per 100,000 (Crude)	5.8	21.1	31.8	39.2	*
	Number per 100,000 (ASW)	3.0	11.6	17.5	22.1	*
Females	Number of cases	82	324	466	561	631
	Number per 100,000 (Crude)	4.5	18.0	25.8	31.1	35.0
	Number per 100,000 (ASW)	2.0	8.1	12.3	15.5	18.1
Overall	Number of cases	181	685	997	1,181	1,299
	Number per 100,000 (Crude)	5.2	19.5	28.4	33.6	37.0
	Number per 100,000 (ASW)	2.5	9.6	14.3	17.3	19.3

Source: Belgian Cancer Registry

###



LEUKAEMIA (ICD-10: C91-C95)

TABLE 103 - PREVALENCE FOR ALL PERSONS BY TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

	Prevalence				
	1-Year	5-Year	10-Year	15-Year	20-Year
Number of cases	1,335	4,826	7,432	8,744	9,445
Number per 100,000 (Crude)	12.2	44.2	68.1	80.1	86.5
Number per 100,000 (ASW)	7.5	28.0	43.7	51.5	55.6

Source: Belgian Cancer Registry

TABLE 104 - PREVALENCE FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

Age group		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
0-29 Years	Number of cases	110	479	800	954	1,037
	Number per 100,000 (Crude)	2.8	12.4	20.7	24.7	26.8
	Number per 100,000 (ASW)	3.0	12.8	21.0	24.7	26.5
30-49 Years	Number of cases	150	535	810	942	1,007
	Number per 100,000 (Crude)	4.9	17.4	26.4	30.7	32.8
	Number per 100,000 (ASW)	4.8	17.1	25.9	30.2	32.3
50-69 Years	Number of cases	479	1,775	2,750	3,282	3,591
	Number per 100,000 (Crude)	18.5	68.7	106.4	127.0	138.9
	Number per 100,000 (ASW)	18.5	68.7	106.4	127.1	139.2
70+ Years	Number of cases	596	2,037	3,073	3,567	3,810
	Number per 100,000 (Crude)	42.6	145.7	219.7	255.0	272.4
	Number per 100,000 (ASW)	42.2	143.8	217.3	252.3	268.8


Source: Belgian Cancer Registry



LEUKAEMIA (ICD-10: C91-C95)

(CONTINUED)

FIGURE 31 - PREVALENCE (ASW) PER 100,000 FOR ALL PERSONS BY AGE GROUP AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010





LEUKAEMIA (ICD-10: C91-C95)

(CONTINUED)

TABLE 105 - PREVALENCE FOR ALL PERSONS BY SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	739	2,789	4,236	4,955	5,327
	Number per 100,000 (Crude)	13.8	52.1	79.1	92.5	99.4
	Number per 100,000 (ASW)	8.7	33.9	52.1	60.9	65.4
Females	Number of cases	596	2,037	3,192	3,795	4,146
	Number per 100,000 (Crude)	10.7	36.6	57.4	68.2	74.5
	Number per 100,000 (ASW)	6.4	22.8	36.2	43.1	47.1

Source: Belgian Cancer Registry



TABLE 106 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 106A - BRUSSELS-CAPITAL REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	51	226	369	469	529
	Number per 100,000 (Crude)	9.5	42.3	69.0	87.7	98.9
	Number per 100,000 (ASW)	7.6	33.9	57.3	75.0	84.4
Females	Number of cases	59	190	310	385	440
	Number per 100,000 (Crude)	10.4	33.3	54.3	67.6	77.3
	Number per 100,000 (ASW)	6.6	22.9	39.3	49.6	56.8
Overall	Number of cases	110	416	655	782	858
	Number per 100,000 (Crude)	10.0	37.7	59.3	70.8	77.7
	Number per 100,000 (ASW)	7.1	28.0	45.5	54.7	60.2

Source: Belgian Cancer Registry



LEUKAEMIA (ICD-10: C91-C95)

(CONTINUED)

TABLE 106 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 106B - FLEMISH REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	404	1,560	2,479	3,013	3,337
	Number per 100,000 (Crude)	13.0	50.3	80.0	97.2	107.7
	Number per 100,000 (ASW)	8.2	31.8	51.1	62.1	68.5
Females	Number of cases	302	1,115	1,806	2,223	2,469
	Number per 100,000 (Crude)	9.5	35.1	56.8	69.9	77.6
	Number per 100,000 (ASW)	5.7	22.0	35.7	44.1	48.7
Overall	Number of cases	706	2,675	4,285	5,253	5,838
	Number per 100,000 (Crude)	11.2	42.6	68.2	83.6	93.0
	Number per 100,000 (ASW)	6.9	26.7	43.0	53.1	59.1

Source: Belgian Cancer Registry

###

TABLE 106 - PREVALENCE FOR ALL PERSONS BY REGION, SEX AND TIME SINCE DIAGNOSIS ON 31ST DECEMBER 2010

TABLE 106C - WALLOON REGION

		Prevalence				
		1-Year	5-Year	10-Year	15-Year	20-Year
Sex						
Males	Number of cases	223	830	1,261	1,488	1,626
	Number per 100,000 (Crude)	13.1	48.6	73.9	87.2	95.3
	Number per 100,000 (ASW)	8.2	33.1	51.6	61.2	67.0
Females	Number of cases	200	639	940	1,088	1,173
	Number per 100,000 (Crude)	11.1	35.4	52.1	60.3	65.0
	Number per 100,000 (ASW)	6.8	22.2	33.8	40.3	44.0
Overall	Number of cases	423	1,469	2,175	2,497	2,668
	Number per 100,000 (Crude)	12.0	41.8	61.9	71.1	76.0
	Number per 100,000 (ASW)	7.4	27.2	41.3	47.8	51.3

Source: Belgian Cancer Registry

###

References

- 1 Cancer Incidence in Belgium, 2004-2005, Belgian Cancer Registry. Brussels, 2008. (http://www.kankerregister.org/media/docs/Vorige%20rapporten/CancerInc%202004-2005_book.pdf). Accessed on 12 November, 2013.

- 2 Cancer Incidence in Belgium, 2008, Belgian Cancer Registry. Brussels, 2011. (http://www.kankerregister.org/media/docs/StK_publicatie.pdf). Accessed on 12 November, 2013.

- 3 Cancer survival in Belgium, 2004-2008, Belgian Cancer Registry. Brussels, 2012. (<http://www.kankerregister.org/media/docs/publications/CancerSurvivalinBelgium.PDF>). Accessed on 12 November, 2013.

- 4 Cancer Incidence in Belgium, 2010, special issue Cancer in Children and Adolescents, Brussels, 2013. (<http://www.kankerregister.org/media/docs/publications/CancerIncBel2010-ChildrenAdolescents.pdf>). Accessed on 12 November, 2013.

- 5 Belgian Cancer Registry, Brussels, 2013. (<http://www.kankerregister.org/default.aspx?lang=FR>). Accessed on 12 November, 2013.

- 6 Capocaccia R, Colonna M, Corazziari I, De Angelis R, Francisci S, Micheli A & Mugno E. On behalf of the EUROPREVAL Working Group. Measuring cancer prevalence in Europe: the EUROPREVAL Project. *Ann Oncol.* 13: 831-839, 2002.

- 7 Corazziari I, Mariotto A, Capocaccia R. Correcting the completeness bias of observed prevalence. *Tumori.* 85: 370-381, 1999.

- 8 Gatta G, Mallone S, Van der Zwan JM, Trama A, Siesling S, Capocaccia R and the EUROCARE working group. Cancer prevalence estimates in Europe at the beginning of 2000. *Ann Oncol.* 24: 1660-1666, 2013.

- 9 Bray F, Ren JS, Masuyer E, Ferlay J. Global estimates of cancer prevalence for 27 sites in the adult population in 2008. *Int J Cancer.* 132: 1133-1145, 2013.

- 10 Youlten D, Baade P. Cancer prevalence in Queensland, 2002. Queensland Health and Queensland Cancer Fund, 2005. ISBN: 1-921021-20-9.

- 11 Arrêté Royal: Fixe les normes auxquelles les programmes de soins de base en oncologie et les programmes de soin en oncologie doivent répondre pour être agréés. *Moniteur Belge*, 21 mars 2003. Koninklijk Besluit houdende vaststelling van de normen waaraan het zorgprogramma voor oncologische basiszorg en het zorgprogramma voor oncologie moeten voldoen om te worden erkend. *Belgisch Staatsblad*, 21 maart 2003.

- 12 Loi portant dispositions diverses en matière de santé du 13 décembre 2006, article 39. *Moniteur Belge*, 22 décembre 2006. Wet houdende diverse bepalingen betreffende gezondheid van 13 December 2006, artikel 39. *Belgisch Staatsblad*, 22 December 2006.

- 13 Directorate-general Statistics Belgium and Economic Information, Federal Public Service Economy, SMEs, Self-employed and Energy (<http://www.statbel.fgov.be/>). 2013. Accessed on 24 October, 2013.

- 14 Maddams J, Brewster D, Gavin A, Steward J, Elliott J, Utley M and Moller H. Cancer prevalence in the United Kingdom: estimates for 2008. *Br J Cancer.* 101: 541-547, 2009.

- 15 Australian Institute of Health and Welfare 2012. Cancer survival and prevalence in Australia: period estimates from 1982 to 2010. *Cancer Series no. 69. Cat. no. CAN 65.* Canberra: AIHW.

- 16 Sikora K, Timbs O. Cancer 2025: introduction. *Expert Rev Anticancer Ther. Suppl 1:* S11-2, 2004.

Belgian Cancer Registry



Koningsstraat 215 / Rue Royale 215
1210 Brussel / Bruxelles

www.kankerregister.org
www.registreducancer.org